

## Automatic Fault Detection in Transmission Lines using GSM Technology

<sup>1</sup>Ritesh Bhaisare , <sup>2</sup>Kunal Yele , <sup>3</sup>Mangesh Gaibhane , <sup>4</sup>Prof. Abhishek P. Goswami

<sup>1,2,3</sup>Research Students, Department of Electrical Engineering, Madhukarrao Pandav College of Engineering, Bhilewada, Bhandara.

<sup>4</sup>Project Guide, Department of Electrical Engineering, Madhukarrao Pandav College of Engineering, Bhilewada, Bhandara.

### Abstract-

The electrical system is divided into many different parts. One of them is the power transmission system, which is transmitted by power plants and transformer stations, through wiring to the consumer. But this method will likely encounter all kinds of disorders, which are commonly called "Bugs".

The error lies in the fact that simply can be defined as a number of unpleasant but inevitable events that can temporarily prevent the steady-state energy of the system, which occurs in case of failure of the insulation system at any time. Intelligent GSM systems, fault detection and location detection have a place to adequately and accurately determine from voltage error.

This will ensure that the technical staff will meet soon to address these issues, and thus help save transformers from loss and man-made disasters. The system uses a current transformer, a voltage transformer, an 8051 microcontroller, RS-232 serial communication, and a GSM modem. With this project, we discovered the failure of a three-

phase transmission line, can control the voltage, current, use of a GSM modem by sending us a message.

**Keywords:** Transmission line, fault detection, GSM technology, automatic fault detection.

### 1. INTRODUCTION

In an electrical system, most of the voltage and current of the signal is distorted, which is not the cause. Any errors that occur in the transmission lines may cause the power supply to be interrupted. When the amount to do this you need to pinpoint the location of the error has been significantly reduced, as the system automatically and accurately gives absolutely the wrong location for the information.

This will ensure that the technical staff will meet soon to address these issues, and thus help save transformers from loss and man-made disasters. Intelligent GSM systems, fault detection and location is used to determine whether to adequately and accurately log and locate specific error locations.

Personality and defence, internal errors in the main distribution lines will be presented. Based on GSM technology, they are used to measure, protect and control distribution lines up to various errors. Monitoring of voltage and current changes based on open circuit and short circuit.

In this project, we use an ADC, an 8051 microcontroller, and an LCD display to display errors and settings, and, for summer signalling, the GSM board of directors will be used to send an incorrect signal to the generator. With this project, we can investigate a number of three-phase transmission line errors, can be accurately tracked when transmitting errors.

Notable among them includes:

- Faults at the power generation station
- Damage to power transmission lines ( tree falling on lines )
- Faults at the substations or parts of distribution subsystem
- Lightening.

An error in analyzing the key parameters of the electric power system is required to be more accurate. There is a need for automatic troubleshooting.

## 2. EXISTING SYSTEMS

Generally, when a transmission line error occurs, provided that it is fatal, it remains invisible. Finally, however, this small error can cause

damage to the output transformer, and it can turn chaos into a person's life. It can also take the initiative related to the brand. Today in India there is no manual system that did not allow that we know in real time the failure. One danger is that, because we do not have a real-time system, it is damage caused to the base equipment, related it if a danger to the environment and humans.

To avoid such situations as much as possible, maintenance and inspection of overhead power lines are usually carried out regularly. This will lead to an increase in labor requirements. The fact remains that the real target-it shouldn't have been met so many times in a row, it may be because of rain and falling trees that couldn't have been foreseen.


To overcome this problem, we offer a mobile device-based power line fault detection system. Passing the pre-set parameters, the controller immediately starts sending messages to the operator and Control line area, Stations entering the pole for polar positions. This will help us achieve, one might say, real-time performance.

The real goal is to have bugs detected in real-time and protect transformers as soon as possible. It is important to note that the game is very challenging. The power of an 11 KV transformer, the average cost of which is 3000 US dollars. So, here we need to evolve, cost-effectively and quickly, into a system of responses to improve security.

### 3. OBJECTIVE

- \* Develop an effective fault detection and warning system based on output resistance for overhead and underground power lines.
- To reduce the response time, you need to fix it, save it, and make costly changes as a result of loss or theft, which usually occur during a long power outage.
- In order to increase productivity, technical teams, because the amount of time required to locate the error should be minimized.
- To ensure the stability and reliability of the country's electricity supply in order to increase economic growth.

### 4. BLOCK DIAGRAM



### 5. COMPONENTS

- 8051 Microcontroller
- LCD Display
- GSM Modem
- Transformer
- ADC

- 7805 IC
- Fault Switches
- Transmission line wire
- Other

### 6. SCOPE OF THE STUDY

The purpose of this essay is to send a message to the service provider then when a fault occurs on the transmission line. With this model, we can predict fault locations with the distance from pole to pole. In the future, we may have a global positioning system (GPS) join, so that it will send the exact location of faults occurring in the electrical line, latitude and longitude data. In the future, we can use appropriate programming to find the fault distance from the substation.

The project was designed to send you a message as soon as a fault occurs. With this model, we can predict what the error location is, from pole to pole. In the future, we will need to connect a GPS navigator to it, which was just supposed to send you to the right place in terms of latitude and longitude.

### 7. ADVANTAGES

1. This system provides accurate information about the type of error that occurred on the LG L-L line, etc

- . 2. You can easily monitor the compliance of the transmission system from all over the world, a GSM-based system that provides real-time system status.
3. This system is more flexible than the current system, it is easy to eliminate, it takes time to find errors in each position.
4. You can easily install the pole based on its small size, light weight.

## 8. CONCLUSION

In this project, we have developed mobile transmission line monitoring, and a detection system that sends information to a dispatcher via text message. The implementation of systematic design was mainly directed to the distribution system. It provides a way to detect errors that waste energy and power in theft. The system constantly monitors various system parameters. This helps to detect errors in a timely manner and thus prevent illegal use of electricity. Automatic monitoring, analysis and recording is performed on the PC screen, HyperTerminal. This project includes continuous monitoring of the integration system that GSM mobile communication technology and micro technology. It also features hardware and software flow. Using the system, it will save you a lot of energy, which means that electricity will be available to a number of consumers in such a densely populated country as India.

## 9. REFERENCES

- [1] Ing. Komi Agbesi, Felix Attuquaye Okai . AUTOMATIC FAULT DETECTION AND LOCATION IN POWER TRANSMISSION LINES USING GSM TECHNOLOGY. Vol.no.5 issue 01 ,January 2016
- [2] S.Leelakrishnan, V.Ganesharavinth, K.Kalpana, P.Sivaranjani, S.Vijaykumar . Distribution Side Fault Detection and Disconnection Using GSM. Vol. 6, Issue 3, March 2017
- [3] Chandra shekar. P .Transmission Line Fault Detection & Indication through GSM .ISSN (Online): 2347 - 2812, Volume-2, Issue -5, 2014 .
- [4] Mr. Nilesh S.Wani, Dr. R. P. Singh . TRANSMISSION LINE FAULTS DETECTION- A REVIEW. Volume 7, Issue 2, March-April, 2016
- [5] prof. m. s. sujatha, dr. m vijaykumar. on-line monitoring and analysis of faults in transmission and distribution lines using gsm technique. 30th November 2011. Vol. 33 No.2 © 2005 - 2011 JATIT & LLS. All rights reserved.
- [6] R. N. Patel, Mamta Patel ,Fault Detection and Classification on a Transmission Line using Wavelet Multi Resolution Analysis and Neural Network . International Journal of Computer Applications (0975 – 8887) Volume 47– No.22, June 2012
- [7] Sushil Chavhan, Vaibhav Barsagade, Abhijit Dutta, Shubhangi Thakre . Fault Detection in Power Line Using Wireless

[8] By MD Asaduzzaman Nur, Jahidul Islam, Md. Golam Mostofa & M oshiul Alam Chowdhury .  
Transmission Line Fault Detection Using Android Application

[9] Preethi Manivannan , Prof. Manik Hapse , Fast and Accurate Fault Detection in Transmission Line using Wavelet Transform . Volume 2 | Issue 11 | April 2016. Sensor Network . Volume 3, Issue 3, March 2015. (IJEE)

[10] P.A.Gulbhile, J.R.Rana, B.T.Deshmukh ,Review for Overhead Line Fault Detection Using GSM technology, Vol. 5, Issue 12, December 2016.