

Time Monitoring and Count Analysis Using QR Code Scan

Ragini Kulkarni¹, Vikas Nikum², Padmadev Mishra³, Revati Vidhale⁴, Amol Sawant⁵

¹Ragini Kulkarni, B. E. Computer, Dr. D.Y. Patil Institute of Technology, Pimpri

²Vikas Nikum, B. E. Computer, Dr. D.Y. Patil Institute of Technology, Pimpri

³Padmadev Mishra, B. E. Computer, Dr. D.Y. Patil Institute of Technology, Pimpri

⁴Revati Vidhale, B. E. Computer, Dr. D.Y. Patil Institute of Technology, Pimpri

⁵Amol Sawant, Dr. D.Y. Patil Institute of Technology, Pimpri

Abstract - The formation of crowd in small local shops is inevitable. After the pandemic, situation has changed to such an extent that avoiding the crowd in closed compact spaces would be a priority. Hence, considering this priority, crowd estimation would be of great help. Here, we present a technique for crowd estimation by monitoring the time thus preventing a crowd formation. This approach is implemented with the aid of QR Code Scanning method.

Key Words: Crowd, ML, QR scan, pandemic, compact spaces

1. INTRODUCTION

Due to the asymptomatic spreaders of the pandemic, people instinctively tend to avoid compact and closed spaces since they might become a potential crowd formation situation. It would result in local retailers with less customers. This situation could be addressed by monitoring and controlling the crowd. A small attempt of achieving this could be by the use of QR Scanning methodology. It can be used to detect the movement and monitor the time and can establish a count analysis. QR Code Methodology would be beneficial since it can be of adequate use for small retailer shops. The ML algorithms used for time prediction are similar to those of Time series. The real time is predicted by considering the previous time values. This attempt of time prediction is being made based on the Linear Regression algorithm along with time series analysis.

2. Body of Paper: Proposed Approach

2.1 TIME SERIES ANALYSIS

Time series is a statistical technique of collection of data in series of particular time periods or intervals. It works on a collection of observations obtained through repeated measurements over time.

A classic method for time series analysis is as follows:

1. Find the main features of the time series such as trends, seasonal components and outliers.
2. Remove the trend and seasonal components to get a stationary, detrended and deseasonalised time series.
3. Choose a model that fits the stationary time series.
4. Use the model for forecasting of the model residuals.
5. Add the previously removed trends and seasonal components to the prediction to get a forecast of the original data

For prediction of next values, the data set being used has a stationary. It implies that mean and autocovariance functions do not change with time, thus independent models for future behaviour can be constructed.

For a time series $\{X_t\}$, the mean function $\mu_X(t)$ is defined as

$$\mu_X(t) = E[X_t],$$

and the covariance function $\gamma_X(r, s)$ as

$$\gamma_X(r, s) = \text{Cov}(X_r, X_s) = E[(X_r - \mu_X(r))(X_s - \mu_X(s))]$$

A time series $\{X_t\}$ is weakly stationary if

- (i) $\mu_X(t) = \mu, \forall t \in \mathbb{Z}$,
- (ii) $\gamma_X(t+h, t) = \gamma_X(h), \forall h, t \in \mathbb{Z}$.

The autocovariance function $\gamma_X(h)$ function are the tools that are defined as

$$\gamma_X(h) := \gamma_X(t+h, t)$$

and partial autocovariance is defined as

- (i) $\alpha_X(0) := 1$,
- (ii) $\alpha_X(1) := \rho_X(1)$,
- (iii) $\alpha_X(h) := \rho_X(X_{h+1} - \rho_X X_2, \dots, X_h X_{h+1}, X_1 - \rho_X X_2, \dots, X_h X_1), h \geq 2$,

where $\rho_X X_2, \dots, X_h X_n$ is the best linear predictor of X_n given X_2, \dots, X_h .

The sample versions, which can be calculated from real time series data, are

$$\hat{\gamma}^X(h) = \frac{1}{n} \sum_{t=1}^{n-h} (x_{t+h} - \bar{x})(x_t - \bar{x}), \quad -n < h < n,$$

$$\hat{\rho}^X(h) = \frac{\hat{\gamma}^X(h)}{\hat{\gamma}^X(0)},$$

and

- (i) $\hat{\alpha}^X(0) = 1,$
- (ii) $\hat{\alpha}^X(1) = \hat{\rho}(1),$
- (iii) $\hat{\alpha}^X(h) = \hat{\rho}(X_{h+1} - \hat{P}X_2, \dots, X_h X_{h+1}, X_1 - \hat{P}X_2, \dots, X_h X_1), \quad h \geq 2.$

Model – VAR (Vector Autoregressive) model is used in this project.

$$X_t = v + A_1 X_{t-1} + \dots + A_p X_{t-p} + U_t,$$

where $X_t = (X_{1,t}, \dots, X_{n,t})$, v is a $n \times 1$ vector holding model constants, A_i are $n \times n$ square matrices with model parameters, $E[U_t U_s^T] = \Sigma$, $E[U_t U_s^T] = 0$ for $k \neq 0$, and Σ is a positive definite covariance matrix [18, 31]. All VAR(p) models can be rewritten as a VAR(1) model with

$$X = BZ + U,$$

Where

- (i) $X := [X_1, \dots, X_t],$
- (ii) $B := [v, A_1, \dots, A_t],$
- (iii) $Z_t := [1, X_t, \dots, X_{t-p+1}]^T,$
- (iv) $Z := [Z_0, \dots, Z_{t-1}], U := [U_1, \dots, U_t].$

Prediction –

The best linear predictor \hat{Y} of Y in terms of X_1, X_2, \dots, X_n is

$$\hat{Y} = a_0 + a_1 X_1 + \dots + a_n X_n,$$

with constants a_0, a_1, \dots, a_n chosen such that

the mean square error $E[(Y - \hat{Y})^2]$ is minimized. The predictor is determined by

$$\text{Cov}(\hat{Y} - Y, X_i) = 0, \quad i = 1, \dots, n.$$

In the case of the VAR processes used, the best linear predictor fulfilling this requirement is

$$\hat{X}_t = A_1 X_{t-1} + \dots + A_p X_{t-p}$$

2.2 LINEAR REGRESSION

Linear regression analysis is the most widely used of all statistical techniques: it is the study of linear, additive relationships between variables. Let Y denote the “dependent” variable whose values you wish to predict, and let X_1, \dots, X_k denote the “independent” variables from which you wish to predict it, with the value of variable X_i in period t (or in row t of the data set) denoted by X_{it} . Then the equation for computing the predicted value of Y_t is:

$$\hat{Y}_t = b_0 + b_1 X_{1t} + b_2 X_{2t} + \dots + b_k X_{kt}$$

This formula has the property that the prediction for Y is a straight-line function of each of the X variables, holding the others fixed, and the contributions of different X variables to the predictions are additive. The slopes of their individual straight-line relationships with Y are the constants b_1, b_2, \dots, b_k , the so-called coefficients of the variables. That is, b_i is the change in the predicted value of Y per unit of change in X_i , other things being equal. The additional constant b_0 , the so-called intercept, is the prediction that the model would make if all the X 's were zero (if that is possible). The coefficients and intercept are estimated by least squares, i.e., setting them equal to the unique values that minimize the sum of squared errors within the sample of data to which the model is fitted. And the model's prediction errors are typically assumed to be independently and identically normally distributed.




Figure 1. Linear Regression

3. EXPERIMENTAL RESULTS

To see the effectiveness of the time series data visualization, a raw sample dataset is provided consisting of the date-time factors. On the basis of the provided dataset, the time series data is plotted in the form of Histogram Plot and line plot.

The result is as shown below.




Figure 2. Histogram Plot and Line Plot

4. CONCLUSIONS

This paper addressed the time monitoring characteristics using the Time series analysis. Linear Regression Algorithm was used to predict the future values of the target variables based on the resulting dataset from time series forecasting. The proposed method would reduce the formation of a cluster in small compact spaces and would form an analysis of the daily crowd in local retailers' shops. The project results indicate an optimized graph of a clusters time analysis in a given local space based on the collected dataset.

ACKNOWLEDGEMENT

We would like to express our special gratitude to our mentor **Prof. Amol Sawant** as well as the Principal **Dr. Pramod Patil** and our HOD **Dr. Santosh Chobe** who gave the opportunity to perform "Time Monitoring and Count Analysis Using QR Code Scan", which in turn led us to do a lot of research.

We would also like to thank our faculty and friends who helped us in finalizing and the procurement of the study material in a short time frame. We are overwhelmed in all humbleness and gratefulness to acknowledge to all those who have helped us to put these ideas well above the level of simplicity and into something concrete.

We would also like to thank the teachers who helped us in gathering a lot of information, collecting data and guiding us from time to time in making this report.

Despite their busy schedule, they invested their valuable time in guiding us and enlightening us with new and creative ideas.

Thanking you,

Ragini Kulkarni
Vikas Nikum
Padmadev Mishra
Revati Vidhale

REFERENCES

1. G. Mokhtari, Q. Zhang, M. Karunanithi, "Modeling of Human Movement Monitoring", 2015.
2. Luisa Alvarez, Sebastian Gonzalez, "Renewable Energy Prediction through Machine Learning Algorithms", 2010.
3. Priya Stephen, Suresh Jagannath, "Linear Regression for Pattern Recognition", 2015.
4. <http://www.stat.yale.edu/Courses/1997-98/101/linreg.htm>
5. <http://people.duke.edu/~rnau/regintro.htm>
6. https://www.statisticssolutions.com/time-series-analysis/?_cf_chl_jschl_tk_=bb18caf868d731d7db0f30415a5910ebef7b3417-1610633427-0-AX03c0vWAR0NCL-atlXr2mnWXh7-B99SlkOu-DDRlglQCgrnQDXplZZwnP39xYC1iUXN94idmP4zP8RxUdo04-SluKJUxQfyKuz_R6AzyhwzUluerLRQWLSCE8XG6VMj51kmT21FI7oFmSIXyi7qeTu8PvMV_pjdQQ5OIo8OH_1zS8uNulCtErdfeDdEaWFiiHJLAIU3WZECLxkDYkeNk-sZBhoZNF9u36KdWVoSmowY5PeRNxeTp27FVsYgstGS-FXfjrB3_Gm8Ms6G0KWazIMYUxj-KCjO9J0AlbVYVdg4VZsBZcqpXmbWVNO0U8h9OwGpraLXffkVft_Q
7. <https://www.machinelearningplus.com/time-series/time-series-analysis-python>
8. <https://www.kaggle.com/kashnitsky/topic-9-part-1-time-series-analysis-in-python>