

Trustworthy Electronic Voting System Using QR Code


G. Manoj¹, S. Mukilan², A. Shanthakumari³, Dr. P. Veeralakshmi⁴

Student^{1,2}, Prince shri Venkateshwara Padmavathy Engineering College

Faculty^{3,4}, Prince shri Venkateshwara Padmavathy Engineering College

Abstract—Android is a free open-source programming intended for the touch screen cooperation among client and the application. Android is suggested with the electronic democratic to guarantee the security and dependability of the democratic framework. Electronic Voting is a regular asset of coordinating decisions utilizing electronic democratic machines. EVMs, have been appreciated for their basic proposition, ease of use, and consistency, however as of late they have likewise been bellyache following broad reports of political decision offenses and they are presented to harsh assaults that can revise political race results and upset the secrecy of the voting form. Thinking about these components, we planned an application utilizing android. This application utilizes the QR code innovation with cutting edge encryption standard strategy to keep up the security and dependability in the political decision measure. The created QR code is fluffy from a common QR code which makes it look cleared and less presented to an enemy's assault. The utilization of Steganography of scrambled messages inside substantial QR codes utilizing Least Significant Bit (LSB) is proposed, on the grounds that licenses that the QR issue is claimed by an administering body, and no unapproved contact can be produced using outside source. We expect the test after effects of our application will wipe out the weakness of phony vote and information frailty with expansion in casting a ballot rate. The trust over our high level electronic democratic application utilizing QR code will be altogether enhanced.

Index Terms— Android, Electronic Voting Machine, election, QR code, Steganography, government, Least Significant Bit, fake votes, voting percentage, E-voting.



I. INTRODUCTION

Electronic democratic machine is as often as possible saw as a gadget for making the surveying interaction more compelling and for developing trust in its organization framework. Legitimate execution of e-casting a ballot arrangement can rise the security of the political decision, accelerate the handling of result and make casting a ballot simpler. Here and there, the experiences are huge. If not reasonably arranged and determined, e-casting a ballot can destabilize the haughtiness inside the whole political decision system.

Our application outlines relative components which will impact the accomplishment of e-casting a ballot

arrangement. The development in cell phones, remote, android advances and computerized correspondence prompts imaginative application which will make casting a ballot cycle rearranged and successful. E-casting a ballot framework can project rundown and count votes with cutting edge accommodation and yield which even decreases botch pace of overview assessment.

E-casting a ballot essentially lessens direct human control and effect in casting a ballot interaction. This conveys an opportunity for settling some old political race troubles yet in addition introducing entire scope of present day concern. It gives a democratic assistance that licenses individuals to cast a ballot from any survey site inside the nation electronically. It likewise incorporates lawful, administrative, sociological and conduct parts of the

current democratic framework, while adding extra comfort and greater security to the developing climate of casting a ballot interaction.

Innovation redesigns in political race are continually difficult tasks that require most extreme consideration, pondering and arranging. Presenting e-casting a ballot is maybe most troublesome update as this innovation contacts the center of the entire discretionary cycle - the projecting and checking of votes. We plan and carry out an e-casting a ballot framework utilizing QR codes for confirmation of client with the most extreme security. Our frameworks affirm citizen's character and guarantees enrollment of the checking applicant who is qualified for casting a ballot. The Quick Response (QR) code is created from Assembly key. The Visual Cryptography (VC) is executed on QR.

II. DOMAIN OF THE PROJECT

Android could likewise be a portable OS upheld an altered adaptation of the Linux bit and other open source programming, planned basically for touch screen cell phones like cell phones and tablets. Android is created by a consortium of engineers referenced on the grounds that the Open Handset Alliance and economically supported by Google. It had been divulged in November 2007, with the main business Android gadget dispatched in September 2008.

It is free and open-source programming; its ASCII archive is known as Android Open Source Project (AOSP), which is fundamentally authorized under the Apache License. Anyway most Android gadgets transport with extra exclusive programming pre-introduced, most remarkably Google Mobile Services (GMS) which incorporates centre applications like Google Chrome, the advanced conveyance stage Google Play and related Google Play Services improvement stage. Around 70% of Android cell phones run Google's environment; contending Android biological systems and forks incorporate Fire OS (created by Amazon) or LineageOS. Be that as it may, the "Android" name and logo are brand names of Google which force

guidelines to restrict "uncertified" gadgets outside their biological system to utilize Android marking.

The ASCII text record has been will not to create variations of Android on an assortment of other hardware, similar to game consoles, advanced cameras, versatile media players, PCs et al., each with a specific interface. Some archived subsidiaries incorporate Android TV for TVs and Wear OS for wearable, both created by Google. Programming bundles on Android, which utilize the APK design, are by and large circulated through exclusive application stores like Google Play Store, Samsung Galaxy Store, and Huawei AppGallery, or open-source stages like Aptoide or F-Droid.

Android has been the top-of-the-line OS universal on cell phones meanwhile 2011 and on tablets meanwhile 2013. As of May 2017, it's more than two billion month to month dynamic clients, the preeminent significant introduced base of any OS, and as of January 2021, the Google Play Store highlights more than 3 million apps. The current stable variant is Android 11, delivered on September 8, 2020.

III. RELATED WORKS

K. Mallikarjuna, T. Mallikarjuna proposed a biometric unique mark based electronic democratic situation for apparatus free administration utilizing ARM7 TDMI processor based LPC2148 regulator. In current democratic framework an individual not in his body electorate can't cast a ballot. This paper eliminates this impediment by keeping a brought together information base of citizens as per their consistency. A unique UI gives rundown of competitors as indicated by the body electorate of citizens. The citizen can consequently choose competitor. The concentrated data set can likewise be refreshed online by having each surveying station keep up their nearby data set and update the incorporated data set after fruition of political race measure. This paper likewise means to give RFID and biometric security. A RFID card will be given to every elector. RFID card has an interesting 12-byte code which can be perused by RFID peruse. An individual can likewise utilize his finger impression for one of a kind recognizable proof. A five-digit

secret word will likewise be given which again adds a degree of safety. Notwithstanding their dependability, RFID frameworks can in any case have issues. In spite of the fact that perusers can look over most non-metallic materials, they have issues with metal and water [1].

Thus, Rohan Patel, Vaibhav Ghorpade, Vinay Jain and Mansi Kambli proposed a protected online e-casting a ballot framework that utilizes UIDAI or Aadhar data set as its backend. The framework guarantees validation of a person by coordinating with fingerprints and qualification is checked by computing the age of the elector accordingly making the current democratic cards repetitive. The proposed framework can deal with casting a ballot at various levels, for example, Parliamentary, Municipality, State authoritative gathering, and so on at the same time. The task will get straightforwardness the democratic interaction by guaranteeing the electors that their votes will be agreeable to their preferred competitors. Other than electronic account and tallying of votes will be quicker, more precise and less work concentrated. The plan of this framework will make casting a ballot cycle more advantageous and may hence prompt improve the turnout. Biometric frameworks can be expensive to execute, which may prohibit numerous organizations or associations from carrying out it [2].

To correct it B.Mary Havilah Haque, G.M.Owais Ahmed, D. Sukruthi, K.Venu Gopal Achary proposed a strategy for free from any and all harm Aadhaar based biometric casting a ballot framework to dodge misinterpretations which are going to happens in races. From most recent couple of years in India, Aadhaar enlistment measure is going on in Andhra Pradesh. Around then, Indian government gathers subtleties of fingerprints and IRIS of each individual. This whole information of every single individual continues in the data set of Indian government. On the off chance that Indian Government interfaces this data set to creators proposed strategy, Indian Government no compelling reason to gather subtleties of unique finger impression of each individual. Along these lines, if Indian Government embraces biometric

casting a ballot framework for casting a ballot reason, we can without much of a stretch try not to fix in races. One more benefit of this venture is, if a heavy drinker individual goes into surveying corner, bell will alarm approved people or constables who are in political decision obligation. Due to Alcoholic sensor, we can give quiet climate at surveying corner. In the event that an unapproved individual goes into surveying corner to make his choice, bell will alarm stall level official. On the off chance that as of now vote projected individual goes into stall with his RFID tag for 2nd time casting a ballot, at that point additionally ringer will alarm corner level official. As Aadhar card is overseen and worked by the Supreme Authority of the country, which can prompt a few centralization issues. As the Government is allowed to control and make new irregular principles which can make issues for the populace that may influence the country as a whole[3].

Along these lines, Prof. R.L. Gaike, Vishnu P. Lokhande, Shubham T. Jadhav, Prasad N. Paulbudhe endeavored to take care of this issue utilizing existing Aadhar card information base and finger impression of citizen. This paper proposed a protected electronic democratic machine (EVM) utilizing Aadhar card data set and unique mark confirmation. This framework confirms citizens by coordinating with unique finger impression and qualification is checked by confirming the age that permits just qualified contender to cast a ballot. Time needed for confirmation is decreased by utilizing the Aadhar number and 1:1 finger impression coordinating (i.e., validation will be finished by checking whether the entered Aadhar number and finger impression is coordinating or not without contrasting it with entire unique mark information base with speed up verification). The tallying of votes will be done naturally so that time will be diminished and result can be reported in less measure of time. The extemporizations target expanding the security, adaptability, unwavering quality, versatility of the framework. Catchphrases: EVM, Aadhar card, fingerprint[4].

Thus, Ambavarapu Bhavana, M. Jasmine portrayed two condition of human expressions and convenient

unique finger impression based validation and GSM based verification framework. While the verification framework permits secure admittance to a media focus at home/banks/office/ventures and so on The current situation to work a bank storage is with locks which are having keys. By this we can't say that we will give great security to our homes/banks/workplaces and so forth To give amazing security and to make our work simpler, we are taking the assistance of two unique innovations viz. Installed Systems and Biometrics. The principle reason for this undertaking is to plan and execute a high security framework dependent on FINGERPRINT, PASSWORD and GSM innovation which can be coordinated in bank, gotten workplaces and homes [5].

IV. PROBLEM DESCRIPTION

In India right now Electronic Voting Machine (EVM) is utilized. In the current strategy the altering of votes can be handily made to change the outcome and furthermore counterfeit votes can be casted which prompts decline in the unwavering quality of the framework. It brings significant issue up in the secrecy of the political race commission arrangement of both state gathering and parliament get together. And furthermore utilizing biometric frameworks can be expensive to execute, which may reject numerous organizations or associations from carrying out it.

V. SOLUTION OF THE PROBLEM

Our framework, utilizes an android application and two sites. As Architecture Diagram of the electronic democratic framework utilizing QR code appeared in Figure 1. The client enlists their subtleties in the versatile application. The clients register elector id as the client's name with secret key, area and telephone number. The enrolled subtleties are shipped off the political decision commission web-based interface.

The political decision commission checks the registers clients' accreditations with the qualification citizen id list and supports or rejects the client certification. In the event that the client accreditation is bungled, the dismissal message is shipped off the client portable application. On the off chance that

the accreditations are coordinated and the enrollment is affirmed the client qualifications are shipped off the particular surveying corner site. The surveying corner area is shared to the individual client to their versatile application with enlistment achievement message.

Upon the arrival of political race, the client can go to the separate surveying stall area. The biometric of the client is caught utilizing camera. The caught picture is put away to the particular client qualifications utilizing citizen id. When every one of the necessary certifications are met, the got one-time QR code is created to specific clients' portable application.

QR code utilizes LSB represents Least Significant Bit. The thought behind LSB inserting is that in the event that we change the last piece estimation of a pixel, there will not be a lot of obvious change in the tone. For instance, 0 is dark. Changing the worth to 1 will not make a big deal about a distinction since it is as yet dark, simply a lighter shade.

The QR code goes about as the way in to their comparing elector id and can be gotten to just a single time. Just enlisted number of QR codes can be produced by the surveying stall site so the duplication of vote can be ignored and the security can be guaranteed. The QR code is gotten so that isn't obvious as it conveys double phases of safety to the information being imparted. The covert update is encoded utilizing QR code generator. The QR code contains framework of highly contrasting pixels which isn't intelligible by individuals. In any case, the secret message inside the QR codes can be examined by any advanced cell with worked in camera. To stay away from this, QR code is disguised inside a shading picture. Due to this the impostors can only with significant effort upset the framework and present the

message. Accordingly, it conveys double phase of safety for the stealthy update.

The client can login and decide in favor of their intrigued ideological group. The vote result is scrambled and it is put away in Firebase cloud with the political decision commission site, where the authorities can just see the outcome just at the hour of show of result. The consequence of the vote check can't be changed by any person. The outcome can be shown whenever.

The client account is deactivated after they effectively casted a ballot in their enrolled account. So the security is kept up and they can't change the consequence of their vote whenever subsequent to casting a ballot.




Fig. 1. Architecture Diagram of the electronic voting system using QR code.

VI. EXISTING SYSTEM

This System is the one wherein the biometric idea is utilized where the examining of unique mark is finished. For certain individuals it is meddlesome, in light of the fact that is as yet identified with criminal distinguishing proof. Electors can't ready to come and make their choice from their working area to local. Line framework become past the point of no return for electors to cast a ballot.

Weaknesses

- System is tad complex

- Less security.
- Hacking citizen results
- Time Delay.
- Cost Effective.
- Time utilization is high.

VII. PROPOSED SYSTEM

• System lives in the new idea of QR-Code and Scanner Application. Up-and-comer subtleties made to stow away in the QR-Code. Through scanner application the QR-Code is checked and subtleties are recovered.

• There is no way of expanding the vote tally.

• We are utilizing QR codes for perceives picture codes utilizing advanced cells to offer different types of assistance that can perceive the genuineness of any elector subtleties.

• QR code confirms voter_id by catching it through the cell phone, at that point disentangles and sends it to the worker for validation.

• This advances the chose voter_id number rundown to the worker and the reaction got from the worker empowers the customer to choose dependent on the citizen legitimacy.

• Finally the political race worker, overseer will figure out the eventual outcome by checking the given data with effectively wanted data.

ADVANTAGE

- Extremely protected and there are no possibilities to revote.
- Scanning recognition.
- Real time tracking of results.
- Time consumption is less.
- No chance for hacking the vote.

VIII. RESULT

In the given portable application, the client subtleties are encoded into the QR code

utilizing LSB calculation so the security of each vote is accomplished. As just the enlisted number of QR codes are produced the phony vote issue is totally killed. In this application three level testing is performed with various situation information are feed into application as info. Bunch of information are feed into application simultaneously to test the strength of the application. The Figure 2. results the expansion in casting a ballot turnout in the testing of our application where the level of all out vote is significantly expanded in run insightful.




Fig. 2. Graph results the voter turnout as various sprints.

IX. CONCLUSION

As indicated by this task we proposed a continuous catching framework for Voting utilizing Quick Response (QR) code in Android Smartphone. QR code confirms items by catching it through the advanced mobile phone, at that point translates and sends it to the worker for verification. The Voter advances the chose Candidate to the worker and the reaction got from the worker empowers the Voter to choose dependent on the Candidates validness. An intriguing future examination may include to reenact Voting strategy at various entryway.

X. FUTURE ENHANCEMENT

Later on the client can be given the advantage of changing the secret key. Thus, it assists with expanding the security of the framework. The consent for clients to cast a ballot without enrolment can be made utilizing programmed check of client subtleties. The voice acknowledgment highlight can

be added to the improvement of client hub.

XI. REFERENCES

[1] Biometric finger print based electronic voting system for rigging free governance using ARM7 TDMI processor based LPC2148 controller, K.Mallikarjuna1, T.Mallikarjuna2, INTERNATIONAL JOURNAL OF ENGINEERING & SCIENCE RESEARCH (IJESR/May 2014/ Vol-4/Issue5/410-414) e-ISSN 2277-2685, p-ISSN 2320-976

[2] Patel, Rohan, Vaibhav Ghorpade, Vinay Jain, and Mansi Kambli. "Fingerprint based e-voting system using Aadhar database." *International Journal for Research in Emerging Science Technology 2* (2015).

[3] Mary, H.H., Owais, G.M.O.A., Sukruthi, D., Venu, K.A. and Mahendra, C.N., 2016. Fingerprint and rfid based electronic voting system linked with aadhaar for rigging free elections. *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, 5(3), pp.1686-1693.

[4] Aadhar Based Electronic Voting System, Prof.R.L.Gaike1, Vishnu P. Lokhande2, Shubham T. Jadhav3, Prasad N. Paulbudhe4 INTERNATIONAL JOURNAL OF ADVANCE SCIENTIFIC RESEARCH AND ENGINEERING TRENDS (Volume 1, Issue 2, May-2016) ISSN (Online) 2456-0774

[5] Fingerprint Based Authentication System using ARM7, Ambavarapu Bhavana1, M. Jasmine2, INTERNATIONAL JOURNAL OF SCIENCE AND RESEARCH (IJSR) (Volume 5 Issue 5, May 2016) Index Copernicus Value (2013): 6.14 | Impact Factor (2015): 6.391 ISSN (Online): 2319-7064

[6] Adiputra, Cosmas Krisna, Rikard Hjort, and Hiroyuki Sato. "A proposal of blockchain-based electronic voting system." In *2018 Second World Conference on Smart Trends in Systems, Security and Sustainability (WorldS4)*, pp. 22-27. IEEE, 2018.

[7] Azocar, Patricio Aylwin, ed. *Youth voter participation: involving today's young in tomorrow's democracy*. International Idea.

[8] Eze, Victor C., and Koblowe Obono. "The Influence of Internet use on the political participation

of youth in Ikeja, Lagos." (2018).

[9] Delaune, Stéphanie, Steve Kremer, and Mark Ryan. "Verifying privacy-type properties of electronic voting protocols." *Journal of Computer Security* 17, no. 4 (2009): 435-487.

[10] McGaley, Margaret, and Joe McCarthy. "Transparency and e-Voting Democratic vs. commercial interests." In *Electronic voting in Europe-Technology, law, politics and society, workshop of the ESF TED programme together with GI and OCG*. Gesellschaft für Informatik eV, 2004.

[11] Kohno, Tadayoshi, Adam Stubblefield, Aviel D. Rubin, and Dan S. Wallach. "Analysis of an electronic voting system." In *IEEE Symposium on Security and Privacy, 2004. Proceedings. 2004*, pp. 27-40. IEEE, 2004.

[12] Cheddad, Abbas, Joan Condell, Kevin Curran, and Paul Mc Kevitt. "Digital image steganography: Survey and analysis of current methods." *Signal processing* 90, no. 3 (2010): 727-752.

[13] Li, Bin, Ming Wang, Jiwu Huang, and Xiaolong Li. "A new cost function for spatial image steganography." In *2014 IEEE International Conference on Image Processing (ICIP)*, pp. 4206-4210. IEEE, 2014.