

ISSN: 2582-3930

A Back Propagation Based Network Model for Forecasting Stock Market Movement

Pranjal Tiwari¹, Dr Jitendra Agrawal² Corresponding Author: Pranjal Tiwari

Abstract— Machine Learning and Deep Learning algorithms are being extensively used for forecasting stock market trends. There are many different ways to forecast a market: from quantitative models and machine learning algorithms to technical analysis, which examines past price and volume data, to fundamental analysis, which assesses a company's financial stability. Forecasts on the stock market should be viewed cautiously by analysts and investors due to the limits and potential biases of the methodology employed. It is often advised to use risk management, diversification, and a long-term outlook to deal with the inherent volatility of financial markets. This paper presents a back propagation based deep neural network model with data preprocessing for stock market forecasting. The results in terms of percentage error clearly indicate that the proposed approach performs better than existing work in the domain.

Keywords—Time Series Forecasting, Stock Trends, Neural Networks, Regularization, MAPE, Regression.

T. INTRODUCTION

Stock market movements are often considered leading indicators of the overall economy's health. Policymakers and central banks monitor stock markets to gain insights into economic trends and potential policy adjustments. [1]. Traders, both short-term and long-term, use stock market forecasts to develop trading strategies. These strategies may involve technical analysis, fundamental analysis, or a combination of both. [2]. Stock market movements are often considered leading indicators of the overall economy's health. Policymakers and central banks monitor stock markets to gain insights into economic trends and potential policy adjustments. It's important to note that while stock market forecasting has its uses, it is inherently challenging and subject to various uncertainties. Markets are influenced by a multitude of factors, including economic geopolitical events, investor sentiment, and unforeseen events (such as natural disasters or crises), making accurate predictions difficult. Many investors and

analysts use a combination of tools and approaches, including fundamental analysis, technical analysis, machine learning models, and expert opinions, to make more informed decisions in the dynamic world of stock trading. Mathematically:

$$Stock\ Prices = f(time, features)$$
 (1)

The dependence of stock process over time makes it somewhat predictable under similar other conditions of global influencing variables. However, even the slightest of changes can derail the prediction completely [3].

Statistical techniques are not found to be as accurate as the contemporary artificial intelligence and machine learning based approaches [6]. In this paper, a back propagation based scaled conjugate gradient algorithm is used in conjugation with the discrete wavelet transform (DWT) for forecasting stock market trends. The evaluation of the proposed approach has been done based on the mean absolute percentage error (MAPE). A comparative MAPE analysis has also been done w.r.t. previously existing techniques [4].

DATA DRIVEN MODELS II.

Deep learning has evolved as one of the most effective machine learning techniques which has the capability to handle extremely large and complex datasets [5]. It is training neural networks which have multiple hidden layers as compared to the single hidden layer neural network architectures [6]-[7].

The architectural view of a deep neural network is shown in figure 1. In this case, the outputs of each individual hidden layer is fed as the input to the subsequent hidden layer. The weight adaptation however can follow the training rule decided for the neural architecture. There are various configurations of hidden layers which can be the feed forward, recurrent or back propagation etc [8].

DOI: 10.55041/IJSREM41213

VOLUME: 09 ISSUE: 01 | JAN - 2025

SJIF RATING: 8.448

V a n is The gra

Fig.1 The Deep Neural Network Architecture

The figure above depicts the deep neural network architecture with multiple hidden layers. The output of the neural network however follows the following ANN rule:

$$Y = f(\sum_{i=1}^{n} X_i \cdot W_i + \theta_i)$$
 (2)

Where.

X are the inputs

Y is the output

W are the weights

Θ is the bias.

Training of ANN is of major importance before it can be used to predict the outcome of the data inputs.

III. BACK PROPAGATION

Back propagation is one of the most effective ways to implement the deep neural networks with the following conditions [9]:

- 1) Time series behavior of the data
- 2) Multi-variate data sets
- 3) Highly uncorrelated nature of input vectors

The essence of the back propagation based approach is the fact that the errors of each iteration is fed as the input to the next iteration. [10]-[11]. The error feedback mechanism generally is well suited to time series problems in which the dependent variable is primarily a function of time along with associated variables. Mathematically,

$$Y = f(t, V_1 \dots V_n) \tag{3}$$

Here,

Y is the dependent variable f stands for a function of t is the time metric

V are the associated variables n is the number of variables

The back propagation based approach can be illustrated graphically in figure 2.

ISSN: 2582-3930




Fig.2 Concept of Back Propagation

In case of back propagation, the weights of a subsequent iteration doesn't only depend on the conditions of that iteration but also on the weights and errors of the previous iteration mathematically given by [12]:

$$W_{k+1} = f(W_k, e_k, V) \tag{4}$$

Here,

 W_{k+1} are the weights of a subsequent iteration W_k are the weights of the present iteration e_k is the present iteration error V is the set of associated variables

In general, back propagation is able to minimize errors faster than feed forward networks, however at the cost of computational complexity at times. However, the trade off between the computational complexity and the performance can be clearly justified for large, complex and uncorrelated datasets for cloud data sets [13].

Volume: 09 Issue: 01 | Jan - 2025

SJIF RATING: 8.448 ISSN: 2582-3930

IV. GRADIENT DESCENT BASED TRAINING

The gradient descent algorithms (GDAs) generally exhibit:

- 1) Relatively lesser memory requirement
- 2) Relatively faster convergence rate

The essence of this approach is the updating of the gradient vector g, in such as way that it reduces the errors with respect to weights in the fastest manner. Mathematically, let the gradient be represented by g and the descent search vector by p, then [14]:

$$p_0 = -g_0 \tag{5}$$

Where.

 g_0 denotes the gradient given by $\frac{\partial e}{\partial w}$

The sub-script 0 represents the starting iteration

The negative sign indicates a reduction in the errors w.r.t. weights [15].

The tradeoff between the speed and accuracy is clearly given by the following relations [16]:

$$W_{k+1} = W_k - \alpha g_x , \quad \alpha = \frac{1}{\mu}$$
 (6)

Here,

 w_{k+1} is the weight of the next iteration w_k is the weight of the present iteration

 g_x is the gradient vector

 μ is the step size for weight adjustment in each iteration. There are several ways to implement the back propagation technique in the neural networks [17]. One consideration however always remains that of the least time and space complexity so as to reduce the amount of computational cost that is associated with the training algorithm. The essence of the scaled conjugate gradient algorithm is the fact that it has very low space and time complexity making it ideally suited to large data sets to be analyzed in real time applications where the time is a constraint. The training rule for the algorithm is given by [18]:

$$A_0 = -g_0 \tag{7}$$

A is the initial search vector for steepest gradient search g is the actual gradient

$$w_{k+1} = w_k + \mu_k g_k \tag{8}$$

Here,

 w_{k+1} is the weight of the next iteration w_k is the weight of the present iteration μ_k is the combination co-efficient

V. THE DISCRETE WAVELET TRANSFORM

The wavelet transform is an effective tool for removal of local disturbances. Stock prices show extremely random behavior and local disturbances [19]. Hence conventional Fourier methods do not render good results for highly fluctuating data sets. Mathematically, the wavelet transform can be given as [20]

$$Z(S, P) = \int_{-\infty}^{\infty} z(t) ((S, P, t)) dt$$
 (9)

Here,

S denotes the scaling operation P denotes the shifting operation

t denotes the time variable

Z is the image in transform domain z is the image in the spatial domain

The major advantage of the wavelet transform is the fact that it is capable of handling fluctuating natured data and also local disturbances. The DWT can be defined as [21]:

W
$$\Phi$$
 (Jo, k) = $\frac{1}{\sqrt{M}} \sum_{n} S(n) \cdot \Phi(n)_{jo'k}$ (10)

The data is divided in the ration of 70:30 for training and testing data set bifurcation.

The final performance metrics computed for system evaluation are [22]-[23]:

1) Mean Absolute Percentage Error (MAPE)

$$MAPE = \frac{100}{M} \sum_{t=1}^{N} \frac{E - E_{t}|}{E_{t}}$$
 (11)

Here E_t and E_t^{\sim} stand for the predicted and actual values respectively.

The number of predicted samples is indicated by M.

2) Regression

DOI: 10.55041/IJSREM41213

The extent of similarity between two variables is given by the regression where the maximum value is 1 and the minimum is 0.

VI. RESULTS

The results have been evaluated based on the following parameters:

SJIF RATING: 8.448

- 1. (MAPE)
- 2. Regression
- 3. MSE w.r.t. the number of epochs




Fig.3 Raw Data Statistics




Fig.4 Data Filtering

The figure above depicts the Haar wavelet decomposition of the stock data at level 3.

The training, testing, validation and overall regression values are depicted in figure above. The forecasting results for the different stocks are now presented. The MAPE indicates the percentage error. The stocks chosen are depicted next:




Fig.4 Forecasting Results (Amazon)




Fig.5 Forecasting: Dataset: (Tesla)

The summary of results are presented in table 1.

Table 1. Summary of Results:

S.No.	Parameter	Value
1.	Dataset	Amazon, Tesla
2.	Splitting Ratio	70:30
3.	Pre-Processing	DWT



SJIF RATING: 8.448

ML Model Neural Nets 5. Regression 0.98 Overall 6. %error (Amazon) 3.92 7. %error (Tesla) 2.77 8. %error, Subakakr 14.2% et al. [24]

VOLUME: 09 ISSUE: 01 | JAN - 2025

It can be observed that the proposed work attains lower percentage error and hence higher accuracy compared to existing work in the domain.

CONCLUSION

A time series forecasting model of substantial significance to a wide range of stakeholders, including investors, financial traders, experts, policymakers, is stock market forecasting. Stock market forecasting is necessary for a number of reasons. Stock market forecasts help investors make well-informed decisions about which stocks to purchase, hold, or sell. Precise projections have the potential to enhance portfolio optimisation and yield greater returns for investors. Businesses and individuals can evaluate and control the risks involved in stock market investments with the aid of forecasting. Implementing risk mitigation methods can be aided by having an understanding of future market changes. For numerous datasets, the suggested steepest descent method achieves a very low percentage error, demonstrating its great predicting accuracy. Furthermore, a comparison with previous research indicates that the suggested method outperforms existing work in the domain.

REFERENCES

- G Kumar, S Jain, UP Singh, "Stock market forecasting using computational intelligence: A survey", Archives of Computational Methods in Engineering, Springer 2021, vol.28, pp.1069–1101.
- 2. S Bouktif, A Fiaz, M Awad, Amir Mosavi, "Augmented Textual Features-Based Stock Market Prediction", IEEE Access 2021, Volume-8, PP: 40269 – 40282.
- 3. X Li, P Wu, W Wang, "Incorporating stock prices and news sentiments for stock market prediction: A case of Hong Kong", Information Processing & Management, Elsevier 2020, vol. 57, no. 5, pp: 1-19. https://doi.org/10.1016/j.ipm.2020.102212
- 4. Gaurang Bansal; Vikas Hasija; Vinay Chamola; Neeraj Kumar; Mohsen Guizani, "Smart Stock Exchange Market: A Secure Predictive Decentralized

Model", 2019 IEEE Global Communications Conference

ISSN: 2582-3930

- Jithin Eapen; Doina Bein; Abhishek Verma, "Novel Deep Learning Model with CNN and Bi-Directional LSTM for Improved Stock Market Index Prediction", 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC), IEEE 2019 pp. 0264-0270.
- Min Wen; Ping Li; Lingfei Zhang; Yan Chen, "Stock Market Trend Prediction Using High-Order Information of Time Series", IEEE Access 2019, Volume 7, pp: 28299 – 28308.
- 7. Y Guo, S Han, C Shen, Y Li, X Yin, Y Bai, "An adaptive SVR for high-frequency stock price forecasting", Volume-6, IEEE Access 2018, pp: 11397 11404.
- 8. MS Raimundo, J Okamoto, "SVR-wavelet adaptive model for forecasting financial time series", 2018 International Conference on Information and Computer Technologies (ICICT), IEEE 2018, pp. 111-114.
- Y Baek, HY Kim, "ModAugNet: A new forecasting framework for stock market index value with an overfitting prevention LSTM module and a prediction LSTM module" Journal of Expert System and Applications, Elsevier 2018, Volule-113, pp. 457-480
- 10. S Selvin, R Vinayakumar, E. A Gopalakrishnan; Vijay Krishna Menon; K. P. Soman, "Stock price prediction using LSTM, RNN and CNN-sliding window model", 2017 International Conference on Advances in Computing, Communications and Informatics (ICACCI), IEEE 2017, pp. 1643-1647.
- 11. Z Zhao, R Rao, S Tu, J Shi, "Time-weighted LSTM model with redefined labeling for stock trend prediction", 2017 IEEE 29th International Conference on Tools with Artificial Intelligence (ICTAI), pp. 1210-1217.
- 12. DMQ Nelson, ACM Pereira, Renato A. de Oliveira, "Stock market's price movement prediction with LSTM neural networks", 2017 International Joint Conference on Neural Networks (IJCNN), IEEE 2017, pp. 1419-1426
- 13. M Billah, S Waheed, A Hanifa, "Stock market prediction using an improved training algorithm of neural network", 2016 2nd International Conference on Electrical, Computer & Telecommunication Engineering (ICECTE), IEEE 2016, pp. 1-4.
- 14. Yanhui Guo, Siming Han, Chuanhe Shen, Ying Li, Xijie Yin, and Yu Bai, "An Adaptive SVR for High-Frequency Stock Price Forecasting", 2169-3536 2018 IEEE, VOLUME 6, 2018

DOI: 10.55041/IJSREM41213

SIIF RATING: 8.448

DOI: 10.55041/IJSREM41213

Volume: 09 Issue: 01 | Jan - 2025

- Xi Zhang, Siyu Qu, Jieyun Huang, Binxing Fang, and Philip Yu, "Stock Market Prediction via Multi-Source Multiple Instance Learning", 2169-3536 2018 IEEE, VOLUME 6, 2018
- 16. Bruno Miranda Henrique, Vinicius Amorim Sobreiro, Herbert Kimura, "Stock price prediction using support vector regression on daily and up to the minute prices", The Journal of Finance and Data Science 4 (2018) 183-201
- 17. Wen Fenghua, Xiao Jihong, He Zhifang, Gong Xu, "Stock Price Prediction Based on SSA and SVM", Procedia Computer Science 31 (2014) 625 631.
- 18. HJ Sadaei, R Enayatifar, MH Lee, M Mahmud, "A hybrid model based on differential fuzzy logic relationships and imperialist competitive algorithm for stock market forecasting", Journal of Applied Soft Computing, Elsevier 2016, Volume 40, pp. 132-149.
- 19. GRM Lincy, CJ John, "A multiple fuzzy inference systems framework for daily stock trading with application to NASDAQ stock exchange", Journal of Expert Systems with Applications, Volume-44, Issue-C, ACM 2016.
- Y. Fang, K. Fataliyev, L. Wang, X. Fu and Y. Wang, "Improving the genetic-algorithm-optimized wavelet neural network for stock market prediction," 2014 International Joint Conference on Neural Networks (IJCNN), Beijing, China, 2014, pp. 3038-3042.
- 21. S Kim, S Ku, W Chang, JW Song, "Predicting the Direction of US Stock Prices Using Effective Transfer Entropy and Machine Learning Techniques", IEEE Access 2022, Vol-8, pp. 111660 111682.
- J. Sen, S. Mehtab and A. Dutta, "Volatility Modeling of Stocks from Selected Sectors of the Indian Economy Using GARCH," IEEE Access, 2021, pp. 1-9
- 23. M Sharaf, EED Hemdan, A El-Sayed, NA El-Bahnasawy, "An efficient hybrid stock trend prediction system during COVID-19 pandemic based on stacked-LSTM and news sentiment analysis", Multimedia Tools and Applications, Springer 2023, vol. 82, pp.23945–23977.
- 24. A Subakkar, S Graceline Jasmine, L Jani Anbarasi, J Ganesh, CM Yuktha, "An Analysis on Tesla's Stock Price Forecasting Using ARIMA Model", Proceedings of the International Conference on Cognitive and Intelligent Computing, Springer, 2023, pp 83–89.

ISSN: 2582-3930