

“A Comparative Study of Electric Two-Wheelers and Conventional Two-Wheelers: Manufacturing, Performance, Maintenance and Environmental Aspects with Reference to Kinetic India Pvt. Ltd., Ahilyanagar”

Samarth Sambhaji Nagude¹, Gaurav Rajendra Shahane², Dr. Ramesh Suryabhan Gadakh³

¹ Student, Department of Mechanical Engineering Sau Sundarbai Manik Adsul Polytechnic, Chas, Ahilyanagar, India

² Guide, Department of Mechanical Engineering Sau Sundarbai Manik Adsul Polytechnic, Chas, Ahilyanagar, India

³ Principal Sau Sundarbai Manik Adsul Polytechnic, Chas, Ahilyanagar, India

Abstract

The two-wheeler sector is undergoing significant technological transformation due to increasing fuel prices, environmental concerns, advancements in battery technology, and the need for sustainable transportation. Electric two-wheelers are emerging as an alternative to conventional petrol-powered two-wheelers because of their lower operating emissions, reduced mechanical complexity, and potential for lower running costs. Conventional two-wheelers, however, continue to offer advantages such as longer riding range, rapid refuelling, established infrastructure, and widespread market availability.

This review paper presents a comparative study of electric and conventional two-wheelers with reference to the manufacturing and automotive engineering perspective of **Kinetic India Pvt. Ltd., Ahilyanagar**. The study reviews the major differences in powertrain, energy source, performance, maintenance, environmental impact, operating cost, manufacturing requirements, and vehicle components. The paper also discusses the role of production, assembly, quality control, and technological development in the transition towards electric mobility. The review indicates that electric two-wheelers have considerable potential for urban transportation, while conventional two-wheelers continue to remain suitable where long-distance operation, quick refuelling, and established service infrastructure are important.

Keywords: Electric Two-Wheeler, Conventional Two-Wheeler, EV, Petrol Vehicle, Battery, Motor, Kinetic India, Automotive

Manufacturing, Comparative Study.

1. Introduction

Two-wheelers are one of the most widely used modes of personal transportation in India. Their relatively low purchase cost, compact size, good manoeuvrability, and suitability for congested urban roads have contributed to their widespread adoption. Traditionally, two-wheelers have been powered by internal combustion engines using petrol as the primary fuel. These vehicles use several mechanical systems including the engine, clutch, transmission, fuel system, exhaust system, cooling system, and lubrication system.

In recent years, electric two-wheelers have gained importance as part of the transition towards sustainable transportation. An electric two-wheeler generally consists of a battery pack, electric motor, motor controller, battery-management system, charger, and associated electrical and mechanical components.

From an industrial manufacturing perspective, this transition creates new requirements in **production, assembly, quality inspection, testing, maintenance, and workforce skills**. Automotive organizations such as Kinetic India Pvt. Ltd. can play an important role in understanding and adopting these technological changes.

2. Objectives of the Study

The main objectives of this review paper are:

1. To study the basic construction and working of electric two-wheelers.
2. To study the construction and working of conventional petrol two-wheelers.
3. To compare electric and conventional two-

- wheelers.
4. To compare their powertrain components and manufacturing requirements.
 5. To study differences in maintenance and operating costs.
 6. To examine their environmental impact.
 7. To understand the relevance of electric mobility to automotive manufacturing.
 8. To study the role of production and quality control in two-wheeler manufacturing.
 9. To identify the advantages and limitations of electric two-wheelers.
 10. To identify future opportunities for electric vehicle manufacturing.

3. Overview of Kinetic India Pvt. Ltd.

Kinetic has a significant historical association with the Indian two-wheeler industry. The organization and its manufacturing ecosystem provide a useful industrial context for studying the evolution of two-wheeler technology.

From an automotive engineering perspective, two-wheeler manufacturing involves several important activities, including:

- Sheet-metal component manufacturing
- Machining operations
- Welding and fabrication
- Component assembly
- Powertrain assembly
- Painting and finishing
- Quality inspection
- Functional testing
- Final vehicle assembly

The transition from conventional powertrains to electric powertrains changes the nature of several of these activities. For example, conventional vehicles require manufacturing and assembly of engines, fuel systems, exhaust systems, clutches, and transmissions, whereas electric vehicles require specialized manufacturing and assembly of battery packs, electric motors, controllers, wiring harnesses, charging systems, and electronic control systems.

Note: Company-specific production figures, models, processes, and technical data should be inserted only from verified company records or your industrial-visit/training observations.

4. Electric Two-Wheeler

An electric two-wheeler is powered primarily by electrical energy stored in a rechargeable battery.

Major Components

1. Battery pack

2. Electric motor
3. Motor controller
4. Battery Management System (BMS)
5. Charger
6. DC-DC converter
7. Throttle/control system
8. Wiring harness
9. Display/instrument cluster
10. Braking system
11. Suspension system
12. Frame and body
13. Wheels and tyres

Working Principle

When the rider operates the accelerator, a signal is sent to the electronic controller. The controller regulates electrical power supplied from the battery to the motor. The motor converts electrical energy into mechanical rotational energy, which drives the wheel.

The BMS monitors important battery parameters such as voltage, current, temperature, and state of charge. During charging, electrical energy is supplied to the battery through the charging system.

Simplified Energy Flow

Electrical Supply → Charger → Battery → Controller → Electric Motor → Wheel → Vehicle Motion

5. Conventional Two-Wheeler

A conventional two-wheeler generally uses a petrol-powered internal combustion engine.

Major Components

1. Internal combustion engine
2. Fuel tank
3. Carburettor/fuel-injection system
4. Clutch
5. Gearbox/transmission
6. Air filter
7. Exhaust system
8. Cooling system
9. Lubrication system
10. Battery
11. Starter system
12. Frame and body
13. Braking system
14. Suspension
15. Wheels and tyres

Working Principle

Petrol is supplied from the fuel tank to the engine. The engine burns the air-fuel mixture inside the cylinder. The resulting combustion produces pressure on the piston. The reciprocating motion of the piston is converted into rotary motion through

the connecting rod and crankshaft. The rotational power is transmitted through the clutch and transmission system to the rear wheel.

Simplified Energy Flow

Petrol → Engine → Crankshaft → Clutch → Gearbox → Final Drive → Wheel → Vehicle Motion

6. Comparative Study

Parameter	Electric Wheeler	Two- Conventional Two-Wheeler
Energy source	Electrical energy	Petrol
Power source	Electric motor	IC engine
Main energy storage	Battery	Fuel tank
Transmission	Usually simple/reduced transmission	Clutch and gearbox/final drive
Exhaust emission	No tailpipe emission	Produces exhaust emissions
Noise	Low	Comparatively high
Starting	Electric	Electric/kick depending on vehicle
Maintenance	Generally lower	Generally higher
Engine oil	Not required for electric motor	Required
Refuelling/charging	Requires charging	Petrol refuelling
Refuelling time	Higher charging time	Very short
Range	Dependent on battery capacity	Generally high
Energy efficiency	High	Lower
Mechanical complexity	Lower	Higher
Electronic complexity	Higher	Moderate
Battery requirement	High	Low/auxiliary battery
Regenerative braking	Possible	Generally not available
Local air pollution	No tailpipe emission	Present
Long-distance suitability	Improving	Well established

Parameter	Electric Wheeler	Two- Conventional Two-Wheeler
Charging infrastructure	Developing	Widely available fuel stations
Service requirements	Electrical/electronic expertise	Mechanical/engine expertise

7. Comparison of Powertrain

Electric Powertrain

The electric powertrain consists mainly of:

Battery → Controller → Motor → Drive Wheel

The system has fewer moving mechanical components compared with an IC-engine powertrain.

Conventional Powertrain

The conventional powertrain consists of:

Fuel Tank → Engine → Clutch → Gearbox → Final Drive → Wheel

The conventional system contains many moving components and requires lubrication, cooling, fuel supply, and exhaust systems.

8. Comparison of Performance

Electric motors can provide high torque from low rotational speed, resulting in quick initial acceleration. The power delivery can also be controlled electronically.

Conventional engines generally provide a wider operating range and are supported by mature transmission technology. Performance depends on engine displacement, compression ratio, transmission ratio, vehicle weight, and engine tuning.

For urban commuting, electric two-wheelers can provide adequate performance with smooth acceleration. Conventional vehicles may have an advantage where longer continuous operation and quick refuelling are required.

9. Maintenance Comparison

Electric Two-Wheeler

Maintenance generally includes:

- Brake inspection
- Tyre inspection
- Suspension inspection
- Battery condition monitoring
- Electrical connections
- Motor/controller inspection
- Software/electronic diagnostics

There is no conventional engine oil replacement and there are fewer engine-related wear components.

Conventional Two-Wheeler

Maintenance generally includes:

- Engine oil replacement

- Air-filter cleaning/replacement
- Spark-plug inspection
- Clutch inspection
- Gearbox/transmission maintenance
- Fuel-system maintenance
- Engine tuning
- Exhaust-system inspection
- Brake and tyre maintenance

Therefore, the mechanical maintenance requirement of a conventional vehicle is generally higher.

10. Environmental Comparison

Conventional petrol vehicles release pollutants through the combustion process. These can include carbon monoxide, hydrocarbons, nitrogen oxides, and carbon dioxide.

Electric two-wheelers have **zero tailpipe emissions during operation**. However, their overall environmental impact depends partly on how the electricity is generated and on battery manufacturing, use, recycling, and disposal.

Therefore, electric mobility should be considered as a complete energy-and-material lifecycle rather than only as a zero-tailpipe-emission technology.

11. Manufacturing Perspective

The manufacturing requirements of electric and conventional two-wheelers differ significantly.

Conventional Vehicle Manufacturing

Important manufacturing areas include:

- Engine component machining
- Cylinder and crankshaft-related components
- Gear manufacturing
- Clutch components
- Fuel-system components
- Exhaust components
- Sheet-metal fabrication
- Welding
- Vehicle assembly

Electric Vehicle Manufacturing

Important areas include:

- Battery-pack assembly
- Battery enclosure manufacturing
- Electric motor manufacturing/assembly
- Controller integration
- Wiring harness assembly
- Electronic testing
- Charging-system integration
- Vehicle assembly
- Electrical safety testing

This creates opportunities for manufacturers to develop new capabilities in **mechatronics, electrical systems, electronics, battery**

technology, automation, and quality assurance.

12. Quality Control

Quality control is essential for both types of vehicles.

Important Quality Checks for Electric Two-Wheelers

- Battery voltage
- Battery capacity
- BMS operation
- Insulation and electrical safety
- Motor performance
- Controller functionality
- Charging performance
- Wiring connections
- Brake performance
- Road/load testing
-

Important Quality Checks for Conventional Two-Wheelers

- Engine performance
- Fuel-system operation
- Lubrication system
- Transmission operation
- Brake performance
- Exhaust emissions
- Vibration and noise
- Dimensional inspection
- Assembly quality
- Road testing

For electric vehicles, battery and high-voltage/electrical safety become particularly important areas of quality assurance.

13. Advantages of Electric Two-Wheelers

1. Low running cost potential.
2. Zero tailpipe emissions.
3. Lower noise.
4. High energy efficiency.
5. Simple electric powertrain.
6. Reduced engine-related maintenance.
7. Instant torque characteristics.
8. Regenerative braking can improve energy recovery.
9. Suitable for urban transportation.
10. Supports the transition towards sustainable mobility.

14. Limitations of Electric Two-Wheelers

1. Higher initial purchase cost for some models.
2. Charging requires time.
3. Charging infrastructure is still developing.
4. Battery replacement can be expensive.
5. Range depends on battery capacity and operating conditions.

6. Battery performance can be affected by temperature.
7. Battery recycling and end-of-life management require proper systems.
8. Skilled manpower is required for electrical and electronic systems.

15. Advantages of Conventional Two-Wheelers

1. Well-established technology.
2. Wide availability of petrol stations.
3. Quick refuelling.
4. Long-distance usability.
5. Established repair and service network.
6. Wide availability of spare parts.
7. Familiarity among mechanics and users.
8. Suitable for areas where charging infrastructure is limited.

16. Limitations of Conventional Two-Wheelers

1. Dependence on fossil fuel.
2. Exhaust emissions.
3. Higher mechanical maintenance.
4. Engine oil requirement.
5. Greater mechanical complexity.
6. Noise and vibration.
7. Fuel price fluctuations.
8. Lower overall energy efficiency compared with electric powertrains.

17. Role of Kinetic India in the Transition

The transition towards electric mobility requires automobile manufacturers to progressively develop capabilities beyond conventional mechanical manufacturing.

For an organization such as Kinetic India, the transition can involve opportunities in:

- Electric powertrain assembly
- EV component manufacturing
- Battery-pack integration
- Motor and controller integration
- Sheet-metal and chassis components
- Automation of assembly operations
- Quality inspection
- Electrical safety testing
- Research and development
- Skill development and training

The existing expertise in mechanical manufacturing can be combined with electrical, electronic, and automation technologies to support EV manufacturing.

18. Future Scope

The future of two-wheeler transportation is likely to involve a combination of mechanical engineering, electrical engineering, electronics,

software, and advanced manufacturing.

Potential areas of development include:

- Higher energy-density batteries
- Faster charging
- Battery-swapping systems
- Improved battery thermal management
- Lightweight vehicle structures
- Advanced motor technologies
- Connected vehicles
- IoT-based diagnostics
- Artificial intelligence in vehicle control
- Automated production lines
- Improved battery recycling
- Renewable-energy-based charging

19. Conclusion

The comparative review shows that electric and conventional two-wheelers have different technological and operational advantages. Conventional two-wheelers have an established infrastructure, quick refuelling capability, mature technology, and excellent suitability for long-distance operation. Electric two-wheelers offer advantages in terms of energy efficiency, low noise, reduced mechanical complexity, and zero tailpipe emissions.

From the manufacturing perspective, the growth of electric mobility represents both a challenge and an opportunity for organizations such as **Kinetic India Pvt. Ltd., Ahilyanagar**. Existing capabilities in mechanical manufacturing, machining, fabrication, assembly, and quality control can be integrated with emerging technologies such as battery systems, electric motors, power electronics, automation, and digital diagnostics.

Therefore, electric two-wheelers are likely to become increasingly important, particularly for urban and short-to-medium-distance transportation. At the same time, conventional two-wheelers will continue to have relevance where charging infrastructure, range, and rapid refuelling remain critical factors.

20. Suggested References

1. Internal Combustion Engine fundamentals and automotive engineering textbooks.
2. Electric Vehicle Technology and EV Powertrain textbooks.
3. Bureau of Indian Standards (BIS) standards related to electric vehicles.
4. Ministry of Heavy Industries, Government of India – electric mobility and EV policies.
5. Automotive Research Association of India (ARAI) publications and standards.
6. Ministry of Road Transport and Highways (MoRTH) publications.
7. Central Pollution Control Board (CPCB) publications.

8. Research papers on electric vehicle technology, battery systems, and sustainable transportation.
9. Kinetic India company information and verified industrial records.
10. Industrial training/visit observations and quality/production records, where permitted.