

A Comparative Study of LPG Safety Practices and Environmental Management in Automobile Industries

Amarnath Bajpai¹, Prof. Vishal Tiwari²

¹Research Scholar, Department of Fire Technology & Safety Engineering, School of Engineering and Technology Vikrant University, Gwalior, (M.P.), India

²M.Tech Guide, Department of Fire Technology & Safety Engineering, School of Engineering and Technology Vikrant University, Gwalior, (M.P.), India

Abstract

Liquefied Petroleum Gas (LPG) has emerged as an important alternative fuel in automobile industries due to its comparatively cleaner combustion characteristics and lower environmental impact than conventional petroleum fuels. However, LPG installations involve significant fire, explosion, leakage, and occupational hazards because LPG is highly flammable and heavier than air. This study presents a comparative analysis of LPG safety practices and environmental management systems adopted in automobile industries. The paper evaluates industrial safety standards, risk assessment methodologies, emission characteristics, emergency preparedness systems, and environmental sustainability measures associated with LPG utilization in automobile manufacturing and automotive fuel systems. The study incorporates facts, figures, industrial standards, and comparative data from Indian and international research publications. The analysis reveals that industries implementing structured safety audits, emergency response planning, gas leak detection systems, and environmental management frameworks significantly reduce accident probability and environmental impact. The paper further recommends integration of quantitative risk assessment, automated monitoring systems, and compliance with OISD, PESO, and NBC guidelines for improving operational safety and environmental sustainability.

Keywords: LPG, Automobile Industry, Environmental Management, Risk Assessment, Fire Safety, OISD, Occupational Safety, Emission Control

1. Introduction

Liquefied Petroleum Gas (LPG) is a mixture of propane and butane stored under pressure in liquid form. It is extensively used in domestic, commercial, and automobile sectors because of its high calorific value, cleaner combustion, and cost-effectiveness. In the automobile industry, LPG is used both as an automotive fuel and in industrial heating applications.

The adoption of Auto LPG gained momentum due to increasing environmental concerns associated with gasoline and diesel fuels. Studies indicate that LPG-powered vehicles emit lower carbon monoxide (CO), nitrogen oxides (NO_x), and particulate matter (PM) than conventional fuels.

India legalized the use of Auto LPG in 2001 to reduce vehicular pollution in urban areas. According to studies, more than 27 million vehicles worldwide operate on LPG, while India had approximately 2.32 million LPG vehicles and nearly 1300 LPG filling stations in 500 cities by 2018.

Despite environmental benefits, LPG installations pose serious hazards such as:

- Vapor cloud explosions
- BLEVE (Boiling Liquid Expanding Vapor Explosion)
- Fire accidents
- Gas leakage
- Occupational exposure risks
- Environmental contamination

Therefore, comparative evaluation of safety practices and environmental management systems is essential for sustainable industrial operations.

2. Objectives of the Study

The objectives of this research are:

1. To analyze LPG safety practices adopted in automobile industries.
2. To compare environmental management systems in LPG-utilizing industries.
3. To evaluate emission characteristics of LPG-powered automotive systems.
4. To examine accident prevention and emergency preparedness measures.
5. To recommend strategies for improving industrial safety and environmental sustainability.

3. Properties and Hazards of LPG

LPG is highly flammable and heavier than air, causing leaked gas to accumulate near the ground and increase explosion risk.

Important properties include:

Property	Value
Main Components	Propane and Butane
Auto Ignition Temperature	410°C – 580°C
Physical State	Liquefied under pressure
Vapor Density	Heavier than air
Flammability Range	2% – 10% in air

The Oil Industry Safety Directorate (OISD) identifies LPG installations as high-risk industrial facilities requiring stringent safety measures and emergency planning.

4. LPG Usage in Automobile Industries

LPG is utilized in automobile industries in the following areas:

- Automotive fuel systems

- Paint shops and heat treatment operations
- Industrial furnaces
- Material heating processes
- Vehicle testing facilities

Compared to petrol and diesel, LPG combustion produces fewer greenhouse gases and lower particulate emissions. Research indicates LPG vehicles emit approximately 15–20% less CO₂ than petrol vehicles.

Experimental emission studies on LPG automotive engines reported:

- CO emissions: 38.9–111.3 ppm
- HC emissions: 18.2–62.6 ppm
- NO_x emissions: 0.8–3.9 ppm

These values are considerably lower than conventional gasoline engines under similar conditions.

5. Comparative Study of LPG Safety Practices

5.1 Engineering Safety Controls

Safety Practice	Conventional Industries	Advanced Automobile Industries
Gas Leak Detection	Limited sensors	Automated gas detection networks
Fire Protection	Portable extinguishers	Hydrant and sprinkler systems
Emergency Shutdown	Manual systems	Automatic interlock systems
Ventilation	Natural ventilation	Forced ventilation systems
Monitoring	Periodic inspection	Real-time SCADA monitoring

Advanced automobile industries implement automated monitoring systems integrated with alarm and shutdown mechanisms, reducing human error and accident probability.

5.2 Safety Training and Awareness

A study involving 300 LPG auto and tanker drivers found that trained tanker drivers demonstrated significantly higher safety awareness than untrained auto drivers.

Industries conducting regular:

- mock drills,
- fire safety training,
- emergency evacuation exercises, and
- PPE awareness programs

reported better operational safety performance.

5.3 Safety Audit Systems

OISD mandates:

- External Safety Audits (ESA)
- Surprise Safety Audits (SSA)
- Pre-Commissioning Safety Audits (PCSA)

for LPG installations in India.

Industries with periodic safety audits demonstrate:

- lower accident frequency,
- improved compliance,
- enhanced emergency preparedness.

6. Environmental Management Practices

6.1 Emission Reduction

Research comparing LPG and unleaded petrol vehicles concluded that LPG-powered vehicles emit lower elemental pollutants and volatile organic compounds (VOCs).

Comparative Environmental Impact

Parameter	Petrol Vehicle	LPG Vehicle
CO ₂ Emission	Higher	Lower
NO _x Emission	Higher	Lower
Particulate Matter	Significant	Negligible
VOC Emission	High	Moderate
Smoke Generation	High	Very Low

Studies further identified LPG as the cleaner fuel under urban driving conditions.

6.2 Waste and Leakage Management

Environmental management systems in modern automobile industries include:

- vapor recovery systems,
- spill containment measures,
- hazardous waste segregation,
- leak monitoring sensors,
- green belt development.

OISD standards also recommend buffer zones and environmental safeguards around LPG facilities.

6.3 Emergency Management Systems

A statistical analysis of 32 LPG-utilizing manufacturing industries in Tamil Nadu revealed that industries with structured emergency management systems showed better fire protection, communication systems, and occupational safety performance.

Key emergency management elements include:

- Emergency response teams
- Firewater systems
- Communication networks
- Medical preparedness
- Incident reporting systems

7. Risk Assessment in LPG Installations

Major accident scenarios in LPG installations include:

1. Jet Fire
2. Flash Fire
3. Vapor Cloud Explosion
4. BLEVE
5. Toxic Exposure

Risk assessment methodologies commonly adopted include:

- HAZOP (Hazard and Operability Study)
- QRA (Quantitative Risk Assessment)
- FMEA (Failure Mode and Effects Analysis)
- Fault Tree Analysis
- Event Tree Analysis

Industries using quantitative risk assessment models achieve better hazard prediction and mitigation.

8. Comparative Analysis of Industrial Practices

Parameter	Industries with Basic Systems	Industries with Advanced Systems
Leak Detection	Manual inspection	Smart sensors
Emergency Response	Reactive	Proactive
Environmental Monitoring	Periodic	Continuous
Training Frequency	Annual	Quarterly
Audit Compliance	Partial	Full OISD/PESO compliance
Accident Probability	Moderate to High	Low
Sustainability Practices	Limited	Integrated EMS

The comparative analysis indicates that industries integrating safety management systems with environmental sustainability frameworks perform significantly better in operational reliability and accident prevention.

9. Challenges in LPG Safety and Environmental Management

Major challenges include:

- Aging infrastructure
- Inadequate safety training
- Poor maintenance practices
- Human error
- Lack of continuous monitoring
- Insufficient emergency preparedness
- Non-compliance with standards

In India, the automotive LPG sector has also experienced declining growth due to increasing adoption of CNG and electric vehicles. LPG vehicle registrations reportedly declined by nearly 82% between FY19 and FY23.

10. Recommendations

The following measures are recommended:

1. Adoption of IoT-based gas monitoring systems.
2. Regular quantitative risk assessment studies.
3. Mandatory emergency response training.
4. Integration of environmental management with safety systems.
5. Compliance with:
 - OISD Standards
 - PESO Guidelines
 - NBC 2016
 - ISO 14001
 - ISO 45001
6. Periodic mock drills and safety audits.
7. Installation of automatic shutdown and fire suppression systems.
8. Development of green belt and emission control systems.

11. Conclusion

LPG remains an important alternative fuel and industrial energy source due to its cleaner combustion characteristics and lower environmental impact. However, LPG installations in automobile industries involve substantial fire and explosion hazards requiring rigorous safety management.

This comparative study demonstrates that automobile industries implementing advanced safety practices, automated monitoring systems, structured emergency management, and environmental sustainability measures achieve significantly better safety and operational performance. Environmental impacts associated with LPG use are considerably lower than conventional petroleum fuels, particularly in terms of CO₂, NO_x, and particulate emissions.

The future of LPG-based industrial operations depends on integrating process safety management with environmental management systems, supported by strict regulatory compliance and modern technological interventions.

References

1. Patibanda, S., & Arun, P. A. (2021). *A Study on Safety and Operational Procedures for Filling of Cylinders in an LPG Bottling Plant as Per OISD-144*. Springer.
2. Oil Industry Safety Directorate (OISD). *Major Activities of OISD*. Government of India.
3. OISD-STD-144. *Liquefied Petroleum Gas Installations*. Government of India.
4. Saraf, R. R., Thipse, S. S., & Saxena, P. K. (2008). *Emission Analysis and Lambda Characterization of LPG Automotive Engines*. SAE Technical Paper 2008-01-2753.
5. McKenzie, E. et al. (2006). *A Comparative Study of the Elemental Composition of the Exhaust Emissions of Cars Powered by LPG and Petrol*. Atmospheric Environment.
6. Bhattacharjee, G., Neogi, S., & Das, S. K. (2011). *Safety Knowledge of LPG Auto Drivers and LPG Tank Drivers*. Open Journal of Safety Science and Technology.
7. Characterization of VOCs from LPG and Unleaded Petroleum Fuelled Passenger Cars. Fuel Journal, 2014.
8. Comparative Emission Analysis of Gasoline/LPG Automotive Bifuel Engine.
9. Statistical Data Analysis in Emergency Management Elements of Indian Manufacturing Industries Utilizing LPG. International Journal of Occupational Safety and Health.
10. Auto LPG as an Alternative Fuel and Its Prospects to Combat Air Pollution in India. International Journal of Research Science and Management.