

LOW-COST IOT-BASED AUTOMATED AIRCRAFT GROUND OPERATIONS MANAGEMENT SYSTEM

Dr.S Balasubramanian¹, Mr. Siddarth J², Kailash.S³, Madhu Sudhanan.S³, Mohammed Sadiq.M³

¹Associate Professor, Department of Aviation, Vels Institute of Science, Technology & Advanced Studies, Chennai 600117, Tamil Nadu, India

² Program Coordinator, MH Cognition Private Limited – 600117, Tamil Nadu, India

³ Student, Department of Aviation, Vels Institute of Science, Technology & Advanced Studies, Chennai 600117, Tamil Nadu, India

Abstract:

The aviation industry requires efficient, safe, and cost-effective ground operations to ensure smooth aircraft turnaround. This paper presents a low-cost IoT-based automated aircraft ground operations management system using the ESP32 microcontroller. The system integrates vibration and temperature sensors to monitor equipment conditions in real time. Data is transmitted via Wi-Fi for remote monitoring. In abnormal conditions, alerts are triggered using LED and buzzer, and relay modules automate control actions. The system improves safety, reduces human intervention, and enables predictive maintenance. It is cost-effective, scalable, and suitable for modern smart airport environments.

KEYWORDS- Aircraft Ground Operations, ESP32, IoT, Real-Time Monitoring, Smart Automation.

I. INTRODUCTION

The aviation industry plays a vital role in global transportation, requiring high levels of efficiency, safety, and reliability. Aircraft ground operations, which include equipment monitoring, safety checks, and servicing activities, are essential for ensuring smooth flight operations and minimizing delays. However, traditional ground

operation systems are mostly manual or semi-automated, leading to inefficiencies, increased operational costs, and a higher risk of human error.

With the rapid advancement of the Internet of Things (IoT), there is an opportunity to transform conventional systems into smart and automated solutions. IoT enables real-time data collection, monitoring, and control by connecting physical devices through the internet. In aviation, this technology can significantly improve ground operations by providing continuous monitoring and instant response to abnormal conditions.

This paper proposes a low-cost IoT-based automated aircraft ground operations management system using the ESP32 microcontroller. The system integrates temperature and vibration sensors to monitor equipment conditions in real time. It provides alerts through buzzer and LED indicators and enables remote monitoring via Wi-Fi. The proposed system enhances safety, reduces human intervention, and improves operational efficiency, making it suitable for modern smart airport environments.

II. EXISTING SYSTEM

Current ground operation systems are mostly manual or semi-automated. Monitoring is done through periodic inspection, and communication is limited.

Disadvantages:

1. No real-time monitoring
2. High human dependency
3. Delayed fault detection
4. No remote access
5. Poor data management
6. Increased operational cost

III. PROPOSED SYSTEM

The proposed system uses ESP32 with sensors and IoT technology for automation and monitoring.

Features:

- Real-time monitoring of temperature and vibration
- Wi-Fi-based remote access
- Automatic alert system (LED + Buzzer)
- Relay-based equipment control
- Low-cost and scalable design

IV. LITERATURE REVIEW

Recent advancements in the **Internet of Things (IoT)** and smart monitoring technologies have significantly influenced the aviation industry, particularly in maintenance and ground operations. Several studies have explored the use of IoT for real-time monitoring, predictive maintenance, and automation.

A study by Rastogi et al. (2025) focused on **IoT-based predictive maintenance for aircraft engines**, highlighting the use of sensor data combined with machine learning algorithms to predict failures before they occur. The research emphasized that continuous monitoring of parameters such as temperature and vibration can significantly reduce unexpected failures and improve safety.

Similarly, Mangad (2024) proposed a **web-based aircraft health monitoring system** that integrates embedded systems and IoT to monitor parameters like temperature, pressure, and vibration. The system provides real-time alerts to maintenance teams, demonstrating the effectiveness of IoT in improving operational reliability and reducing manual inspection.

Research on IoT applications in aviation shows that modern aircraft systems already rely on multiple sensors to monitor critical parameters, and IoT enables real-time data transmission to ground systems for faster decision-making and fault detection.

In addition, studies on **predictive maintenance using deep learning** indicate that IoT sensor data plays a crucial role in identifying equipment faults early, reducing maintenance costs, and enhancing system performance. However, challenges such as data complexity and computational requirements still exist.

Furthermore, IoT-based monitoring of industrial systems using vibration and temperature sensors has proven effective in detecting mechanical failures and improving reliability, which can be directly applied to aviation ground equipment.


Overall, the literature demonstrates that IoT-based monitoring systems improve safety, enable real-time decision-making, and support predictive maintenance. However, there is a need for **low-cost, scalable solutions specifically designed for aircraft ground operations**, which this project aims to address.

V. METHODOLOGY (WORKING PRINCIPLE)

The proposed Low-Cost IoT-Based Automated Aircraft Ground Operations Management System operates based on continuous monitoring, real-time data processing, decision-making, and automated control. The system integrates sensors, a microcontroller (ESP32), communication modules, and output devices to ensure efficient and safe ground operations.

A. System Overview

The system follows a cyclic process where data is continuously collected from sensors, processed, and actions are taken based on predefined threshold values. This ensures real-time monitoring and immediate response to abnormal conditions.



- Temperature Sensor interface with Raspberry Pi

B. Sensor Data Acquisition

The system uses two primary sensors:

- Temperature Sensor: Measures environmental or equipment temperature continuously. It converts temperature into an electrical signal, which is read by the ESP32.
- Vibration Sensor: Detects abnormal vibrations or mechanical disturbances in ground equipment. High vibration levels indicate possible faults or failures.

These sensors provide real-time data inputs to the microcontroller.

C. Data Processing Using ESP32

The ESP32 microcontroller acts as the central processing unit. It performs the following tasks:

- Reads sensor data at regular intervals
- Converts analog signals into digital values
- Compares sensor values with predefined threshold limits
- Executes decision logic based on conditions

The system is programmed using Embedded C in the Arduino IDE.

D. Decision-Making Logic

The system uses a rule-based algorithm:

- If temperature is within limits → Normal condition

- If temperature exceeds threshold → Warning
- If vibration exceeds threshold → Alert
- If both exceed thresholds → Critical condition

This simple logic ensures fast and reliable system response.

E. Alert Mechanism

When abnormal conditions are detected:

- LED Indicator: Provides visual alert
- Buzzer: Generates audible alert

These alerts help ground personnel take immediate action.

F. Relay-Based Automation

The relay module acts as an automatic switch:

- Turns OFF equipment during overheating
- Prevents damage during critical conditions
- Reduces need for manual intervention

G. IoT Communication

The ESP32 transmits data via Wi-Fi to an IoT platform:

- Enables real-time remote monitoring
- Displays data on web/mobile dashboard
- Supports data logging and analysis


H. Continuous Operation

The system operates in a continuous loop:

1. Read sensor data
2. Process and compare values
3. Trigger alerts/control actions
4. Send data to IoT platform
5. Repeat

This ensures uninterrupted monitoring and quick response.


VI.FLOWCHART



i.ESP32



ii.Buzzer



iii.LED


VII. HARDWARE AND SOFTWARE REQUIREMENTS

Hardware:

- ESP32 Microcontroller
- Temperature Sensor
- Vibration Sensor
- Relay Module
- LED Indicators
- Buzzer
- Power Supply Unit

Software:

- Arduino IDE
- Embedded C
- IoT Platform (Cloud)



iv.Vibration Sensor



v.Digital Display



vi.Adapter



vii.Single Chanel Relay

VIII. RESULTS AND DISCUSSION

Observations:

- Normal Condition → No alert
- High Temperature → LED ON, buzzer triggered
- High Vibration → Immediate response

Performance:

- Response Time: 1–2 seconds
- Data Transmission: Real-time
- Connectivity: Stable
- Accuracy: High

Advantages:

- Fast response
- Accurate monitoring
- Reliable communication
- Low-cost implementation

VII. CONCLUSION

The proposed IoT-based system successfully improves aircraft ground operations by enabling real-time monitoring, automation, and safety. It reduces human intervention and operational cost while increasing efficiency and reliability. The system is suitable for modern smart airports and can be expanded for larger applications.

IX. FUTURE ENHANCEMENTS

- Integration of AI for predictive maintenance
- Addition of more sensors (gas, humidity)
- Mobile app for monitoring
- Cloud data analytics
- 5G/6G communication
- Security improvements

X. REFERENCES

1. R. Rastogi, A. Sharma, and P. Singh, "IoT-Based Predictive Maintenance for Aircraft Engine," *Proceedings of the IEEE*

- International Conference on Intelligent Systems and Embedded Design (ISED), 2024.*
2. I. Kabashkin, V. Shoshin, and A. Kolesnikov, "IoT and AI-Based Aviation Health Monitoring System," *Applied Sciences*, vol. 14, no. 11, pp. 4394, 2024.
 3. I. Kabashkin and V. Shoshin, "Artificial Intelligence of Things (AIoT) in Aviation: Opportunities and Challenges," *Future Internet*, vol. 16, no. 8, pp. 276, 2024.
 4. I. Kabashkin, "Unified Aviation Maintenance System Using 6G Communication Technology," *Electronics*, vol. 13, no. 19, pp. 3824, 2024.
 5. *IEEE Internet of Things Journal*, "Special Issue on Space-Air-Ground Integrated IoT Networks," IEEE, 2022.
 6. *IEEE World Forum on Internet of Things (WF-IoT)*, "5G and UAV-Based IoT Monitoring Systems," *IEEE Conference Proceedings*, 2023.
 7. F. Oroo, M. K. Njenga, and J. Mwangi, "Securing the Skies: A Survey on Internet of Drones (IoD) Security Challenges and Solutions," *World Journal of Advanced Research and Reviews*, vol. 18, no. 2, pp. 123–135, 2023.
 8. Espressif Systems, "ESP32 Technical Reference Manual," 2023. [Online]. Available: <https://www.espressif.com>
 9. A. Banks and R. Gupta, "MQTT Version 3.1.1," *OASIS Standard*, 2014.
 10. A. Al-Fuqaha et al., "Internet of Things: A Survey on Enabling Technologies, Protocols, and Applications," *IEEE Communications Surveys & Tutorials*, vol. 17, no. 4, pp. 2347–2376, 2015.
 11. D. Evans, "The Internet of Things: How the Next Evolution of the Internet Is Changing Everything," *Cisco White Paper*, 2011.