

A Review on Dynamics and Motion of Flywheel

Sumit Singh Chandolia¹, Jitendra Pandey², Girish Khare³

¹(M.Tech.Scholar, Dept. of Mechanical Engineering, OIST, Bhopal)

²(Professor, Dept. of Mechanical Engineering, OIST, Bhopal)

³(Head, Dept. of Mechanical Engineering, OIST, Bhopal)

Abstract

A Flywheel is a machine element which is used to increase a momentum of rotating element and to control fluctuations which are induced on rotating element like shafts turbines etc. The investigation has introduced the impact of shear Stress with various profiles of the flywheel with various layered and different Hub angle The natural frequency and modes of various materials and shear stress impacts were examined on various profile and materials of flywheel and appropriation along the flywheel was considered.

Keywords— Fly wheel, Shear Stress, Hub Angle, Composites

I INTRODUCTION

Flywheel, heavy wheel attached to a rotating shaft in an effort to smooth out shipping of strength from a motor to a system. The inertia of the flywheel opposes and moderates fluctuations in the speed of the engine and stores the excess electricity for intermittent use. To oppose velocity fluctuations efficiently, a flywheel is given a high rotational inertia; i.e., maximum of its weight is properly out from the axis. A wheel with a heavy rim connected to the valuable hub by means of spokes or a web (wheel A inside the Figure) has a excessive rotational inertia. Many flywheels used on reciprocating engines to smooth out the waft of electricity are made on this manner. The energy stored in a flywheel, but, relies upon on both the burden distribution and the rotary pace; if the speed is doubled, the kinetic power is quadrupled. A rim-type flywheel will burst at a much lower rotary speed than a disk-kind wheel of the same weight and diameter. For minimal weight and excessive strength-storing capacity, a flywheel may be product of excessive-electricity steel and designed as a tapered disk, thick at the centre and skinny on the rim.




Figure 1.1 Flywheel Energy Generators

The flywheel as a way of electricity storage has existed for heaps of years as one of the earliest mechanical power storage structures. For example, the potter's wheel became used as a rotatory object using the flywheel effect to keep its energy underneath its personal inertia. Flywheel applications have been completed by means of similar rotary gadgets, together with the water wheel, lathe, hand mills, and other rotary gadgets operated by using human beings and animals. These spinning wheels from the middle a long time do no longer fluctuate from those used inside the nineteenth or even 20th centuries. In the 18th century, the 2 main traits were metals changing wood in system constructions and the use of flywheels in steam engines. Developments in forged iron and the manufacturing of iron resulted within the production of flywheels in one whole piece, with extra second of inertia for the equal area. The word „flywheel“ regarded at the start of the economic revolution (specifically in 1784). At the time, flywheels had been used on steam engine boats and trains and as energy accumulators in factories. In the center of nineteenth century, due to the developments in cast iron and cast steel, very big flywheels with curved spokes have been built. The first 3-wheeled vehicle turned into built via Benz in 1885 and can be named as an example. Over time, numerous shapes and designs had been applied, however foremost developments came inside the early 20th century, when rotor shapes and rotational stresses were thoroughly analysed, and flywheels had been considered as potential energy storage systems. An early example of a flywheel machine used in delivery became the Gyrobus, powered by way of a 1500 kg flywheel, produced in Switzerland in the course of the Fifties. In the Nineteen Sixties and 1970s, FESS were proposed for electric automobiles, desk bound power back up, and area missions. In the subsequent years, fibre composite rotors had been built and examined. In the 1980s, pretty low-pace magnetic bearings started to appear. Despite major trends during their early tiers, the usage of flywheels has not been widespread and has declined with the improvement of the electrical grid. However, because of the recent upgrades in substances, magnetic bearings, strength electronics, and the introduction of excessive pace electric machines, FESS were installed as a strong option for electricity storage packages.

A flywheel stores strength that is primarily based on the rotating mass precept. It is a mechanical garage device which emulates the storage of electrical energy via converting it to mechanical power. The electricity in a flywheel is stored in the form of rotational kinetic electricity. The enter strength to the FESS is normally drawn from an electrical supply coming from the grid or another supply of electrical power. The flywheel hastens as it stores energy and slows down whilst it's far discharging, to supply the gathered electricity. The rotating flywheel is pushed by an electrical motor-generator (MG) appearing the interchange of electrical energy to mechanical energy, and vice versa. The flywheel and MG are coaxially connected, indicating that controlling the MG permits manage of the flywheel

II FLYWHEEL APPLICTION

Flywheels are regularly used to offer non-stop electricity output in systems where the electricity source is not continuous. For Instance, a flywheel is used to clean rapid angular pace fluctuations of the crankshaft in a reciprocating engine. In this situation, a crankshaft flywheel shops electricity while torque is exerted on it thru a firing piston, and returns it to the piston to compress a glowing charge of air and fuel. Another instance is the friction cars which powers gadgets collectively with toy automobiles. In unstressed and inexpensive instances to store on cost the majority of the mass of the flywheel is towards the rim of the wheel. Pushing the mass away from the axis of rotation heightens rotational inertia for a given general mass.

A flywheel will also be used to supply intermittent pulses of power at electricity stages that exceed the skills of its power source. This is completed by the use of collecting energy in the flywheel over a time period, at a price this is like minded with the power deliver, and then liberating strength at a much better charge over a especially short time at the same time as it's miles desired. For instance flywheels are used in electricity hammers and riveting machines. Flywheels can be used to govern direction and oppose undesirable motions, see gyroscope

III USES OF FLYWHEEL

Providing continuous energy when the energy source is discontinuous. For example, flywheels are used in reciprocating engines because the energy source, torque from the engine, is intermittent. Delivering energy at rates beyond the ability of a continuous energy source. This is achieved by collecting energy in the flywheel over time and then releasing the energy quickly, at rates that exceed the abilities of the energy source.

Controlling the orientation of a mechanical machine. In such programs, the angular momentum of a flywheel is purposely transferred as a torque to the attaching mechanical machine when energy is

transferred to or from the flywheel, thereby inflicting the attaching system to rotate into a few preferred roles.

Flywheels are typically made of steel and rotate on conventional bearings; these are generally limited to a revolution rate of a few thousand RPM. Some modern flywheels are made of carbon fiber materials and employ magnetic bearings, enabling them to revolve at speeds up to 60,000 RPM. Carbon-composite flywheel batteries have recently been manufactured and are proving to be viable in real-world tests on mainstream cars. Additionally, their disposal is more eco-friendly.

IV DUAL MASS FLYWHEELS

Providing continuous energy when the energy source is discontinuous. For example, flywheels are used in reciprocating engines because the energy source, torque from the engine, is intermittent. Delivering energy at rates beyond the ability of a continuous energy source. This is achieved by collecting energy in the flywheel over time and then releasing the energy quickly, at rates that exceed the abilities of the energy source.

REFERENCES

- [1] Sara Caprioli, "Thermal cracking of railway wheels: Towards experimental validation", *Tribology International* 94 (2016) 409–420.
- [2] A. Rupp, "Analysis of a flywheel energy storage system for light rail transit", *Energy* 107 (2016) 625–638.
- [3] Xujun Lyu, "A platform for analysis and control design: Emulation of energy storage flywheels on a rotor-AMB test rig", *Mechatronics* (2016) 1–15.
- [4] Daniel Jung, "A flywheel error compensation algorithm for engine misfire detection", *Control Engineering Practice* 47 (2016) 37–47.
- [5] Makbul A.M. Ramli, "Economic analysis of PV/diesel hybrid system with flywheel energy storage", *Renewable Energy* 78 (2015) 398–405.
- [6] Zhanji Wei, "Modeling and analysis of a flywheel micro vibration isolation system for spacecrafts", *Advances in Space Research* 55 (2015) 761–777.
- [7] I.M. Ryabov, "Comparative evaluation of the vibration isolation properties of a suspension with different flywheel dynamical absorbers of the car body oscillations", *Procedia Engineering* 129 (2015) 480 – 487.
- [8] N. Hiroshima, "Spin test of three-dimensional composite rotor for flywheel energy storage system"

Composite Structures 136 (2016) 626-634

- [9] Li Quan Song, “Design and analysis of a dual mass flywheel with continuously variable stiffness based on compensation principle”, Mechanism and Machine Theory 79 (2014) 124–140.
- [10] Vivek Nagabhushan, “On-orbit jitter control in momentum actuators using a three-flywheel system” Acta Astronautica 95 (2014) 61–81.
- [11] Guangxi LI, “Interference Character Analysis of Multi-ring Composite Flywheel Rotor”, Applied Mechanics and Materials Vol. 312 (2013) pp 421-424.
- [12] Kazuyuki Handa, “Influence of wheel/rail tangential traction force on thermal cracking of railway wheels” Wear 289 (2012) 112–118.
- [13] Jiqiang Tang, “High-speed carbon fiber rotor for superconducting attitude control and energy storage flywheel” Beihang university, (2012)
- [14] Sung K. Ha, “Design optimization and fabrication of a hybrid composite flywheel rotor” Composite Structures 94 (2012) 3290–3299.
- [15] Kazuyuki Handa, “Surface cracks initiation on carbon steel railway wheels under concurrent load of continuous rolling contact and cyclic frictional heat” Wear 268 (2010) 50-58.
- [16] Jerome Tzeng, “Composite flywheels for energy storage”, Composites Science and Technology 66(2006) 2520–2527.
- [17] S.M. Arnold, “Deformation and life analysis of composite flywheel disc systems” Composites: Part B 33 (2002) 433-459.
- [18] Wen Chang Tsai, “A non linear model for the analysis of the Turbine-Generator vibrations including the design of a flywheel damper” Electrical power and energy systems, vol.19, no.7,(1997), pp.469- 479.
- [19] Edward L. Danfelt, “Optimization of composite flywheel design” Int. J. Mech. Sci. vol. 19, (1977), pp.69-78
- [20] **Daniel Jung**, “A flywheel error compensation algorithm for engine misfire detection”, Control Engineering Practice 47 (2016) 37–47.
- [21] **Xujun Lyu**, “A platform for analysis and control design: Emulation of energy storage flywheels on a rotor-AMB test rig”, Mechatronics (2016) 1–15.
- [22] **Rupp**, “Analysis of a flywheel energy storage system for light rail transit”, Energy 107 (2016) 625-638.
- [23].
- [24] **I.M. Ryabov**, “Comparative evaluation of the vibration isolation properties of a suspension with different flywheel dynamical absorbers of the car body oscillations” Procedia Engineering 129 (2015

) 480 – 487.

- [25] **Zhanji Wei**, “Modeling and analysis of a flywheel micro vibration isolation system for spacecrafts” *Advances in Space Research* 55 (2015) 761–777.
- [26] **Makbul A.M. Ramli**, “Economic analysis of PV/diesel hybrid system with flywheel energy storage” *Renewable Energy* 78 (2015) 398-405.
- [27] **Vivek Nagabhushan**, “On-orbit jitter control in momentum actuators using a three-flywheel system” *Acta Astronautica* 95 (2014) 61–81.
- [28] **Li Quan Song**, “Design and analysis of a dual mass flywheel with continuously variable stiffness based on compensation principle” *Mechanism and Machine Theory* 79 (2014) 124–140.
- [29] **Guangxi LI**, “Interference Character Analysis of Multi-ring Composite Flywheel Rotor” *Applied Mechanics and Materials* Vol. 312 (2013) pp 421-424.
- [30] **Kazuyuki Handa**, “Influence of wheel/rail tangential traction force on thermal cracking of railway wheels” *Wear* 289 (2012) 112–118.
- [31] **Sung K. Ha**, “Design optimization and fabrication of a hybrid composite flywheel rotor” *Composite Structures* 94 (2012) 3290–3299.
- [32] **Kazuyuki Handa**, “Surface cracks initiation on carbon steel railway wheels under concurrent load of continuous rolling contact and cyclic frictional heat” *Wear* 268 (2010) 50–58.
- [33] **Jerome Tzeng**, “Composite flywheels for energy storage” *Composites Science and Technology* 66(2006) 2520–2527.
- [34] **Shaik. Irfan¹, B. Ramana Naik²**, “Design and analysis of flywheel in petrol engine” *IJARSE*, Vol.No.4, Issue No.02, February 2015, ISSN-2319-8354(E).
- [35] **Pagoti Lokesh**, “Design and Analysis of Flywheel and by using CATIA and ANSYS Software” ISSN : 2348-4845.
- [36] **Tony. A. Baby**, “Stress Analysis on Flywheel” *IJARET* Vol. 2, Issue 3 (July - Sept. 2015)
- [37] **Akshay P. Punde**, “Analysis of Flywheel” *IJMERR* Vol.3, Issue.2, March-April. 2013 pp-1097-1099
- [38] **S.M.Choudhary**, “Design Optimization of Flywheel of Thresher using FEM” *International Journal of Emerging Technology and Advanced Engineering* (ISSN 2250-2459, ISO 9001:2008 Certified Journal, Volume 3, Issue 2, February 2013).
- [39] **Sushama G Bawane**, “ANALYSIS AND OPTIMIZATION OF FLYWHEEL” ISSN 2278 – 0149
www.ijmerr.com, Vol. 1, No. 2, July 2012.