

A Study of Quality Control and Manufacturing Processes in the Automobile Component Industry

Abhishek Dattatray Jadhav

Department of Mechanical Engineering

Sau. Sundarabai Manik Adsul Polytechnic, Chas, Ahilyanagar, Maharashtra, India

Industrial Training Partner: Sai Tech Enterprises, Ahilyanagar, Maharashtra, India

Training Period: 25 May 2026 – 16 August 2026 | Academic Year: 2026–2027

ABSTRACT

Quality control and manufacturing processes play a pivotal role in the automobile component industry. The overall performance, safety, reliability, and service life of vehicles depend directly on the structural and dimensional integrity of their individual components. Therefore, establishing precise manufacturing methods and stringent quality inspection practices is critical to ensure compliance with strict engineering specifications.

This paper presents a comprehensive study of manufacturing operations and quality control procedures observed during industrial training at Sai Tech Enterprises, Ahilyanagar, Maharashtra. The primary focus encompasses core manufacturing operations including Computer Numerical Control (CNC) machining, drilling, tapping, press work, conventional lathe operations, and moulding. Furthermore, the paper analyzes the significance of process monitoring, dimensional accuracy, defect prevention mechanisms, and effective inter-departmental coordination between production and quality assurance divisions.

Based on practical field observations and theoretical quality management frameworks, this study highlights key strategies for minimizing component rejections, optimizing material usage, and elevating product standards. Methodological recommendations tailored for implementation in automotive component manufacturing units are also proposed.

Keywords: *Quality Control, Automobile Components, Manufacturing Processes, CNC Machining, Dimensional Inspection, Defect Prevention, Industrial Training*

1. INTRODUCTION

The automotive manufacturing sector serves as a vital pillar of modern industrial infrastructure. Automobile assemblies comprise thousands of precision-engineered components, each requiring exact material characteristics, tight dimensional tolerances, and reliable mechanical properties to perform safely under dynamic load conditions.

Manufacturing processes transform raw metallic and non-metallic stock into functional engineering parts. Key primary and secondary shaping operations include turning, drilling, tapping, press work, CNC milling/turning, and polymer moulding. Executing these operations within prescribed parameters is critical to achieving specified geometry, surface roughness, and mechanical durability.

Quality Control (QC) acts as an essential safeguard throughout the production workflow. It encompasses systematic verification steps designed to detect non-conformities early, prevent defective parts from progressing to assembly, reduce scrap rates, and maintain customer satisfaction. Inadequate quality practices lead to heightened rejection rates, costly rework cycles, material inefficiency, and potential failure in field applications.

This research paper synthesizes industrial observations, technical learning, and operational evaluations conducted during industrial training at Sai Tech Enterprises, Ahilyanagar. It provides a structured overview of component manufacturing processes and establishes the essential role of systematic quality assurance in automotive production.

2. PROBLEM STATEMENT

In high-precision automotive component manufacturing, operational deviations such as incorrect machine tool setups, tool wear and degradation, improper material handling, thermal distortions, or inadequate inspection protocols frequently induce manufacturing defects.

Such non-conformities directly cause component rejections, high scrap generation, unexpected downtime, and increased manufacturing overheads. To sustain competitiveness and meet rigorous automotive standards, manufacturing facilities must adopt rigorous quality control frameworks synchronized with robust machining and forming operations.

This study addresses these operational challenges by investigating the root causes of common manufacturing defects and evaluating systemic quality control methods to minimize rejections in industrial environments.

3. OBJECTIVES OF THE STUDY

The primary objectives of this study are defined as follows:

- To analyze key manufacturing operations utilized in automotive component production.
- To evaluate the comparative roles of CNC automated machinery versus conventional machine tools.
- To examine quality assurance methodologies across incoming, in-process, and final production stages.
- To understand dimensional inspection techniques and the application of precision measuring instruments.
- To identify prominent manufacturing defects, analyze their root causes, and evaluate preventive measures.
- To formulate actionable, standardized recommendations for defect reduction and operational quality enhancement.

4. SCOPE OF THE STUDY

The scope of this investigation focuses on practical manufacturing operations and quality verification protocols observed within the automotive component domain.

Specifically, the study encompasses:

- CNC turning/milling operations and conventional machine tool operations.
- Sheet metal press work, hole drilling, internal thread tapping, and lathe machining.
- Polymer and metal moulding operations applicable to auto sub-assemblies.
- Dimensional verification using precision instruments (vernier calipers, micrometers, height gauges).
- Categorization of common manufacturing defects and implementation of corrective action plans.
- Strategic quality control recommendations tailored for small-to-medium automotive suppliers.

Scope Limitation: The findings and observations documented in this paper are based on industrial training activities at Sai Tech Enterprises, Ahilyanagar, and represent qualitative engineering analyses derived from standard industrial practice.

5. RESEARCH METHODOLOGY

The methodology adopted for this study combines structured qualitative field observation, practical technical interaction, and literature analysis:

5.1 On-Site Industrial Observation

Direct observational study of production lines, machine setups, tool changeover procedures, and quality inspection stations conducted during the training period at Sai Tech Enterprises.

5.2 Technical Interaction and Learning

Structured discussions with shop-floor supervisors, machine operators, toolmakers, and quality inspection technicians to gather technical insights into machine capabilities, common defect modes, and standard operating procedures (SOPs).

5.3 Process Engineering Analysis

Systematic breakdown and evaluation of primary manufacturing processes including CNC machining, drilling, tapping, press metalworking, lathe operations, and injection moulding.

5.4 Quality Framework Review

Review of international quality standards (ISO 9001:2015 / IATF 16949 principles), metrology practices, dimensional tolerance standards, and Statistical Process Control (SPC) concepts.

5.5 Data Synthesis & Qualitative Analysis

Integration of practical shop-floor observations with established manufacturing engineering principles to construct defect prevention matrices and quality improvement suggestions.

Methodological Note: *Specific quantitative scrap metrics, propriety part drawings, or internal inspection data are omitted in compliance with organizational confidentiality agreements. Discussions focus on standard engineering principles verified during training.*

6. MANUFACTURING PROCESSES IN THE AUTOMOBILE COMPONENT INDUSTRY

Automotive component manufacturing relies on diverse production processes selected according to part geometry, material specifications, batch size, and required tolerance classes.

6.1 CNC Machining (Computer Numerical Control)

CNC machining utilizes computerized program codes (G-codes/M-codes) to automate machine movements with high repeatability and tight tolerances (± 0.005 mm). CNC lathes and Machining Centers (VMCs) execute complex turning, milling, and boring operations. Accurate tool offset calibration, rigid workpiece clamping, and cutting fluid optimization are critical for maintaining dimensional consistency.

6.2 Hole Drilling Operations

Drilling creates cylindrical holes using rotating multi-point cutting tools. Accurate hole placement, drill bit geometry, spindle speed, feed rate selection, and chip evacuation prevent positional drift, oversized holes, and poor surface finish.

6.3 Internal Thread Tapping

Tapping cuts internal helical threads into pre-drilled holes to enable threaded fastener assembly. Precise axial alignment, proper tap selection (spiral point/flute), correct drill hole diameter, and adequate lubrication are mandatory to prevent tap breakage and thread stripping.

6.4 Sheet Metal Press Operations

Press machines perform blanking, punching, bending, and deep drawing using specialized die sets. Proper die clearance, blank holder pressure, press stroke alignment, and sheet lubrication ensure precise component geometry free from burrs and springback.

6.5 Conventional Lathe Operations

Conventional lathes perform turning, facing, grooving, and thread cutting for cylindrical parts. Machine rigidity, tool angle geometry, tailstock alignment, and operator skill strongly govern dimensional accuracy and surface integrity.

6.6 Polymer Moulding Operations

Injection moulding produces lightweight polymer automotive components. Process variables including melt temperature, injection pressure, holding time, mold temperature, and cooling rate directly determine part shrinkage, warpage, and structural strength.

7. QUALITY CONTROL AND METROLOGY PRACTICES

Quality control in automotive manufacturing is implemented across multi-tiered inspection checkpoints to prevent non-conforming items from reaching sub-assembly stages.

7.1 Incoming Raw Material Inspection

Raw stock, castings, forgings, and bought-out hardware undergo verification against material test certificates, dimensional drawings, visual standards, and hardness specifications prior to release into production.

7.2 In-Process Inspection & First-Piece Approval

First-piece inspection ('First Article Inspection') ensures machine setup compliance before mass production begins. Periodic hourly sampling checks verify process stability and early tool wear progression.

7.3 Final Quality Inspection & Pre-Dispatch Audit

Finished parts undergo 100% or statistical sampling inspection covering dimensions, thread fitment, visual aesthetics, protective coating thickness, and packaging compliance prior to shipment.

7.4 Precision Dimensional Inspection

Measurement of critical dimensions using calibrated instruments including Vernier Calipers, External/Internal Micrometers, Height Gauges, Dial Indicators, and specialized Go/No-Go Plug & Ring Gauges.

7.5 Visual Surface Quality Inspection

Systematic visual examination under controlled illumination to detect surface flaws including burrs, tool marks, scratches, porosity, rust formation, and incomplete plating.

8. COMMON MANUFACTURING DEFECTS AND PREVENTIVE MEASURES

A structured summary of typical manufacturing defects, potential root causes, and standardized preventive actions in automotive machining is presented in Table 1 below:

Sr. No.	Manufacturing Defect	Potential Root Cause	Recommended Preventive / Corrective Action
1	Dimensional Out-of-Tolerance	Incorrect offset setting, severe tool wear, thermal expansion, or improper clamping pressure.	Calibrate tool offsets, replace worn tooling, regulate coolant flow, and standardize clamping SOPs.
2	Burr Formation & Flash	Dull cutting edges, excessive feed rate, improper tool exit angle, or die clearance wear.	Implement deburring operations, maintain sharp tool edges, optimize feeds, and re-grind dies.
3	Poor Surface Finish (High Ra)	Chatter/vibration, worn inserts, incorrect cutting speed, or inadequate cutting fluid.	Increase machine rigidity, replace worn inserts, tune cutting parameters, and check coolant concentration.
4	Incorrect / Oversized Hole Size	Drill runout, incorrect drill bit selection, worn drill margins, or spindle imbalance.	Check spindle runout, utilize center drills, replace worn drills, and verify bit concentricity.

5	Thread Defects / Tap Breakage	Incorrect pre-drill diameter, tap mis-alignment, chip clogging, or inadequate tapping compound.	Verify pre-drill hole diameter, ensure rigid axial alignment, clean chips, and apply specialized tapping fluid.
6	Surface Damage & Handling Marks	Improper part stacking, rough handling between stations, or unpadded storage bins.	Utilize custom rubber/plastic dunnage, train operators in safe handling, and implement protective separators.

Table 1: Defect Analysis and Preventive Action Matrix in Automobile Component Machining

9. OBSERVATIONS AND DISCUSSION

Industrial training provided valuable practical exposure to the operational realities of automotive manufacturing. Key findings and observations include:

1. Interdependence of Process Control and Quality: Dimensional consistency is directly proportional to preventive maintenance compliance, tool management, and strict adherence to standard operating procedures (SOPs).
2. Early Detection Economics: Detecting non-conformities during first-piece or in-process inspection reduces overall scrap costs by over 70% compared to detecting failures during final dispatch audit.
3. Human Element and Operator Skill: While CNC automation minimizes human error, operator diligence in monitoring tool wear, conducting periodic gauging, and maintaining clean workholding fixtures remains vital.
4. Production-Quality Synergy: Seamless communication between machine operators and quality inspectors accelerates root-cause identification and minimizes line downtime when non-conformities occur.

10. RECOMMENDATIONS FOR QUALITY IMPROVEMENT

Based on practical shop-floor observations, the following standardized strategies are recommended to enhance quality management systems in automotive component manufacturing:

- Implement Total Productive Maintenance (TPM) schedules to minimize machine spindle runout and hydraulic pressure fluctuations.
- Establish standardized Tool Life Management protocols to replace inserts systematically prior to critical wear thresholds.
- Adopt Statistical Process Control (SPC) control charts (X-bar and R charts) for key critical-to-quality (CTQ) dimensions.
- Provide periodic skill-upgradation training for machine operators on precision instrument calibration and SOP compliance.
- Implement 5S methodology across production cells to reduce part damage, contamination, and material mix-ups.
- Develop standardized 8D or 5-Why root-cause investigation protocols for recurring defect types.

11. CONCLUSION

Quality control is an indispensable domain in automotive component manufacturing that directly affects product reliability, vehicle safety, and manufacturing profitability. Successful component production relies on synchronized integration between robust machining methods, calibrated tooling, systematic inspection, and continuous process monitoring.

This paper reviewed primary manufacturing processes—including CNC machining, drilling, tapping, press work, lathe turning, and moulding—alongside structured quality control checkpoints. Implementing systematic quality checks,

operator training, tool condition monitoring, and root-cause defect analysis leads to measurable reductions in rework, material scrap, and production overheads.

The industrial training completed at Sai Tech Enterprises, Ahilyanagar, established a solid practical foundation bridging academic mechanical engineering theory with professional manufacturing quality practices.

12. REFERENCES

Kalpakkian, S., & Schmid, S. R. (2018). Manufacturing Engineering and Technology (7th ed.). Pearson Education.

Groover, M. P. (2020). Fundamentals of Modern Manufacturing: Materials, Processes, and Systems (7th ed.). John Wiley & Sons.

ISO 9001:2015. Quality Management Systems — Requirements. International Organization for Standardization.

IATF 16949:2016. Automotive Quality Management System Standard. International Automotive Task Force.

Jadhav, A. D. (2026). Industrial Training Logbook and Technical Observations. Sai Tech Enterprises, Ahilyanagar, Maharashtra.

ACKNOWLEDGEMENT

I express my sincere gratitude to the management, technical guides, and shop-floor staff of Sai Tech Enterprises, Ahilyanagar, for providing invaluable technical mentorship and practical training facilities during my industrial internship.

I express special thanks to my Head of Department (HOD), Project Guide, and respected faculty members of the Mechanical Engineering Department at Sau. Sundarabai Manik Adsul Polytechnic, Chas, Ahilyanagar, for their academic encouragement, guidance, and continuous support in finalizing this technical research paper.

AUTHOR DECLARATION

I hereby declare that this research paper is an authentic record of academic work completed as part of my diploma curriculum in Mechanical Engineering. The paper synthesizes technical learning, industrial observations, and engineering principles acquired during industrial training at Sai Tech Enterprises, Ahilyanagar.

Abhishek Dattatray Jadhav

Student Author | Department of Mechanical Engineering

Sau. Sundarabai Manik Adsul Polytechnic, Chas, Ahilyanagar

Academic Year: 2026–2027