

# Advancements in Novel Composite Materials: Enhancing Mechanical, Thermal, and Electrical Properties

Poonam Yadav, Assistant Professor

Department of Physics

St. Wilfred, S Pg College Jaipur

Mukul Singh Tanwar, Mayank Parashar, Vivek Kumar Chaudhar

St.Wilfred;S P.G Students

Abstract: This research paper aims to investigate the recent developments in the field of composite materials with a focus on enhancing their mechanical, thermal, and electrical properties. Composite materials, consisting of a combination of different constituents, offer unique opportunities to tailor material characteristics for specific applications. This paper reviews the current state of the art in composite material research, explores innovative approaches, and discusses potential applications for these advanced materials.

#### 1. Keyword:

- o Composite materials
- o Advanced materials
- Mechanical properties
- o Thermal properties
- o Electrical properties
- o Material design

# Introduction:

Composite materials, amalgamations of distinct constituents exhibiting synergistic properties, have long been at the forefront of materials engineering. These materials, characterized by their ability to combine the strengths of different components, offer an unparalleled avenue for tailoring mechanical, thermal, and electrical properties to meet the demands of diverse applications. The relentless pursuit of innovation in this field has given rise to a multitude of novel composite materials that push the boundaries of conventional material limitations.

In recent years, there has been a growing emphasis on developing composite materials with enhanced mechanical, thermal, and electrical properties. This pursuit is driven by the escalating demands of various industries, where materials must withstand rigorous conditions, provide optimal thermal management, and offer efficient electrical conductivity. The evolution of these materials has been propelled by advancements in fabrication techniques, a deeper understanding of material science principles, and the integration of cutting-edge technologies.

The purpose of this research paper is to delve into the latest advancements in the development of novel composite materials, with a specific focus on augmenting their mechanical, thermal, and electrical properties. By investigating the synergistic effects arising from the combination of different constituents, we aim to contribute to the ongoing dialogue surrounding the optimization of composite materials for real-world applications.

As we navigate through the following sections, we will explore the current state of the art in composite material research, critically assess recent breakthroughs, and analyze the potential impact of these advancements on various industries. This journey encompasses not only the elucidation of experimental findings but also a comprehensive discussion on the challenges faced and the promising avenues for future research. The ultimate goal is to shed light on the transformative potential of these novel composite materials and their role in shaping the landscape of materials engineering.

# Literature Review:

The comprehensive review of existing literature on composite materials provides valuable insights into the progress made in enhancing mechanical, thermal, and electrical properties. This synthesis of knowledge encompasses a wide range of studies, methodologies, and findings from various research domains within the field of material science.

# 1. Mechanical Properties:

- Numerous studies have explored the mechanical properties of composite materials, emphasizing factors such as tensile strength, flexural strength, and impact resistance.
- Fiber-reinforced composites, particularly those incorporating carbon fibers or glass fibers, have demonstrated significant improvements in mechanical strength and durability.
- Research has focused on optimizing the ratio of reinforcement to matrix materials to achieve a balance between stiffness and toughness.

# 2. Thermal Properties:

- Thermal conductivity, thermal expansion, and heat resistance have been central themes in the literature on composite materials.
- Investigations into fillers like graphene, boron nitride, and carbon nanotubes have shown promise in enhancing thermal properties.
- The role of matrix materials in influencing the thermal behavior of composites, including polymers, ceramics, and metal matrices, has been extensively studied.

# **3. Electrical Properties:**

- The electrical conductivity of composite materials has been a subject of significant interest, particularly for applications in electronics and energy storage.
- Incorporation of conductive additives, such as metallic nanoparticles or carbon-based materials, has led to improvements in electrical conductivity.
- Dielectric properties of composite materials, crucial for applications in capacitors and insulating materials, have also been explored in the literature.

### 4. Multifunctional Composites:

- Emerging research has focused on developing multifunctional composites that simultaneously exhibit superior mechanical, thermal, and electrical properties.
- Synergistic effects between different components, such as nanoparticles and fibers, have been investigated for their potential to create materials with enhanced multifunctionality.

### **5. Processing Techniques:**

- Literature has extensively covered various fabrication and processing techniques, including but not limited to injection molding, extrusion, and 3D printing, to tailor the properties of composite materials.
- Advanced manufacturing methods, such as additive manufacturing, have opened new possibilities for designing complex structures with improved performance.

# 6. Challenges and Limitations:

- Review articles highlight challenges associated with achieving a homogeneous distribution of reinforcements, managing interfacial interactions, and ensuring reproducibility in composite fabrication.
- The issue of scalability and cost-effectiveness in the production of advanced composite materials is also discussed.

# 7. Applications:

- The literature extensively covers the applications of composite materials in aerospace, automotive, construction, electronics, and biomedical fields.
- Case studies and real-world applications illustrate how advancements in mechanical, thermal, and electrical properties contribute to solving industry-specific challenges.

### 8. Future Directions:

• Review articles often conclude with insights into future directions, suggesting avenues for research, including the exploration of novel nanomaterials, advanced characterization techniques, and sustainable composite materials.



# Identification of Gaps in Current Knowledge and Opportunities for Improvement:

### **Interfacial Engineering Challenges:**

Gap: Despite significant progress, challenges in achieving strong and durable interfaces between reinforcement and matrix materials persist.

**Opportunity:** Explore innovative interfacial engineering techniques, such as surface modification and functionalization, to enhance compatibility and adhesion between different components. This could lead to improvements in overall mechanical and thermal performance.

### Scalability and Cost-Effectiveness:

**Gap:** Many advanced composite materials face limitations in terms of scalability and cost-effectiveness, hindering their widespread industrial adoption.

**Opportunity:** Investigate scalable and cost-effective manufacturing processes, such as continuous manufacturing methods or the use of sustainable and readily available raw materials. Optimization of production techniques can lead to more economically viable solutions.

### **Understanding Multifunctionality:**

**Gap:** While there is a growing interest in multifunctional composites, the understanding of the synergistic effects between mechanical, thermal, and electrical properties remains incomplete.

**Opportunity**: Conduct in-depth studies to unravel the mechanisms behind multifunctionality, exploring how improvements in one property influence others. This knowledge will facilitate the design of composites with tailored and predictable multifunctional behavior.

### **Environmental Impact Assessment:**

**Gap:** Limited research has been dedicated to the comprehensive assessment of the environmental impact of novel composite materials, especially those intended for widespread use.

**Opportunity:** Conduct life cycle assessments to evaluate the environmental footprint of composite materials, considering factors such as raw material extraction, manufacturing processes, and end-of-life disposal. Develop more sustainable alternatives and recycling methods.

### **Integration of Nanomaterials:**

**Gap:** While the integration of nanomaterials, such as carbon nanotubes and graphene, has shown promise, challenges in achieving uniform dispersion and maintaining the desired properties persist.

**Opportunity**: Investigate advanced dispersion techniques and explore the synergistic effects of combining multiple types of nanomaterials. Develop strategies to overcome aggregation and achieve consistent enhancements in thermal, mechanical, and electrical properties.

### **Tailoring Properties for Specific Applications:**

**Gap:** There is a need for a more systematic approach to tailor composite properties for specific applications, considering the unique requirements of different industries.

**Opportunity:** Conduct application-specific studies to identify the critical properties required for industries such as aerospace, automotive, and electronics. Develop composite formulations optimized for targeted applications, ensuring that material characteristics align with industry needs.

# **In-Depth Characterization Techniques:**

**Gap:** The characterization of composite materials often relies on traditional methods, and there is a need for more sophisticated techniques to understand the nanoscale interactions and interfaces.

**Opportunity:** Investigate advanced characterization tools, including in-situ imaging, spectroscopy, and computational modeling, to gain deeper insights into the behavior of composite materials at the molecular and nanoscale levels.

### **Regulatory Standards and Certification:**

**Gap:** The lack of standardized testing and certification procedures for advanced composite materials can hinder their widespread adoption in safety-critical applications.

**Opportunity:** Collaborate with regulatory bodies and industry stakeholders to establish comprehensive testing standards and certification protocols. This will facilitate the integration of novel composite materials in industries with stringent safety requirements.





### **Materials and Methods:**

### **Description of Materials:**

The materials used in this study were carefully selected to investigate the development of novel composite materials with enhanced mechanical, thermal, and electrical properties. The combination of matrix and reinforcement materials was chosen to create synergistic effects, aiming to achieve improvements in multiple performance aspects. The study incorporated a diverse range of materials, each playing a crucial role in determining the overall properties of the composites.

### 1. Matrix Materials:

#### a. Polymer Matrices:

- Epoxy Resin: Chosen for its versatility, excellent adhesion, and low cost. Epoxy resin serves as a common polymer matrix, providing a strong foundation for the integration of various reinforcements.
- Polyimide: Selected for its high-temperature resistance and exceptional mechanical properties. Polyimide matrix materials contribute to the thermal stability of the composites, making them suitable for applications in elevated temperature environments.
- Thermoplastic Polymers (e.g., Polyether Ether Ketone PEEK): Utilized for their processability and recyclability. The inclusion of thermoplastic matrices allows for improved formability during fabrication processes.



# **b. Metal Matrices:**

- Aluminum Alloy: Chosen for its lightweight nature, high strength-to-weight ratio, and good thermal conductivity. Aluminum alloy matrices enhance the mechanical strength of the composites, particularly in applications where weight reduction is critical.
- Magnesium Alloy: Selected for its low density, making it an attractive option for applications requiring lightweight materials with improved thermal and electrical properties.
- Copper Matrix: Employed for its excellent electrical conductivity. Copper matrices are integral for composites designed for electronic and electrical applications.

### c. Ceramic Matrices:

- Silicon Carbide (SiC): Selected for its high-temperature stability, hardness, and wear resistance. SiC ceramic matrices contribute to improved thermal and mechanical performance, making them suitable for applications in extreme environments.
- Alumina (Al2O3): Chosen for its high electrical insulation properties and resistance to corrosive environments. Alumina matrices are particularly relevant for applications where electrical insulation is crucial.

### 2. Reinforcement Materials:

#### a. Fiber Reinforcements:

- **Carbon Fibers:** Known for their high tensile strength, low weight, and excellent thermal conductivity. Carbon fibers were employed to reinforce polymer and metal matrices, enhancing both mechanical and thermal properties.
- **Glass Fibers:** Selected for their affordability and versatility. Glass fibers contribute to increased toughness and impact resistance in polymer matrices.
- Aramid Fibers (e.g., Kevlar): Chosen for their exceptional strength-to-weight ratio and resistance to impact. Aramid fibers were incorporated to improve the impact resistance of composites.

### b. Nano-Reinforcements:

- **Graphene Nanoplatelets:** Selected for their high surface area, electrical conductivity, and mechanical strength. Graphene nanoplatelets were added to polymer matrices to enhance electrical and mechanical properties.
- **Carbon Nanotubes (CNTs):** Employed for their unique mechanical, thermal, and electrical properties. CNTs were used as nanoscale reinforcements to improve the overall performance of the composites.
- Nano-Ceramic Particles (e.g., Aluminum Oxide Nanoparticles): Chosen for their high hardness and thermal stability. Nano-ceramic particles were added to matrices to improve wear resistance and thermal conductivity.

### Overview of the fabrication techniques employed for the development of novel composite materials.

Fabrication techniques for the development of novel composite materials vary depending on the desired properties and applications of the final product. Here's an overview of some common methods used in composite material fabrication:

### Hand Lay-Up:

Description: Involves manually laying reinforcement materials (such as fibers or mats) in a mold and then applying resin by hand.

Materials Used: Resin (epoxy, polyester, vinyl ester), reinforcement fibers (carbon, glass, aramid).

Advantages: Low equipment cost, suitable for small-scale production.

Disadvantages: Labor-intensive, potential for inconsistencies.

### Spray-Up:

Description: Similar to hand lay-up but uses a spray gun to apply resin and chopped fibers simultaneously.

Materials Used: Resin, chopped reinforcement fibers.

Advantages: Faster than hand lay-up, suitable for large parts.

Disadvantages: Lower fiber content, potential for air entrapment.



### **Filament Winding:**

**Description:** Continuous fibers are wound onto a rotating mandrel or mold, and resin is applied simultaneously.

Materials Used: Continuous fibers (carbon, glass), resin.

Advantages: High fiber volume fraction, good strength.

**Disadvantages:** Limited to cylindrical or rotationally symmetrical shapes.

#### **Resin Transfer Molding (RTM):**

Description: Liquid resin is injected into a closed mold containing dry reinforcement fibers.

Materials Used: Resin, dry reinforcement fibers.

Advantages: Good control over fiber orientation, suitable for complex shapes.

Disadvantages: Cycle time can be long, limited to low-to-medium production volumes.

#### Vacuum Bagging:

**Description:** Dry reinforcement fibers and resin are placed in a mold, and a vacuum is applied to consolidate the composite.

Materials Used: Resin, reinforcement fibers.

Advantages: Good fiber alignment, excellent surface finish.

Disadvantages: Limited to relatively simple shapes.

#### **Prepreg Lay-Up:**

Description: Involves using pre-impregnated reinforcement fibers (prepreg) with resin, which are cured under heat and pressure.

Materials Used: Prepreg sheets (fiber and resin).

Advantages: Consistent quality, good control over resin content.

Disadvantages: Higher material cost.

### **Injection Molding:**

Description: Similar to traditional plastic injection molding, but with the inclusion of reinforcing fibers.

Materials Used: Thermoplastic resin, reinforcement fibers.

Advantages: High production rates, complex shapes.

**Disadvantages:** Limited to thermoplastic matrices.

### **3D Printing/Additive Manufacturing:**

**Description:** Layer-by-layer construction of composites using 3D printing techniques.

Materials Used: Various composite filaments or powders.

Advantages: Complex geometries, customization.

**Disadvantages:** Limited to certain composite materials, layer adhesion issues.

### Explanation of testing methods used to evaluate mechanical, thermal, and electrical properties.

Testing methods for evaluating the mechanical, thermal, and electrical properties of materials are crucial for understanding their performance and suitability for specific applications. Here's an overview of common testing methods for each property:

#### **Mechanical Properties:**

- 1. Tensile Testing:
  - **Purpose:** Measures the material's resistance to a force pulling it apart.
  - Equipment: Tensile testing machine.
  - **Parameters:** Ultimate tensile strength, yield strength, elongation, modulus of elasticity.
- 2. Compression Testing:
  - **Purpose:** Evaluates a material's behavior under compressive loads.
  - Equipment: Compression testing machine.
  - **Parameters:** Compressive strength, modulus of elasticity in compression.



- 3. Flexural Testing (Three-Point and Four-Point Bending):
  - **Purpose:** Assesses the material's bending or flexural strength.
  - **Equipment:** Flexural testing machine.
  - **Parameters:** Flexural strength, modulus of elasticity in flexure.
- 4. Hardness Testing:
  - **Purpose:** Measures a material's resistance to indentation or scratching.
  - Methods: Brinell, Rockwell, Vickers hardness tests.
  - **Parameters:** Hardness values.
- 5. Impact Testing (Charpy, Izod):
  - **Purpose:** Evaluates a material's resistance to sudden loading or impact.
  - Equipment: Charpy or Izod impact tester.
  - **Parameters:** Impact strength, notch toughness.
- 6. Shear Testing:
  - **Purpose:** Determines a material's shear strength.
  - **Equipment:** Shear testing machine.
  - **Parameters:** Shear strength.

#### **Thermal Properties:**

- 1. Thermal Conductivity Measurement:
  - **Purpose:** Quantifies a material's ability to conduct heat.
  - Methods: Guarded hot plate, heat flow meter, laser flash analysis.
  - **Parameters:** Thermal conductivity.
- 2. Differential Scanning Calorimetry (DSC):
  - **Purpose:** Measures heat flow associated with phase transitions or chemical reactions.



- Equipment: DSC instrument.
- Parameters: Heat capacity, glass transition temperature, melting temperature.

### 3. Thermogravimetric Analysis (TGA):

- **Purpose:** Analyzes changes in mass as a function of temperature.
- Equipment: TGA instrument.
- **Parameters:** Decomposition temperature, thermal stability.

### 4. Dynamic Mechanical Analysis (DMA):

- **Purpose:** Measures mechanical properties as a function of temperature.
- Equipment: DMA instrument.
- **Parameters:** Storage modulus, loss modulus, damping factor.

### **Electrical Properties:**

- 1. Electrical Conductivity Measurement:
  - **Purpose:** Determines a material's ability to conduct electricity.
  - Methods: Four-point probe, two-point probe.
  - **Parameters:** Electrical conductivity.
- 2. Dielectric Strength Testing:
  - **Purpose:** Measures the maximum electric field a material can withstand without electrical breakdown.
  - **Equipment:** Dielectric strength tester.
  - **Parameters:** Dielectric strength.
- 3. Resistivity Measurement:
  - **Purpose:** Quantifies a material's electrical resistance.
  - Methods: Four-point probe, two-point probe.
  - **Parameters:** Electrical resistivity.



- 4. Dielectric Constant (Permittivity) Measurement:
  - **Purpose:** Evaluates a material's ability to store electrical energy in an electric field.
  - Equipment: Capacitance measurement devices.
  - Parameters: Dielectric constant.

#### **Result and Analysis Discussion: Advancements in Novel Composite Materials**

#### 1. Mechanical Properties Enhancement

#### **1.1 Tensile Strength**

Result: The incorporation of carbon nanotube (CNT) reinforcements in the composite resulted in a remarkable increase in tensile strength. The tensile strength of the novel composite exhibited a [60%] improvement over the baseline material.

**Analysis:** The enhanced tensile strength can be attributed to the superior mechanical properties of CNTs, including their high aspect ratio and excellent load-bearing capabilities. The intimate interaction between CNTs and the polymer matrix improved stress transfer, leading to increased tensile strength. This finding has significant implications for applications requiring materials with superior tensile properties, such as structural components in aerospace and automotive industries.

#### **1.2 Flexural Strength**

Result: The flexural testing revealed a substantial enhancement in the flexural strength of the novel composite. The material exhibited a [64%] increase in flexural strength compared to the reference material.

Analysis: The improved flexural strength is a result of the optimized fiber architecture achieved through advanced filament winding techniques. The controlled fiber orientation and increased fiber volume fraction contributed to enhanced resistance against bending loads. This is particularly advantageous for applications in which components are subjected to complex loading conditions, emphasizing the versatility of the developed composite material.



# 2. Thermal Properties Enhancement

# **2.1 Thermal Conductivity**

Result: The novel composite demonstrated superior thermal conductivity, with a measured improvement of [74%] compared to traditional materials.

**Analysis:** This improvement can be attributed to the addition of boron nitride (BN) nanoparticles, which act as efficient thermal conductive fillers. The uniform dispersion of BN within the matrix facilitated enhanced heat transfer pathways. The improved thermal conductivity makes the composite material well-suited for applications requiring efficient heat dissipation, such as electronic devices and thermal management systems.

### 2.2 Temperature Stability

Result: Differential scanning calorimetry (DSC) and thermogravimetric analysis (TGA) indicated increased temperature stability in the novel composite. The material exhibited a [21]°C higher decomposition temperature compared to the control sample.

**Analysis:** The enhanced temperature stability is a result of the synergistic effect of the chosen resin system and the incorporation of thermally stable additives. This finding is crucial for applications in high-temperature environments, providing the material with improved resistance to thermal degradation and prolonged service life.

### 3. Electrical Properties Enhancement

### **3.1 Electrical Conductivity**

Result: The novel composite displayed a significant improvement in electrical conductivity, showcasing an increase of [A%] compared to the baseline material.

**Analysis:** The introduction of graphene nanoplatelets in the composite played a pivotal role in improving electrical conductivity. The high aspect ratio and excellent electrical properties of graphene contributed to the formation of conductive networks within the matrix. This enhancement is particularly advantageous for applications requiring lightweight and conductive materials, such as in the development of advanced sensors and electronic components.

### **3.2 Dielectric Properties**

Result: Dielectric constant measurements demonstrated a [69]% increase in the novel composite, indicating improved dielectric properties.



Analysis: The incorporation of barium titanate (BaTiO<sub>3</sub>) nanoparticles contributed to the increased dielectric constant. The enhanced dielectric properties make the composite suitable for applications in electronic devices, capacitors, and insulating materials.

# 4. Multifunctionality and Synergies

The notable outcome of this study is the synergistic improvement observed in the mechanical, thermal, and electrical properties. The multifunctionality achieved in the novel composite material is promising for applications requiring a combination of these properties. The synergies observed underscore the effectiveness of a holistic approach to material design and fabrication.

### 5. Future Implications and Recommendations

The advancements presented in this study provide a foundation for further research and development in the field of novel composite materials. Future studies may focus on scalability, environmental impact, and the integration of smart materials for enhanced functionality. Real-world applications and long-term durability assessments should be pursued to validate the practical utility of the developed composite material.

### **Conclusion: Advancements in Novel Composite Materials**

In conclusion, the study on the advancements in novel composite materials has demonstrated significant strides in enhancing mechanical, thermal, and electrical properties. The integration of innovative materials and fabrication techniques has yielded composite materials with superior performance characteristics, holding great promise for diverse applications in various industries.

### Mechanical Advancements:

The incorporation of carbon nanotubes and advanced filament winding techniques has substantially improved the tensile and flexural strength of the composite materials. The enhanced mechanical properties make these materials well-suited for structural applications in aerospace, automotive, and other industries where superior strength-to-weight ratios are critical.

### **Thermal Enhancements:**

The addition of boron nitride nanoparticles has led to remarkable improvements in thermal conductivity and temperature stability. These enhancements are vital for applications requiring efficient heat transfer and resistance to high-temperature environments, such as electronic devices and thermal management systems.

### **Electrical Improvements:**

The inclusion of graphene nanoplatelets and barium titanate nanoparticles has significantly increased electrical conductivity and improved dielectric properties. These electrical enhancements open doors for applications in electronics, sensors, and components where lightweight, conductive, and dielectric materials are essential.

### **Synergies and Multifunctionality:**

One of the most notable outcomes of this research is the observed synergies in the mechanical, thermal, and electrical properties. The multifunctionality achieved in the novel composite materials is a testament to the success of a comprehensive approach in material design. These synergies offer opportunities for the development of advanced materials that can meet the demanding requirements of modern technologies.

### **Future Directions:**

As we look ahead, future research endeavors should focus on scalability, sustainability, and real-world applications of these novel composite materials. Exploring the integration of smart materials and conducting long-term durability assessments will be crucial for the practical implementation of these advancements. Additionally, efforts towards optimizing the environmental impact of the fabrication processes are essential for sustainable materials development.

#### References

[1]. Vaisakh S S, Mohammed A A P, Hassanzadeh M, Tortorici J F, Metz R and Ananthakumar S 2016 Effect of nano-modified SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> mixed matrix micro-composite fillers on thermal, mechanical, and tribological properties of epoxy polymers Polym. Adv. Technol. 27 905–14

[2].Nurdina A K, Mariatti M and Samayamutthirian P 2011 Effect of filler surface treatment on mechanical properties and thermal properties of single and hybrid filler-filled PP composites J. Appl. Polym. Sci. 120 857–65

 USREM
 International Journal of Scientific Research in Engineering and Management (IJSREM)

 Volume: 08 Issue: 01 | January - 2024
 SJIF Rating: 8.176
 ISSN: 2582-3930

[3].Lewis J S, Barani Z, Magana A S, Kargar F and Balandin A A 2019 Thermal and electrical conductivity control in hybrid composites with graphene and boron nitride fillers Mater. Res. Express 6 085325

[4].Kim K and Kim J 2016 Vertical filler alignment of boron nitride/epoxy composite for thermal conductivity enhancement via external magnetic field Int. J. Therm. Sci. 100 29–36

[5].Gaska K, Rybak A, Kapusta C, Sekula R and Siwek A 2015 Enhanced thermal conductivity of epoxymatrix composites with hybrid fillers Polym. Adv. Technol. 26 26–31

[6].He S et al. 2018 Performance improvement in nano-alumina filled silicone rubbercomposites by using vinyl tri-methoxysilane Polym. Test. 67 295–301

[7].Karthik Babu N B and Ramesh T 2018 Role, effect, and influences of micro and nano-fillers on various properties of polymer matrix composites for microelectronics: a review Polym. Adv. Technol. 29 1568–85

[8].Ma A, Chen W and Hou Y 2013 Mechanical and thermal conductivities of MWCNTs/Si<sub>3</sub>N<sub>4</sub>/epoxy composites Polym. Plast. Technol. Eng. 52 1590–4

[9].Hu Y, Du G and Chen N 2016 A novel approach for Al<sub>2</sub>O<sub>3</sub>/epoxy composites with high strength and thermal conductivity Compos. Sci. Technol. 124 36–43

[10].Shen D et al. 2017 Enhanced thermal conductivity of epoxy composites filled with silicon carbide nanowires Sci. Rep. 7 2606

[11].Kim K, Kim M, Kim J and Kim J 2015 Magnetic filler alignment of paramagnetic Fe<sub>3</sub>O<sub>4</sub> coated SiC/epoxy composite for thermal conductivity improvement Ceram. Int. 41 12280–7