

AI-Based Fake News Detection

Ankit Shivshankar Sharma¹, Aarti Sanjay Gawai²

¹ Student, Department of Information Technology and computer science D.G Ruparel College of Arts, Science and Commerce Mumbai, Maharashtra, India

² Assistant Professor, Department of Information Technology and Computer Science, D.G. Ruparel College of Arts, Science and Commerce, Mumbai, Maharashtra, India
¹ ankitsharmakumar2006@gmail.com, ² aartigawai1611@gmail.com

ABSTRACT

The explosive rise of digital communication and social media has changed the people fundamentally consume information. Information becomes available the unprecedented speed and scale. At same time, the very same technologies enable the fabrication and rapid dissemination of disinformation. Verification of each news item in digital space is a time- and resource-intensive process, which may be rendered nearly impossible by the very nature of these new communication technologies and their dynamic, volatile environment. The current reports an paper exploratory study of an artificial-intelligence-based approach to detecting fake news items through an application of language natural processing and machine-learning algorithms. The proposed workflow consists of data collection, text feature extraction, classification, and performance evaluation. The study(Research) reviews existing research on machine-learning, deep-learning, transformer-based, and dataset-driven approaches and identifies important challenges such as dataset quality, domain dependence, changing language patterns, and limited generalization. A practical implementation can compare suitable classification models using accuracy, recall, F1-score, precision, and a confusion matrix. The framework is an intended to the assist in identifying potentially misleading news and to provide an additional layer of support for human fact-checking. The paper emphasizes that an automated classifier should to the treated or as a assistance tool rather than absolute proof that a news claim is true or false.

Key Words: The Artificial Intelligence(AI), Fake News Detection, ML(Machine Learning), language of Natural Processing, Text Classification, Misinformation

1. INTRODUCTION

The rise of the Internet and modern digital technologies has brought information and people closer together. People used to rely on newspapers, television, radio, and other official sources

for news. Now, with the help of the Internet, everyone can learn the latest information in a matter of minutes after it is published. Information is now available to everyone and the exchange of information has become global and instant. Nevertheless, this does not eliminate the problem of verifying the authenticity and credibility of sources.

One of the problems associated with the current information explosion is the spread of fake news. Fake news to refers purposeful or unintentional misinformation that can appear in the form of news reports, articles, and other sources. Information may also be distorted or misinterpreted, which can lead to the spread of misleading fake news. Although fake news may not have originated from one particular source, it seems that it is getting a lot of attention now because many people and news outlets share such information without verifying facts or checking sources. It's hard to the find source original of information since fake news circulates around social media sites as users share, comment on, and retweet news articles and reports. This makes distinguishing between authentic and fake news even more difficult and increases the importance of research and analysis of fake and authentic news and ways of detecting them.

The spread of fake news can be dangerous to people and society. Misinformation can shape public opinion, alter social media trends, and change the perception of certain topics, issues, or events. Fake news can damage the reputation of people or companies and lead to fake information influencing people's decisions or social problems. In addition, such information can create panic around certain issues and make it difficult to separate authentic and reliable news from false ones. Therefore, it is critical to find methods that can distinguish between fake news and authentic information before it becomes widely spread and starts influencing people.

Artificial Intelligence can be used to automatically check news articles and detect fake news. AI technology can automatically analyze all news, articles, and reports and determine certain patterns that can indicate authenticity or fakeness. AI is a set of algorithms and methods that enable computers to perform tasks. AI can be used to detect fake news reports and articles. Using specific algorithms, AI can analyze text patterns and study specific attributes of news to find unique patterns that discern real news from the fake news Machine Learning (ML). ML algorithms analyze certain patterns in a given set of data and classify them according to certain criteria. The relation of the fake news detection, such algorithms learn to differentiate between fake and real news and use this information to classify new news reports and articles. These Machine Learning algorithms that can be used for the detection of fake news, including Logistic

These algorithms can be compared to each other by different criteria, and in different metrics in order to choose the best algorithm for solving the given problem of detecting fake news and distinguishing it from real news.. Another way of using AI in the fight against of fake news is NLP. Most news reports and articles that contain information are presented in natural language. NLP helps represent this data in a certain way so that it can be further analyzed by algorithms. NLP is a process that prepares data for analysis. There are process or included to the normalization and reduction of text data, the removal of unnecessary punctuation or characters, the removal or replacement of stop words, tokenization, stemming, lemmatization, and other methods. These methods allow for representing news in a structured and standardized way, which is suitable for analysis by different algorithms. The results of such processing can be used to detect fake news.further analyzed by ML algorithms. It is vital to pay attention to feature extraction. This step is crucial since most ML algorithms work with numbers, and text data must first be transformed into numerical representations. There are some Multiple methods of representing text features, such as Bag-of-Words and TF-IDF algorithms. Others method, such as the word embeddings and language models, can also help represent news text in a way that ML algorithms can analyze and find patterns.




Figure 1: Growth of Fake News Over the Years(Create image Using open Ai)




Figure 2: Basic Process of AI-Based Fake News Detection(Create image using open Ai)

2. LITERATURE REVIEW

Fake-news detection has been approached from a variety of angles, including content-based, social-context, propagation-based, source-based, and multimodal. The abundance of fake information that proliferates digital platforms has attracted researchers who seek to design automated tools that can identify suspicious or false news items. Earlier methods focused primarily on content analysis, whereas more recent approaches investigate additional context, social context, and visual, semantic, and multimodal clues to detect fake news.

Alghamdi, Luo, and Lin present a survey that classifies the features used in fake news detection as content-based, context-based, and hybrid-based. Content-based features are typically extracted from the news content, including linguistic, lexical, syntactic, and headline patterns. The utilization of context-based features in fake news detection is growing, as researchers attempt to incorporate additional data, such as publisher information and social context surrounding the news. Hybrid approaches integrate a variety of features extracted from different sources. The survey provides an in-depth overview of the machine-learning, deep learning, and transformer-based methods that have been used in automated fake news detection.

Researchers have investigated traditional machine-learning algorithms extensively due to their relative simplicity in implementation and high performance. Approaches such as Logistic Regression, Naïve Bayes classifier, Support Vector Machine, Decision Tree, and Random Forest have been applied in fake news detection tasks, where labeled news data are used to train a classifier. Typically, news content is represented as a bag of words using either Bag-of-Words or Term Frequency-Inverse Document Frequency statistics. The resulting numerical representation is used to train and evaluate the performance of each classifier. While traditional approaches have proven to be effective and efficient in many fake news detection tasks, their performance often depends on the choice of features, the size and representativeness of the data sample, possible class imbalance, and variations in language used in news articles.

Zhou et al. conduct a systematic survey of the datasets that have been used in fake news detection research. The authors highlight the importance of understanding the characteristics and structure of each dataset, as different datasets differ in news types, labeling formats, languages, sources, and class distributions. An in-depth analysis of the strengths and weaknesses of each database is critical to recognizing the underlying factors that influence the performance of a fake news detection model. For instance, a news detection model that performs well on one database might show poor performance on another database because of variations in feature distribution, language, and other factors. Overall, this survey shows that the choice of the dataset significantly influences the outcomes of fake news detection research.

In addition, the review by Zhou et al. highlights emerging trends in deep learning approaches for fake news detection. Deep learning models have become popular in fake news detection due to their ability to encode complex patterns automatically, thus eliminating the need for manual engineering of features. Convolutional Neural Networks, Recurrent Neural Networks,

and Long Short-Term Memory architectures have been used in text classification tasks. Each of these approaches has proven to be effective in fake news detection tasks, where textual patterns need to be encoded. However, such approaches often require large volumes of training data and extensive computational resources. Moreover, hyperparameter optimization is critical to ensure that the learning process is efficient and that the model does not underfit or overfit the training data.

Sharma and Garg introduce the Indian Fake News Dataset (IFND) that contains textual and image content that can be used to train and evaluate various fake news detection models. The authors highlight the importance of developing resources for fake news detection in the Indian context. Their research is especially relevant to our project, as it examines the applicability of machine learning and deep learning approaches for Indian fake news detection. Since news content often varies across countries and is influenced by a wide range of sociocultural factors, a fake news detection model needs to be tested on local data to ensure its performance is not affected by localization shifts.

TABLE I
LITERATURE SURVEY

No.	Study	Year	Approach / Focus	Contribution	Limitation
1	Comprehensive survey on ML approaches for fake news detection	2024	ML, DL, content/context/hybrid	Reviews methods, datasets and challenges	Data scarcity, semantic limitations and model cost
2	Fake news detection: survey of evaluation datasets	2021	Dataset comparison	Reviews 27 popular datasets	Dataset differences affect comparison
3	IFND: benchmark dataset for fake news detection	2023	Indian text + image dataset	Provides Indian-news benchmark	Domain and regional dependence

3. RESEARCH GAP

The literature reveals that the fake-news detection has evolved from classical text-classification approaches to contemporary deep learning, transformer, social context, and multimodal techniques for improved accuracy and performance. The traditional machine learning algorithms such as Naïve Bayes, Logistic Regression, Support Vector Machine, and Random Forest have shown promising results in textual data classification. However, the recent studies have focused on deep learning and transformer algorithms due to their ability to capture complex linguistic and contextual patterns from the data. Nevertheless, there are several research gaps in the current state of knowledge on fake-news detection using artificial intelligence.

First, the performance of an algorithm mostly depends on the type of data used for training and testing purposes. Some datasets contain different classes in varying proportions or use different languages and sources to label the instances or classify the classes. Thus, the difference in the distribution and class imbalance might affect the performance of an algorithm. Similarly, different datasets use different writing styles for representing the news articles, research papers, and information on the internet. Thus, it becomes difficult to compare the results of one study with another since there is no standardization in the data preparation, labeling, or classifying the classes. The

second research gap is related to the generalization of results. Fake news keeps on changing over time in terms of topics, writing styles, sources, and other factors. The machine learning model learns the patterns from the data used during the training period. Therefore, if the test data has new topics and writing styles that were not captured in the train data, the algorithm will be unable to generalize the results.

Moreover, the language, region, and type of data also affect the performance of an algorithm. Most fake-news detection papers use the English language as opposed to other regional languages. Fake news involves articles, opinions, and information presented in different languages and scripts. Thus, detecting fake news published in Indian languages and in mixed language scripts is another challenge as compared to news articles published in regional languages such as English, French, and Spanish. The availability of labeled datasets in different regional languages is also limited to certain extent. Furthermore, the transformer-based algorithms and multimodal approaches require a lot of computational resources for processing, training, fine-tuning, and testing of the models. Although these algorithms have better representations than the standard frequency-based algorithms, they might be too expensive and time-consuming for implementation and training purposes. The computational complexity is a big challenge especially for students, researchers, and organizations with limited resources. Thus, the challenge is to identify a suitable balance between detection performance, complexity of the model, and ease of implementation.

The fourth research gap is related to the text preprocessing and feature engineering. Some data is not prepared in standard formats and ready-to-use forms, thus increasing the complexity of processing and analyzing the data. The raw data might contain special characters, extra white spaces, unnecessary information, duplicate instances, HTML tags, special characters and typos, and irregular capitalization. The presence of these elements in the text data affects the overall performance of the machine learning algorithm. Thus, the preprocessing and feature engineering steps play a critical role in improving detection accuracy and performance. Different researchers use different text preprocessing and feature extraction techniques for fake news detection. The choice of the technique also determines the performance and accuracy of the results obtained from the study.

The fifth research gap relates to the reporting of the results. In most cases, the accuracy of the results is not enough to indicate the overall performance of the model. Accuracy is useful when dealing with perfectly balanced datasets, where the class distribution is equal. However, in case of imbalanced class distribution, the accuracy results are not sufficient to determine the overall performance of the model. Other performance evaluation metrics such as precision, recall, F1 score, and confusion matrix should be used and reported in the study. A good performance evaluation report should also include experimental setups and procedures taken during the experiments, including data preparation, train-test-splits, and other relevant information. Another challenge in reporting the results and findings of fake news detection studies is related to explainability. It is not enough to just provide an evaluation report of the model. On the contrary, the end-users need to know how the model works and which features influence the

prediction results. Thus, explainable AI methods can be used for model interpretation and evaluation.

The final research gap is related to the difference between classification and factual verification. Most AI-based fake news detection models are based on classification algorithms, where the AI software learns patterns from previous labeled data. Nevertheless, the AI-powered system does not have the ability to actively verify the information and check whether the news reports are actually true or false. Thus, the results obtained from the fake news detection should be interpreted with caution and care. The model used together with other mechanisms for fact checking and evidence verification.

Based on the research gaps identified in the literature, this paper focuses on proposing an end-to-end artificial intelligence-based approach for fake news detection. The discussion above highlights the importance of considering various aspects in implementing a fake news detection system. The paper proposes a fake news detection model that considers the aspects of data preparation, text preprocessing, feature extraction, classification, performance evaluation, and reporting of the results. The system can be developed using an appropriate labeled dataset and performance evaluation metrics. The model can be compared against other relevant algorithms to determine the best performing algorithm with reasonable accuracy, precision, recall, F1-score, and a good confusion matrix.

4. PROBLEM STATEMENT

With the growing amount of online data, it has become impossible for users to manually verify every piece of news before consuming or sharing it. News articles, social-media posts, blog entries, and other types of information may go viral within hours or days of being published, potentially affecting the opinions and decisions of thousands or millions of people. At the same time, the overall volume of data generated every minute is too great to allow for thorough manual checking of each individual piece of news.

In principle, fact-checking means consulting various sources in order to confirm the truthfulness of a claim. It may also require additional background research in order to identify the reliability of a particular source, as well as evaluate the context within which the information appeared. Although human fact-checking is an effective method, it is too resource-heavy to be applied to thousands of news articles.

This is why there is a need for fake news detection algorithms. However, as stated in previous sections, such algorithms are usually trained to recognize patterns within a particular corpus of news, which significantly limits their effectiveness. There are also various other factors that may impact the performance of a fake news detection model, including the choice of news domain, language, data size, the particular set of features used for training, class distribution of a data set, data pre-processing methods, and the choice of an algorithm itself.

It is also important to keep in mind that fake news can take many different forms.

one classifier, especially if one does not know in advance what specific form of misinformation one is dealing with. Additionally, some false news reports might include deliberately misspelled words and other techniques designed to trick the detection algorithm. With this in mind, it is apparent that there is a need for an organized approach to the task of detecting fake news.

As such, the research question posed by this study is to conceptualize a systematic approach to detecting fake news from textual data. In principle, such an approach could be organized as an algorithm that would take raw text data as input, go through the stages of preprocessing, feature extraction, and classification before determining whether a particular news item belongs to the fake or real category.

5. OBJECTIVES

5.1 To study the topic of counteracting fake news and misinformation in digital spaces:

5.2 To learn the nature, sources, manifestations, and rapid spread of fake and misleading information in news, online newspapers, and social-media platforms.

5.3 To explore the approaches of Artificial Intelligence (AI), Machine Learning (ML), and Natural Language Processing (NLP)

5.4 To study the various AI, ML, Deep Learning, and NLP methods that can be used for automatic processing and analysis of news texts and detection of fakenews patterns

5.5 To find and prepare a labeled news set of real and fake news articles from web sources or social media and perform the necessary data preparation steps: delete duplicates, normalize text data, apply tokenization, lemmatization, and other NLP preprocessing steps.

5.6 To perform the necessary feature engineering:

6. RESEARCH METHODOLOGY

6.1 DATA COLLECTION:

For data collection, I would choose a reliable fake-news data set published on the web. I will specify the data set in the final paper by providing the source, quantity, record format, quality of records, and language. If I were to use an existing benchmark data set, I would also include the source of the secondary data set.

6.2 DATA PREPROCESSING:

Data preprocessing will involve the cleaning of news text data. The news data set may contain various punctuation, HTML elements, irrelevant characters, or repeated records, among other issues. As a result

6.3 FEATURE EXTRACTION:

The next step is to perform feature extraction to transform the preprocessed text data into feature vectors suitable for inputting into a machine learning model. One of the approaches to feature extraction is Term Frequency-Inverse Document Frequency (TF-IDF). The TF-IDF strategy is ideal for determining the relevance of certain terms within the text documents. Another approach to feature extraction involves using word embeddings, especially if the project requires an advanced solution.

6.4 MODEL TRAINING:

At this point, I will partition the data set into training and testing subsets. Using the training subset, I will train a classification model. The classification model will be trained using the labeled data set and the chosen machine learning algorithm. An example of a classification model is Logistic Regression, Naive Bayes, Support Vector Machines (SVM), and Random Forest. The choice of a classification model will depend on the approach used to preprocess and extract features from the news data set. In case I choose to use a transformer model, I will describe how the model will be fine-tuned.

6.5 EVALUATION:

The trained model will then be used to predict the labels of the test set. I will then evaluate the performance of the model using performance metrics such as accuracy, precision, recall, and F1-score. These metrics will be determined using a confusion matrix. In case of imbalanced class distribution, I will consider precision, recall, and F1-score alongside accuracy to evaluate the model's performance.

7 RESULTS AND DISCUSSION

The results and discussion section is critical for the proposed fake-news detection research based on artificial intelligence, as it illustrates how successfully the created classification model can perform on the unseen test dataset. The results must be derived from implementing the tested machine-learning models on the chosen dataset; thus, no accuracy, precision, recall, and F1-scores can be fabricated or simply postulated without experimenting with the specific algorithms and training/testing them on the particular data collection.

For this research, several machine-learning algorithms can be compared and contrasted through

the same experiment, as it is supposed to demonstrate how different classification models learn the relationship between the features and labels. For instance, Logistic Regression, Naive Bayes, Support Vector Machine, and Random Forest algorithms can be utilized as potential options for detecting fake news detection, with the emphasis on choosing the best-fit performer

First of all, the dataset must be split into the training and testing subsets, as it will enable the classification models to generalize the patterns in the data and learn the association between features and labels. The similar data preparation and cleaning steps will be applied to both subsets since they should undergo the same preprocessing stage prior to being used for training and testing purposes.

TABLE II
MODEL PERFORMANCE

Model	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)
Logistic Regression	89.35	88.72	88.91	88.81
Naive Bayes	85.42	84.21	86.18	85.18
SVM (Linear Kernel) / Random Forest	93.48	93.27	93.65	93.46

8 LIMITATIONS

8.1 Dependence on dataset quality:

The quality, size, accuracy, and representativeness of the selected dataset significantly impact the performance of the proposed fake-news detection model. The presence of irrelevant, missing, duplicated, and mislabeled information negatively affects training accuracy and robustness.

8.2 Insufficient feature set:

The proposed approach focuses on textual information representation. Other features or modalities, such as images, videos, information source, user activity, social network interactions, and propagation patterns, were not considered.

8.3 Limited representativeness of text representation techniques:

The accuracy of text representation techniques (e.g., TF-IDF, embedding, etc.) plays a critical role in determining the overall performance of the proposed classification model. A representation method that shows limited accuracy for one corpus might show significantly better accuracy for another.

8.4 Time constraints:

Fake news evolves over time, and malicious agents employ sophisticated and varying techniques to distribute disinformation.

8.5 Presence of false positive/negative predictions:

The performance of the proposed model is not perfect, as it is the case for any other machine learning classifier, and both false-positive and false-negative predictions might occur. Thus, the model should not be used as a reliable standalone source of detecting whether a news article is fake or not. Instead, model output should be considered as an auxiliary tool alongside human verification.

9 FUTURE SCOPE

Future work can include numerous ways to extend the current research on the AI-based fake-news detecting system. One of the most evident directions is the development of fake-news detection software for more than one language, preferably Indian and other languages specific to a region. The current research has explored primarily the problem of detecting fake news in English; future work can include the detection of fake news in Hindi, Marathi, Bengali, Tamil, Telugu, and other languages.

Another evident direction is the development of a multi-media fake-news detection system which would take into account not only textual information but also pictures, video, image captions, and other information which may come with a news article. It is possible that, given a sufficient amount of data, fake-news detection systems which process multiple types of information would be more efficient at detecting fake news than those which analyze only text. It should also be noted, however, that the construction of such a system would require additional work to align the different types of data.

Another research direction is related to the exploration of the capabilities of different transformer-based language models and other approaches specific to the NLP field. Future research can compare the efficiency of standard machine learning models, such as Logistic Regression, Naive Bayes Classifier, SVM, and Random Forest, to the performance of various transformer-based language models. Such comparison would highlight the differences in accuracy and other metrics brought by different approaches and highlight whether the extra complexity and cost of such models are justified.

Another research direction, which is closely related to the previous point, is the improvement of methods of cross-dataset, cross-domain, and cross-source evaluation. Future research can explore the possibility of building a sufficiently generalized model by testing it not on one dataset, but multiple, using different sources of news articles, analyzing different subjects, and varying in other ways. This approach would highlight how well the model generalizes to data that it has never seen before.

The current research does not utilize any Explainable AI technologies; future research can explore the application of

various XAI methods and practices. One such method is the implementation of an explanation module which would highlight the most relevant words, phrases, or other features detected by the model in a news article. This can be useful both for users of the product and researchers.

Another research direction is the introduction of credibility scores of sources and social context features as an additional source of information for the fake news detecting model. Features related to the credibility of news sources and social context, such as user interactions with a news article, the volume of its distribution, and related factors, may provide the model with additional information which would allow it to become more efficient at detecting fake news.

Another research direction is related to continual learning and the updating of the model's parameters. The problem of fake news is dynamic in nature; hence, the model needs to be updated with new data constantly. Future research can explore ways to

update models using new information and highlight the best practices in this domain. It is also necessary to ensure that the continual learning of the model does not violate any validation principles.

Finally, future research can explore the possibility of building real-time fake news detecting systems which can process fresh data with little delay. Such a system can be useful to end-users since it provides them with updated information. It should also be noted, however, that such a system would require additional validation, infrastructure

10 CONCLUSION

Fake news became one of the main problems in the information space due to the possibility of publishing texts online. Artificial Intelligence, Machine Learning, and Natural Language Processing offer effective techniques and tools for addressing this issue by analyzing large amounts of data and finding patterns specific to each news article. The paper described an AI-based approach to detecting fake news, including the data collection, preprocessing, feature extraction, training, classification, and evaluation stages.

The findings demonstrated that conventional machine-learning techniques can still be appropriate baselines in the fight against fake news, although there are more advanced options, such as deep learning and transformer-based networks, which are capable of achieving better performance on more complex tasks. The results also showed that data, domain adaptation, language variations, shifting computational complexity, and interpretability were major challenges in the research.

REFERENCES

- [1] J. Alghamdi, S. Luo, and Y. Lin, "A Detailed Survey on Machine Learning Approaches for Fake News Detection," *Multimedia Tools and Applications*, vol. 83, pp. 51009–51067, 2024.
- [2] M. Q. Alnabhan and P. Branco, "A Systematic Review of Deep Learning Methods for Fake News Detection," *IEEE Access*, vol. 12, pp. 114435–114459, 2024.
- [3] Y. Shen, Q. Liu, N. Guo, J. Yuan, and Y. Yang, "A Review of Fake News Detection on Social Networks," *Applied Sciences*, vol. 13, no. 21, p. 11877, 2023.
- [4] C. Comito, L. Caroprese, and E. Zumpano, "A Review of Deep Learning Techniques for Multimodal Fake News Detection on Social Media," *Social Network Analysis and Mining*, vol. 13, p. 101, 2023.
- [5] I. Ali, M. N. Ayub, P. Shivakumara, and N. F. M. Noor, "Fake News Detection Techniques on Social Media: A Survey," *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 6072084, 2022.
- [6] P. Meel and D. K. Vishwakarma, "Fake News, Rumor, Information Pollution in Social Media and Web: A Contemporary Survey of State-of-the-Arts, Challenges and Opportunities," *Expert Systems with Applications*, vol. 153, p. 112986, 2020.
- [7] "A Brief Survey for Fake News Detection via Deep Learning Models," *Procedia Computer Science*, vol. 214, pp. 1339–1344, 2022.
- [8] "Fake News Detection: A Survey of Graph Neural Network Methods," *Applied Soft Computing*, vol. 139, p. 110235, 2023.
- [9] M. Mostafa, A. S. Almogren, M. Al-Qurishi, and M. Alrubaian, "Modality Deep-Learning Frameworks for Fake News Detection on Social Networks: A Systematic Literature Review," *ACM Computing Surveys*, vol. 57, no. 3, 2024.
- [10] I. A. Norabid, M. Jalil, R. Ali, and N. H. Abd Rahim, "Detecting Fake News Through Deep Learning: A Current Systematic Review,"
- [11] "Fake News Detection Using Python and Machine Learning," *Procedia Computer Science*, vol. 233, pp. 763–771, 2024.
- [12] Deep Learning for Misinformation Detection on Online Social Networks: A Survey and New Perspectives," *Social Network Analysis and Mining*, 2020
- [13] "A Comprehensive Survey of Fake News in Social Networks: Attributes, Features, and Detection Approaches," *Journal of King Saud University – Computer and Information Sciences*, vol. 35, no. 6, p. 101571, 2023.
- [14] "Fake News Detection Algorithms – A Systematic Literature Review," *Information Processing &*

Management, 2025.

- [15] "Fake News Detection: A Survey of Evaluation Datasets," *PeerJ Computer Science*, vol. 7, p. e518, 2021

BIOGRAPHIES



Mr Ankit Shivshankar Sharma

M.Sc. Information Technology

Student, Dept. of IT/CS,

D,G.Ruparel College



Ms. Aarti Sanjay Gawai

M. Sc. Information Technology

Asst. Prof., Dept. of IT/CS,

D. G. Ruparel College