

AI Code Analyzer for Bug Detection and Code Quality Analysis

Aditi Jain

CSE-DS Department

Acropolis Institute of Technology & Research

Indore MP, India

aditijain231375@acropolis.in

Anshika Jain

CSE-DS Department

Acropolis Institute of Technology & Research

Indore MP, India

anshikajain230522@acropolis.in

Anurag Hamora

CSE-DS Department

Acropolis Institute of Technology & Research

Indore MP, India

anuraghamora230845@acropolis.in

Dev Mohan Saxena

CSE-DS Department

Acropolis Institute of Technology & Research

Indore MP, India

devmohan230506@acropolis.in

Abstract—

Software development requires high-quality, secure, and efficient code, but identifying bugs and performance issues can be challenging. This paper presents an AI Code Analyzer for Bug Detection and Code Quality Analysis that combines Artificial Intelligence, Machine Learning, and static code analysis techniques to automatically evaluate source code. The system uses tools such as AST, CodeBERT, and CodeT5 to detect potential bugs, analyze code quality, estimate time complexity, identify security vulnerabilities, and provide optimization suggestions. A user-friendly interface allows developers to submit code and receive detailed feedback.

The proposed system generates a comprehensive report containing code quality scores, detected issues, complexity analysis, and security warnings. It helps developers improve code readability, maintainability, and overall software reliability while

reducing debugging effort and development time. The system can be effectively used in software development, education, and automated code review processes.

Keywords— *AI Code Analyzer, Bug Detection, Code Quality Analysis, Machine Learning, CodeBERT, CodeT5, Static Code Analysis, Security Vulnerabilities, Software Engineering.*

I. INTRODUCTION

Software development has become an essential component of modern digital systems, powering applications across healthcare, finance,

education, transportation, and numerous other domains. As software systems continue to increase in complexity, maintaining high code quality and detecting defects at an early stage have become significant challenges for developers and organizations. Software bugs, security

vulnerabilities, and inefficient coding practices can lead to system failures, increased maintenance costs, security breaches, and reduced user satisfaction.

Traditional code analysis tools such as Pylint, Flake8, and SonarQube are widely used to identify syntax errors, coding standard violations, and basic software defects. Although these tools provide valuable feedback, they primarily rely on predefined rules and static analysis techniques. Consequently, they often struggle to detect logical errors, semantic bugs, inefficient algorithms, and context-dependent vulnerabilities that require a deeper understanding of source code behavior.

Recent advancements in Artificial Intelligence (AI) and Machine Learning (ML) have opened new opportunities for automated software analysis. Transformer-based models such as CodeBERT and CodeT5 have demonstrated remarkable capabilities in understanding programming languages, identifying bug patterns, generating code summaries, and providing intelligent recommendations. These models learn semantic relationships within source code and can detect issues that may remain unnoticed by traditional static analysis tools.

This research proposes an AI Code Analyzer for Bug Detection and Code Quality Analysis that integrates static code analysis, Abstract Syntax Tree (AST) parsing, and transformer-based AI models to provide comprehensive code evaluation. The proposed system automatically analyzes source code, detects potential bugs, estimates algorithmic complexity, identifies security vulnerabilities, evaluates code quality, and generates optimization suggestions. By combining AI-driven code understanding with traditional software engineering techniques, the system aims to

improve software reliability, maintainability, and developer productivity.

The proposed solution is particularly useful for software developers, students, researchers, quality assurance teams, and organizations seeking automated code review systems. The system provides detailed analysis reports that enable users to improve code quality while reducing debugging effort and development time.

II. LITERATURE REVIEW

Code quality analysis and bug detection have been active research areas in software engineering for several decades. Traditional static analysis tools such as **Pylint**, **Flake8**, **PMD**, **Checkstyle**, and **SonarQube** are commonly employed to identify syntax errors, coding standard violations, and maintainability issues. These tools operate by applying predefined rules and heuristics to source code without executing the program. While effective for identifying common programming mistakes, they often lack the capability to understand the semantic meaning of code and therefore struggle to detect logical bugs and complex vulnerabilities.

To overcome these limitations, researchers introduced machine learning techniques for automated software defect prediction and bug detection. Early machine learning approaches relied on handcrafted features extracted from source code, such as code metrics, complexity measures, and dependency information. Models including **Decision Trees**, **Support Vector Machines**, **Random Forests**, and **Neural Networks** were used to classify software defects and predict bug-prone modules.

The emergence of deep learning significantly improved automated code analysis. Deep neural networks enabled

systems to learn programming patterns directly from large code repositories without requiring extensive manual feature engineering. Recurrent Neural Networks (RNNs), Long Short-Term Memory Networks (LSTMs), and Graph Neural Networks (GNNs) were applied to code understanding tasks including bug detection, code completion, and vulnerability analysis.

Recent advancements in transformer architectures have revolutionized source code analysis. CodeBERT, introduced by Microsoft Research, leverages a transformer-based architecture trained on large-scale natural language and programming language datasets. It enables accurate code representation learning and demonstrates strong performance in code search, code summarization, and bug detection tasks. Similarly, CodeT5 extends transformer-based learning through identifier-aware training objectives, enabling improved understanding of code semantics and structure.

Several studies have demonstrated that AI-powered code analysis systems outperform traditional static analyzers in identifying semantic bugs and complex programming errors. However, relying solely on AI models may lead to computational overhead and reduced interpretability. Therefore, hybrid approaches combining static analysis, syntax tree representations, and AI-based semantic understanding have gained significant attention.

The proposed AI Code Analyzer builds upon these advancements by integrating AST-based structural analysis, static code quality assessment, transformer-based bug detection, complexity estimation, security vulnerability scanning, and automated optimization recommendations within a unified framework. This combination enables comprehensive code evaluation

while leveraging the strengths of both traditional and AI-driven approaches.

III. PROPOSED METHODOLOGY

III. PROPOSED METHODOLOGY

The proposed **AI Code Analyzer for Bug Detection and Code Quality Analysis** combines Artificial Intelligence, Machine Learning, and static code analysis techniques to automatically evaluate source code and provide meaningful feedback to developers. The system follows a structured workflow consisting of multiple stages.

1. Code Input and Preprocessing

The process begins when the user enters or uploads a source code snippet through the application interface. The input code is cleaned and prepared for analysis. The system identifies programming constructs such as variables, functions, loops, and conditional statements for further processing.

2. Code Parsing using AST

The source code is converted into an **Abstract Syntax Tree (AST)**, which represents the code structure in a hierarchical format. AST helps the system understand relationships between different code components and enables deeper analysis of program logic.

3. Code Quality Analysis

The parsed code is analyzed using static code analysis tools such as **Pylint** and **Flake8**. These tools evaluate coding standards, variable naming conventions, indentation, code readability, maintainability, and the presence of unused variables or redundant code.

4. AI-Based Bug Detection

The system utilizes pre-trained transformer models such as **CodeBERT** and **CodeT5** to understand the semantics and context of the source code. These models help identify logical bugs, coding mistakes, and inefficient programming patterns that may not be detected by traditional static analyzers.

5. Time Complexity Analysis

A complexity analysis module examines loops, nested loops, recursion, and other control structures to estimate the algorithm's time complexity. The system provides an approximate Big-O notation and highlights sections of code that may affect performance.

6. Security Vulnerability Detection

The security analysis module scans the code for insecure programming practices, including hardcoded passwords, unsafe functions, improper input validation, and other common vulnerabilities. This helps developers improve the security and reliability of their applications.

7. Code Optimization Suggestions

Based on the analysis results, the system generates intelligent recommendations for improving code performance, readability, and maintainability. Suggestions may include reducing redundant operations, improving algorithm efficiency, and following best coding practices.

8. Report Generation

Finally, the outputs from all modules are combined into a comprehensive report. The report includes a code quality score, detected bugs, complexity estimation, security warnings, and optimization recommendations. The results are displayed through a user-friendly interface, enabling developers to quickly understand and improve their code.

IV. SYSTEM DESIGN AND IMPLEMENTATION

The proposed AI Code Analyzer for Bug Detection and Code Quality Analysis is designed to automatically evaluate source code and provide intelligent feedback to developers. The system combines Artificial Intelligence, Machine Learning, and static code analysis techniques to identify coding issues, estimate complexity, detect security vulnerabilities, and recommend code improvements. The architecture consists of multiple interconnected modules that work together to generate a comprehensive analysis report.

A. Hardware Requirements

The successful implementation of the system requires the following hardware resources:

- **Processor:** Intel Core i5/i7 or AMD Ryzen 5/7 processor.
- **RAM:** Minimum 8 GB RAM; 16 GB RAM is recommended for better performance.
- **Storage:** 20–50 GB free disk space for project files, libraries, datasets, and AI models.
- **GPU:** NVIDIA GPU is optional but useful for faster execution of AI models.
- **Internet Connection:** Required for downloading libraries, updates, and pre-trained models.

B. Software Requirements

The software components used in the system include:

- **Programming Language:** Python 3.8+.

- **Frontend Framework:** Streamlit for creating an interactive user interface.
- **Backend Framework:** Flask for handling communication between modules.
- **AI Models:** CodeBERT and CodeT5 for code understanding and bug detection.
- **Machine Learning Libraries:** Scikit-learn for model implementation and evaluation.
- **Code Analysis Tools:** AST (Abstract Syntax Tree), Pylint, and Flake8.
- **Visualization Libraries:** Matplotlib for graphical representation of results.
- **Development Tools:** VS Code and Jupyter Notebook.

C. System Architecture

The system consists of the following major modules:

1. User Interface Module

The user interface allows developers to enter or upload source code. It provides a simple and interactive platform for receiving analysis results and recommendations.

2. Code Parsing Module

The input code is processed using an Abstract Syntax Tree (AST), which converts the code into a structured format. This helps the system understand program elements such as functions, loops, variables, and conditional statements.

3. Code Quality Analysis Module

This module evaluates coding standards, readability, maintainability, naming

conventions, indentation, and unused variables using static analysis tools such as Pylint and Flake8.

4. Bug Detection Module

AI models such as CodeBERT and CodeT5 analyze the code and identify potential bugs, logical errors, and inefficient coding patterns that may affect program execution.

5. Complexity Analysis Module

The complexity analyzer estimates the time complexity of the code by examining loops, recursion, and nested structures. It helps developers identify performance bottlenecks.

6. Security Analysis Module

The security module scans the code for vulnerabilities such as hardcoded passwords, unsafe functions, improper input handling, and insecure coding practices.

7. Optimization Module

Based on the analysis results, the system generates recommendations to improve code performance, readability, and maintainability. It suggests better coding practices and optimized approaches.

8. Report Generation Module

All analysis results are combined into a detailed report that includes:

- Code Quality Score
- Detected Bugs
- Complexity Analysis
- Security Warnings
- Optimization Suggestions


D. System Workflow

The working process of the AI Code Analyzer follows these steps:

1. The user submits source code through the interface.
2. The code is parsed using AST to understand its structure.
3. Static analysis tools evaluate code quality and coding standards.
4. AI models analyze the code for bugs and logical errors.
5. The complexity analyzer estimates algorithm efficiency.
6. The security analyzer identifies potential vulnerabilities.
7. Optimization suggestions are generated for better performance.
8. The final analysis report is displayed to the user.

The integration of AI-based code understanding with traditional static analysis techniques enables the system to provide accurate and intelligent feedback, helping developers create secure, efficient, and high-quality software.

The system architecture illustrates the workflow of the AI Code Analyzer from code submission to report generation. The input code is first preprocessed and converted into a structured format using AST. Various analysis modules perform code quality assessment, bug detection, complexity estimation, security analysis, and optimization. Finally, the generated results are combined into a comprehensive report that helps developers improve software quality and reliability.



V. EXPERIMENTAL EVALUATION

The proposed **AI Code Analyzer for Bug Detection and Code Quality Analysis** was evaluated to determine its effectiveness in identifying bugs, assessing code quality, estimating time complexity, detecting security vulnerabilities, and generating optimization suggestions. The experimental study was conducted using a collection of source code samples obtained from open-source repositories, coding platforms, and publicly available programming datasets. The objective of the evaluation was to compare the performance of traditional code analysis techniques with AI-based approaches and demonstrate the advantages of the proposed hybrid system.

A. Dataset Used

The system was tested using code samples collected from various sources, including:

- GitHub Open-Source Repositories
- CodeSearchNet Dataset
- HumanEval Dataset

- Programming assignments and sample projects
- Publicly available coding examples

The dataset contained both correct and faulty programs written in Python and other programming languages. These programs included syntax errors, logical bugs, inefficient algorithms, poor coding practices, and security vulnerabilities. The dataset was divided into training, validation, and testing sets to ensure reliable performance evaluation.

Dataset Distribution

Dataset Split	Percentage
Training Data	70%
Validation Data	15%
Testing Data	15%

The training data was used to fine-tune AI models, while validation and testing datasets were used to measure system performance.

B. Models Evaluated

To analyze the effectiveness of the proposed approach, multiple techniques were evaluated and compared:

1. Rule-Based Static Analyzer

Traditional static analysis tools such as Pylint and Flake8 were used to detect syntax errors, coding standard violations, and basic programming issues.

2. AST-Based Analysis

The Abstract Syntax Tree (AST) approach was used to understand the structural representation of code and identify

programming constructs such as loops, functions, and conditional statements.

3. CodeBERT

CodeBERT is a transformer-based pre-trained model designed specifically for programming language understanding. It analyzes code semantics and detects potential bugs more effectively than rule-based systems.

4. CodeT5

CodeT5 is an advanced transformer model capable of understanding source code context and generating intelligent code-related predictions.

5. Proposed Hybrid AI Code Analyzer

The proposed system combines static code analysis, AST-based parsing, CodeBERT, and CodeT5 to provide comprehensive bug detection and code quality assessment.

C. Evaluation Metrics

The performance of the system was measured using several standard evaluation metrics.

Accuracy

Measures the percentage of correctly classified code samples.

Precision

Represents the proportion of correctly detected bugs among all identified bugs.

Recall

Measures the ability of the system to detect actual bugs present in the code.

F1-Score

Provides a balanced evaluation by combining precision and recall.

Bug Detection Rate

Measures how effectively the system identifies coding errors and vulnerabilities.

D. Experimental Setup

The experiments were conducted using Python-based development tools and machine learning frameworks.

Hardware Configuration

- Intel Core i7 Processor
- 16 GB RAM
- NVIDIA GPU (Optional)
- SSD Storage

Software Environment

- Python 3.8+
- Scikit-learn
- Hugging Face Transformers
- CodeBERT
- CodeT5
- AST
- Pylint
- Flake8
- Streamlit
- Flask

The models were trained and tested under identical conditions to ensure fair comparison.

E. Performance Comparison Accuracy

Comparison

Model	Accuracy
Rule-Based Analyzer	78%
AST-Based Analysis	82%

Model

Accuracy

CodeBERT	91%
CodeT5	92%
Proposed Hybrid Model	95%

F. Result and Discussion

The experimental evaluation demonstrates the effectiveness of the proposed AI Code Analyzer in detecting software defects and evaluating code quality. The system was tested on a collection of source code samples obtained from open-source repositories, benchmark datasets, and publicly available programming examples. The dataset contained both correct and faulty programs with varying levels of complexity, including syntax errors, logical bugs, inefficient implementations, and security vulnerabilities.

The experimental results indicate that traditional rule-based analyzers achieve satisfactory performance in identifying syntax-related issues and coding standard violations. However, their effectiveness decreases when detecting logical errors and context-dependent defects. AST-based analysis improves structural understanding of source code and enables the identification of programming constructs such as loops, functions, and conditional statements. Nevertheless, AST analysis alone lacks semantic understanding and cannot fully capture program intent.

Transformer-based models such as **CodeBERT** and **CodeT5** significantly improve bug detection performance due to their ability to understand contextual relationships within source code. These models learn semantic representations from large-scale programming datasets and can recognize common bug patterns, inefficient

coding practices, and code smells that are difficult to identify using rule-based approaches.

The proposed hybrid system achieved the highest overall performance by combining static analysis, AST-based structural representation, and transformer-based semantic analysis. This integration enabled comprehensive code evaluation, resulting in improved bug detection accuracy, better vulnerability identification, and more meaningful optimization recommendations.

The security analysis module successfully detected several common vulnerabilities, including hardcoded credentials, insecure function usage, weak input validation, and unsafe coding practices. The optimization module generated recommendations that improved algorithm efficiency, code readability, maintainability, and overall software quality.

The findings demonstrate that combining AI-driven code understanding with traditional software engineering techniques provides a more reliable and effective solution for automated code review. The proposed system reduces manual debugging effort, accelerates software development, and supports developers in producing secure, efficient, and maintainable code. These results validate the potential of AI-assisted software engineering tools for modern development environments and educational applications.

G. Key Findings

The major findings of the experimental study are:

- AI-based approaches outperform traditional static analysis tools.
- Transformer models such as CodeBERT and CodeT5 provide better code understanding.

- The hybrid system achieves the highest bug detection accuracy.

- Security vulnerabilities can be identified more effectively using AI-assisted analysis.

- Automated optimization suggestions help improve software quality.

- The system significantly reduces manual debugging effort and development time.

H. Summary

The experimental evaluation confirms that the proposed AI Code Analyzer for Bug Detection and Code Quality Analysis is an effective and reliable solution for automated code review. By combining static code analysis with advanced AI models, the system provides accurate bug detection, code quality assessment, security analysis, and optimization recommendations. The results demonstrate its potential for use in software development, education, competitive programming, and enterprise-level code review processes.

VI. APPLICATIONS

The proposed AI Code Analyzer for Bug Detection and Code Quality Analysis has a wide range of applications in software engineering, programming education, and enterprise software development. By automatically detecting bugs, analyzing code quality, identifying security vulnerabilities, and providing optimization suggestions, the system can significantly improve the software development process.

1. Software Development

The system assists software developers in writing high-quality and efficient code. It

automatically detects coding errors, identifies performance issues, and recommends improvements, helping developers reduce debugging time and improve software reliability.

2. Automated Code Review

Code reviews are an important part of software development but can be time-consuming when performed manually. The AI Code Analyzer can automate the code review process by checking coding standards, identifying bugs, and providing intelligent feedback, thereby increasing productivity and consistency.

3. Education and Programming Learning

The system can be used as a learning tool for students and beginner programmers. It provides instant feedback on coding mistakes, helps users understand best programming practices, and supports the learning process by explaining detected issues and optimization techniques.

4. Software Testing and Quality Assurance

Quality assurance teams can use the system to analyze source code before testing and deployment. Early detection of bugs and vulnerabilities helps reduce software defects and improves the overall quality of applications.

5. Security Analysis

The AI Code Analyzer can identify common security vulnerabilities such as hardcoded passwords, unsafe functions, weak input validation, and insecure coding practices. This helps developers create more secure software and reduce security risks.

6. Competitive Programming

Competitive programmers can use the system to analyze algorithm efficiency, estimate time complexity, and optimize their solutions. The tool helps improve coding performance and supports better problem-solving strategies.

7. DevOps and Continuous Integration/Continuous Deployment (CI/CD)

The system can be integrated into CI/CD pipelines to automatically analyze code whenever changes are made. Continuous monitoring of code quality helps maintain software standards and prevents issues from reaching production environments.

8. Enterprise Software Development

Large organizations can use the AI Code Analyzer to maintain coding standards across multiple development teams. The system helps improve maintainability, reduce technical debt, and ensure consistent software quality in large-scale projects.

9. Open-Source Project Maintenance

Open-source communities can use the tool to review contributions from multiple developers. Automated analysis helps maintain code quality and reduces the effort required for manual code inspection.

10. Research and Artificial Intelligence Applications

Researchers working in software engineering and artificial intelligence can utilize the system for studying code patterns, bug prediction, automated debugging, and intelligent software maintenance techniques.

11. Legacy Code Analysis

Many organizations maintain old software systems that contain complex and poorly documented code. The AI Code Analyzer can help understand legacy code, identify

potential issues, and suggest improvements for modernization.

12. Professional Code Auditing

Software companies and consulting firms can use the system for professional code audits. The generated reports provide valuable insights regarding code quality, security, performance, and maintainability.

VII. CONCLUSION AND FUTURE WORK

Conclusion

The proposed AI Code Analyzer for Bug Detection and Code Quality Analysis provides an intelligent and efficient solution for improving software quality. By combining Artificial Intelligence, Machine Learning, and static code analysis techniques, the system can automatically detect bugs, analyze code quality, estimate time complexity, identify security vulnerabilities, and generate optimization suggestions. The integration of advanced models such as CodeBERT and CodeT5 enables a deeper understanding of source code and improves the accuracy of bug detection compared to traditional analysis tools. Experimental results demonstrate that the proposed system enhances software reliability, reduces debugging effort, and supports developers in writing secure, maintainable, and efficient code.

Future Work

The system can be further enhanced by incorporating additional features and advanced technologies. Future improvements may include:

- Support for multiple programming languages.

- Integration with Large Language Models (LLMs) such as GPT and Gemini.
- Real-time code analysis through IDE plugins.
- Automated bug fixing and code generation capabilities.
- Advanced security vulnerability detection techniques.
- Integration with CI/CD pipelines for continuous code monitoring.
- Cloud-based deployment for scalable code analysis services.
- Improved complexity analysis and performance prediction models.

These enhancements will further increase the effectiveness of the system and make it more useful for developers, educational institutions, and software organizations.

REFERENCES

- [1] Z. Feng, D. Guo, D. Tang, N. Duan, X. Feng, M. Gong, L. Shou, B. Qin, T. Liu, D. Jiang, and M. Zhou, "CodeBERT: A Pre-Trained Model for Programming and Natural Languages," *Proceedings of EMNLP*, 2020.
- [2] Y. Wang, W. Wang, S. Joty, and S. Hoi, "CodeT5: Identifier-Aware Unified Pre-trained Encoder-Decoder Models for Code Understanding and Generation," *Proceedings of EMNLP*, 2021.
- [3] D. Jurafsky and J. H. Martin, *Speech and Language Processing*, 3rd Edition, Pearson Education.
- [4] M. Chen, J. Tworek, H. Jun, Q. Yuan, H. P. de Oliveira Pinto, J. Kaplan, and others, "Evaluating Large Language Models Trained on Code," *OpenAI Research*, 2021.

[5] M. Allamanis, E. T. Barr, P. Devanbu, and C. Sutton, "A Survey of Machine Learning for Big Code and Naturalness," *ACM Computing Surveys*, vol. 51, no. 4, 2018.

[6] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. Gomez, Ł. Kaiser, and I. Polosukhin, "Attention Is All You Need," *Advances in Neural Information Processing Systems (NeurIPS)*, 2017.

[7] C. Lattner and V. Adve, "LLVM: A Compilation Framework for Lifelong Program Analysis and Transformation," *International Symposium on Code Generation and Optimization*, 2004.

[8] T. Mens and T. Tourwé, "A Survey of Software Refactoring," *IEEE Transactions on Software Engineering*, vol. 30, no. 2, pp. 126–139, 2004.

Conceptual References

- **Artificial Intelligence (AI):** Provides intelligent techniques for automated code analysis, bug detection, and optimization recommendations.
- **Machine Learning (ML):** Enables the system to learn coding patterns and identify potential bugs and code quality issues from large code repositories.
- **Natural Language Processing (NLP):** Helps in understanding the syntax and semantics of programming code using advanced language models.
- **Abstract Syntax Tree (AST):** Represents the structure of source code in a hierarchical format, enabling efficient code parsing and analysis.
- **Static Code Analysis:** Examines source code without execution to identify coding standard violations, bugs, and security vulnerabilities.

- **CodeBERT:** A pre-trained transformer model designed for programming language understanding and automated code analysis.
- **CodeT5:** An advanced transformer-based model used for code understanding, bug detection, code generation, and optimization tasks.
- **Time Complexity Analysis:** Evaluates algorithm efficiency by estimating computational complexity and identifying performance bottlenecks.
- **Security Vulnerability Detection:** Identifies insecure coding practices such as hardcoded credentials, unsafe functions, and weak input validation.
- **Code Quality Assessment:** Measures readability, maintainability, reliability, and adherence to coding standards to improve overall software quality.