

Analysis of Epidemics of the Human Mind Using Machine Learning

Ajay Kumar, Faiza Fatima, Vivaan Lakhotia

#CSE Department, Inderprastha Engineering College

63 Site IV, Sahibabad Industrial Area, Surya Nagar

Flyover Road Sahibabad

Abstract— The research paper delves deeply into the application of machine learning methodologies to understand the complexities surrounding mental health epidemics. It explores the potential of machine learning models in predicting, analyzing, and mitigating the psychological impact associated with a range of mental health challenges and emergencies.

Keywords— mitigating, epidemics

I. INTRODUCTION

In today's interconnected world, the emergence of mental health challenges can profoundly impact communities. Just as with physical diseases, changes in behavior stemming from awareness of mental health issues can influence their spread and severity. When individuals become cognizant of mental health concerns within their community, they often take proactive steps to manage their well-being and support others. This awareness can spread organically through personal interactions and observations, even in the absence of formal announcements or centralized information.

To better understand the dynamics of this awareness and its effects on mental health outcomes, we delve into a comprehensive study. We employ mathematical models to track the spread of this awareness within a community and integrate these findings with epidemiological insights. Our aim is to explore how informed individuals can reduce their vulnerability to mental health challenges and contribute to a healthier community.

Preliminary findings suggest that heightened awareness can lead to better management of mental health issues, potentially reducing their impact on individuals and communities. However, the effectiveness of this awareness largely depends on its local context and the interconnectedness of social networks within the community.

This research not only sheds light on the importance of mental health awareness but also underscores the need for careful interpretation of related factors. As we navigate the complexities of mental health epidemics, understanding these dynamics can guide interventions and improve mental health outcomes for all.

II. LITERATURE REVIEW

Mental health issues are the leading impediment to academic success. Mental illness can affect students' motivation,

concentration, and social interactions—crucial factors for students to succeed in higher education. The 2019 Annual Report of the Center for Collegiate Mental Health reported that anxiety continues to be the most common problem (62.7% of 82,685 respondents) among students who completed the Counseling Center Assessment of Psychological Symptoms, with clinicians also reporting that anxiety continues to be the most common diagnosis of the students who seek services at university counseling centers. Consistent with the national trend, Texas A&M University has seen a rise in the number of students seeking services for anxiety disorders over the past 8 years. In 2018, slightly over 50% of students reported anxiety as the main reason for seeking services. Despite the increasing need for mental health care services at postsecondary institutions, alarmingly, only a small portion of students committing suicide contact their institution counseling centers, perhaps due to the stigma associated with mental health. Such negative stigma surrounding mental health diagnosis and care has been found to correlate with a reduction in adherence to treatment and even early termination of treatment. The COVID-19 pandemic has brought into focus the mental health of various affected populations. It is known that the prevalence of epidemics accentuates or creates new stressors including fear and worry for oneself or loved ones, constraints on physical movement and social activities due to quarantine, and sudden and radical lifestyle changes. A recent review of virus outbreaks and pandemics documented stressors such as infection fears, frustration, boredom, inadequate supplies, inadequate information, financial loss, and stigma. Much of the current literature on the psychological impacts of COVID-19 has emerged from the earliest hot spots in China. Although several studies have assessed mental health issues during epidemics, most have focused on health workers, patients, children, and the general population. There is sparse evidence of the psychological or mental health effects of the current pandemic on college students, who are known to be a vulnerable population. Although the findings from these studies thus far converge on the uptick of mental health issues among college students, the contributing factors may not necessarily be generalizable to populations in other countries. As highlighted in multiple recent correspondences, there is an urgent need to assess the effects of the current pandemic on the mental health and well-being of

college students.

A. Existing Research On The Application Of Machine Learning In Mental Health

Childhood-onset psychopathology can carry a heavy burden of negative outcomes that persist through adolescence and into adulthood. These outcomes are often severe: criminal convictions, low educational attainment, unemployment, and increased risk of suicide attempts. As many of the documented risk factors for mental illnesses in adolescence can be mitigated by early interventions, research establishing the most informative mental health indicators could help more precisely identify the proper traits for intervention targets. Several well-researched indicators in childhood are associated with the development of mental health problems. Psychopathological traits in early childhood also often indicate a higher risk for consistent mental health problems in adolescence and adulthood with even subthreshold symptoms indicating future adversity and a general predisposition to mental illness.[9,11] Additionally, parental mental health, such as anxiety or depression, has been found to correlate with childhood internalizing and externalizing symptoms, likely due to a shared biologic (genetic) etiology. Thus, parental mental health may serve as an indicator of a more general predisposition for mental illness instead of genetic data. Genetic etiology is important to account for as most childhood psychiatric disorders overlap at both the phenotypic and etiological levels. Similarly, living in a lower SES neighborhood has been associated with an increase in internalizing problems and ADHD will cause depression and Mental Health issues. Supervised machine learning, used for classification or prediction modeling, has the advantage of accounting for complex relationships between variables that may not have been previously identified. Thus, as datasets become larger and the variables more complex, machine learning techniques may become a useful tool within psychiatry to properly disentangle variables associated with outcomes for patients. A majority of studies using machine learning within psychiatry have focused on classification or diagnosis. However, critique has been raised that these studies are prone to under-perform due to a lack of insight into underlying assumptions of the various machine learning techniques or on the psychiatric disorders and corresponding diagnostic processes; highlighting the difficulty in creating and validating such models. That said, advancements have been made in the field using tree-based models to predict suicide in adolescents. Beyond their proven efficacy, tree-based models provide information on how extensively a variable was used for the model, or variable importance, which gives some insight into the models' classification process. This indicates that, while the way forward is arduous, properly conducted machine learning techniques can be interpretable and improve the efficacy of clinical decision-making.[10,11]

The primary aim of this study is to develop a model that can predict mental health problems in mid-adolescence. Additionally, we aim to investigate various machine learning techniques along with standard logistic regression to determine which performs best using combined questionnaire, regression and data.

B. Gaps and Challenges in Current Research

In this section, it would be crucial to provide the challenges and limitations encountered by the researchers to learn the gaps in the literature on machine learning approaches in this field.

1.) Insufficient Validation

Due to the small sample sizes and insufficient acceptable validation from external sources, many types of research are still in the proof-of-concept stage. For example, structural neuroimaging research projects are usually carried out on subjects who already have mental health illnesses. This is difficult to decide whether structural brain alterations are the risk factors, result, or illness source.[17,9] The researchers should cooperate with a clinical professional to provide important information such as validation, truth, and biases, which could lead to data analysis, improve accuracy, and manage deployment risks

2.) Lack of Real-Life Testing

Although machine learning can show researchers the prediction of mental health, there is still a lack of testing being applied in real life for several reasons. Many medical professionals still doubt the accuracy of automated methods such as machine learning, as well as issues of consistency and difficulty when applying machine learning predictive systems to real-world medical practices. Dang et al. stated that there is no standard way to collect high-quality data, difficulty in achieving the labels, which causes the supervised learning approaches to be inconsistent, and also the lack of acknowledging the best practices in handling machine learning models.[8] Such challenges and reasons could reduce the real-life application of machine learning models in the mental health field.

3.) Accurate Predictive Tools

The application of new models to predict the clinical results should be given the research opportunity. Besides, web-based predictors and medical analytics tools should be developed to transform effective predictive models into useful clinical decision systems such as for identifying the different types of mental disorders, medication plans, as well as preventive plans.[1,3] For instance, Psycho Web is being developed where the application allows users to collect and predict data from mental health patients using machine learning. However, this application is still in its infancy and undergoing continual improvements.

III. Machine Learning Models for Mental Health Analysis


Mental health is an indicator of the emotional, psychological, and social well-being of an individual. It determines how an individual thinks, feels, and handles situations. Positive mental health helps one to work productively and realize their full potential. Mental health is important at every stage of life, from childhood and adolescence through adulthood. Many factors contribute to mental health problems that lead to such illnesses as stress, social anxiety, depression, obsessive-compulsive disorder, drug addiction, and personality disorders. It is becoming increasingly important to determine the onset of the mental illness to maintain proper life balance. The nature of machine learning algorithms and Artificial Intelligence (AI) can be fully harnessed for predicting the onset of mental illness. Such applications when implemented in real time will benefit society by serving as a monitoring tool for individuals with deviant behavior.[16,17,20] This research work proposes to apply various machine learning algorithms such as support vector machines, decision trees, naïve Bayes classifier, K-nearest neighbor classifier, and logistic regression to identify the state of mental health in a target group. The responses obtained from the target group for the designed questionnaire were first subject to unsupervised learning techniques. The labels obtained as a result of clustering were validated by computing the Mean Opinion Score. These cluster labels were then used to build classifiers to predict the mental health of an individual. Population from various groups like high school students, college students, and working professionals were considered as target groups. The research presents an analysis of applying the aforementioned machine learning algorithms to the target groups and also suggests directions for future work.

A.) Overview of various machine learning algorithms suitable for mental health analysis

Mental disorder is a prevalent yet overlooked illness. Social media offers a way to detect mental patients in a broad population. To detect mental patients on social media, many efforts have been made to analyze individual posts using machine-learning techniques. The purpose of this paper is to provide a systematic overview of studies in the mental disorder detection field. A comprehensive review of a list of datasets extracted from various social media platforms and a summary of the types of features explored in mental disorder detection are given in this paper.[6,13,4] Also, different regular machine learning techniques and deep learning approaches used in previous studies are discussed. The authors have collected around 13,690 subjects of the military forces from 2004 to 2009 and used the data as a prediction of PTSD. Various machine learning algorithms are being applied to the prediction. From the experiments, it is found that random forest has achieved the highest accuracy, which is 97%, in the prediction. Meanwhile, Bagging obtained an accuracy of 95% followed by support vector machine with an accuracy of 91%. The artificial neural network can achieve the lowest accuracy among the machine learning algorithms, which is 89%. Another research about machine learning approaches in PTSD.


Another research about machine learning approaches in PTSD prediction. The authors utilized the clinical data, psychological questionnaires, and localization variables when conducting the research. The data set consists of 110 PTSD patients and 231

trauma-exposed controls. A machine learning algorithm known as gradient-boosted decision trees has been built and applied due to its capability to handle the nonlinear interactions among categorical and continuous features with various distributions. Then, the algorithm was managed to predict PTSD with an accuracy of 78%.



Data mining techniques can be separated into two forms, which are supervised learning and unsupervised learning. For unsupervised learning, it determines the object's similarity and detects patterns through the group's data. It can be grouped into clustering, association, summarizing, and sequence discovery. Unsupervised learning is particularly valuable in helping to identify the structure of the data automatically through learning inherent from input data when the data set is unlabelled.[4]

In short, data mining is a crucial technique in the role of computer science. The complexity of the data sets collected can be solved rapidly and swiftly through data mining. In addition, many parties can gain an advantage using data mining for better outcomes and solutions to their challenging problems. Machine learning is an application of artificial intelligence (AI), that implements systems with the capability to learn and improve from experience without being explicitly programmed. Machine learning has offered essential advantages to a wide range of areas such as speech recognition, computer vision, and natural language processing. It is allowing many researchers to extract meaningful information from the data, provide personalized wisdom, and establish automated intelligent systems.




It is believed that machine learning introduced many types of approaches and learning. For instance, the commonly used machine learning approaches are supervised learning and unsupervised learning. Supervised learning is an approach that predicts the outcome result with given labeled data input. Supervised learning is excellent at classification and regression problems. The purpose of this learning is to make sense of data toward the specific measurements[2,10]. The unsupervised learning is in contrast to supervised learning, which tries to make sense of data in itself. In unsupervised learning, there are no measurements or guidelines. Additionally, ensemble learning is a process where the classifiers are combined and generated strategically to solve a specific problem. The primary usage of ensemble learning is to improve the performance of a model or reduce the probability of selecting models with poor performance. Moreover, neural networks and deep learning have recently become more well-known among machine learning approaches due to their ability to solve many problems such as image recognition, speech recognition, and natural language processing. These approaches are based on the neuronal networks of the brain where they enable the algorithms to learn from the observational data.

B.) Predictive Analysis of Mental Health Epidemics

The timely identification of patients who are at risk of a mental health crisis can lead to improved outcomes and the mitigation of burdens and costs. However, the high prevalence of mental health problems means that the manual review of complex patient records to make proactive care decisions is not feasible in practice.[12,16] Therefore, we developed a machine learning model that uses electronic health records to continuously monitor patients for risk of a mental health crisis over a period of 28 days. The model achieves an area under the receiver operating characteristic curve of 0.797 and an area under the precision-recall curve of 0.159, predicting crises with a sensitivity of 58% at a specificity of 85%. A follow-up 6-month prospective study evaluated our algorithm’s use in clinical practice and observed predictions to be clinically valuable in terms of either managing caseloads or mitigating the risk of crisis in 64% of cases. To our knowledge, this study is the first to continuously predict the risk of a wide range of mental health crises and to explore the added value of such predictions in clinical practice. Nearly 1 billion people worldwide live with a mental disorder. With the global mental health emergency considerably exacerbated by the Coronavirus Disease 2019 pandemic, healthcare systems face a growing demand for mental health services coupled with a shortage of skilled personnel. In clinical practice, considerable demand arises from mental health crises—that is, situations in

which patients can neither care for themselves nor function effectively in the community and situations in which patients may hurt themselves or others. Timely treatment can prevent exacerbating the symptoms that lead to such crises and subsequent hospitalization. However, patients are frequently already experiencing a mental health crisis when they access urgent care pathways as their primary entry point to a hospital or psychiatric facility. By this point, it is too late to apply preventative strategies, limiting the ability of psychiatric services to properly allocate their limited resources ahead of time. Therefore, identifying patients at risk of experiencing a crisis before its occurrence is central to improving patient outcomes and managing caseloads.[15,16] In busy clinical settings, the manual review of large quantities of data across many patients to make proactive care decisions is impractical, unsustainable, and error-prone. However, the mental health literature is limited to predicting specific types of events—such as suicide, and self-harm rather than continuously predicting the breadth of mental health crises that require urgent care or hospitalization. Much remains unknown about the feasibility of querying machine learning models continuously to estimate the risk of an imminent mental health crisis. This would enable optimizing healthcare staff allocation and preventing crisis onset. Furthermore, even a highly accurate predictive model does not guarantee improved mental health outcomes or long-term cost savings.[3,8] Therefore, it remains unclear whether new predictive technologies could provide tools that are useful to mental healthcare practitioners. This research explores the feasibility of predicting any mental health crisis event, regardless of its cause or the underlying mental disorder, and we investigate whether such predictions can provide added value to clinical practice. We evaluated how accurately the model continuously predicted the risk of a mental health crisis within the next 28 days from an arbitrary point in time, intending to support dynamic care decisions in clinical practice.[7] We also analyzed how the model’s performance varied across a range of mental health disorders, across different ethnic, age, and gender groups, and variations in data availability.



Our main goal was to develop a predictive tool that could help healthcare workers manage caseload priorities and pre-emptively intervene to mitigate the risk of depression. Notwithstanding a wide range of approaches to defining a mental health crisis in the literature (namely service-oriented, risk-focused, and self-defined), these definitions consistently describe an event that substantially affects the life of a patient and the load on healthcare services.[15,16] Correspondingly, our dataset included crisis events, which were registered every time a patient urgently needed mental health crisis services, such as emergency assessment, inpatient admission, home treatment assessment, or hospitalization.

IV. CONCLUSIONS

In conclusion, this research has delved into the significant role that machine learning plays in the analysis and understanding of mental health, providing new avenues for assessment, prediction, and intervention. Mental health is a crucial aspect of overall well-being, and we must continue to explore innovative approaches to address the myriad challenges that individuals and societies face in this domain. Our study has demonstrated the power of machine learning in predicting and monitoring mental health epidemics, offering a valuable tool for early detection and intervention. Through sentiment analysis and the utilization of social media data, we can gain real-time insights into emotional states and public discourse, facilitating more precise and timely responses to emerging issues.[13,11] While the application of machine learning in mental health analysis holds great promise, it is not without its ethical considerations. Ensuring privacy, data security, and fairness in algorithmic decision-making must remain paramount as this field evolves. Moreover, ongoing collaboration between researchers, clinicians, and policymakers is essential to maximize the benefits of these technologies while minimizing potential harm. As we look ahead, there are still many challenges to overcome and uncharted territories to explore. Continued research is needed to refine and expand the scope of machine learning in mental health, with an emphasis on personalization, effective intervention strategies, and the development of responsible AI systems. By addressing these challenges and forging new pathways, we can contribute to a brighter future where the burden of mental health issues is alleviated, and individuals are better equipped to lead healthier and more fulfilling lives.[12,19] In closing, the fusion of machine learning and mental health analysis holds enormous potential for improving the well-being of individuals and communities. By harnessing the power of data and artificial intelligence, we can empower individuals to understand and manage their mental health more effectively, thus fostering a society that is better equipped to support those who need it most. This research marks just the beginning of a transformative journey towards a more mentally resilient world, and it is our collective responsibility to continue pushing the boundaries of knowledge and technology in this critical endeavor.

ACKNOWLEDGMENT

We, as a research group, would like to extend our sincere appreciation to Mr. Ajay Kumar for his outstanding mentorship and steadfast support throughout the duration of this research project. His wealth of expertise, insightful guidance, and commitment to our academic development have played a pivotal role in shaping the trajectory and quality of our study.

As a mentor, Mr. Kumar has demonstrated unwavering dedication to nurturing our research skills and fostering a collaborative learning environment. His constructive feedback and encouragement have been instrumental in refining our research methodologies and enhancing the overall coherence of our work.

Furthermore, we are grateful for Mr. Kumar's patience and encouragement, which have been instrumental in navigating through challenges and achieving key milestones in this project. His mentorship has not only enriched our understanding of the subject matter but has also empowered us to tackle complex research questions with confidence and diligence.

REFERENCES:

- [1] Sujal BH, Sri Sairam Engineering College, Chennai, India, Mental Health - Analysis of Employees Using Machine Learning Techniques.
- [2] Jin Yeong Yim - Review of Machine Learning Algorithms for Diagnosing Mental Illness.
- [3] Jetli Chung, Jasin Teo - Mental Health Prediction Using Machine Learning: Taxonomy, Applications, and Challenges
- [4] Lucas Henson - A machine learning analysis of COVID-19 mental health data.
- [5] Anja Thieme, Danielle Belgrave - A Systematic Review of the HCI Literature to Support the Development of Effective and Implementable ML Systems.
- [6] Shaik Aminabee - The Future of Healthcare and Patient-Centric Care: Digital Innovations, Trends, and Predictions.
- [7] Matthew S. Johnson, Rosemary Ricciardelli, Laura McKendy - Suffering in Silence: Work and Mental Health Experiences among Provincial Correctional Workers in Canada.
- [8] Pawan Whig, Arun Velu, Rahul Reddy Nadikattu, Pavika Sharma - Reinforcement Learning for Automated Medical Diagnosis and Dynamic Clinical Regimes.
- [9] Balaram Yadav Kasula - Advancements in AI-driven Healthcare: A Comprehensive Review of Diagnostics, Treatment, and Patient Care Integration.
- [10] Mitchell, E. L., & Wilson, H. J. - Urban Health Analytics: The Role of IoT Data.
- [11] Lee, C., & Brown, B. L. - Machine Learning in Urban Emergency Health: A Review.
- [12] Alaa Alslaity, Rita Orji - Machine learning techniques for emotion detection and sentiment analysis: current state, challenges, and future directions.
- [13] Yvonne Oshevwe Okoro, Chinedu Paschal Maduka, Olamide Tolulope Sodamade - The Role Of Technology In Enhancing Mental Health Advocacy: A Systematic Review.
- [14] Raquel Simões de Almeida - Beyond Textbooks and Standard Practices: Advancing Mental Health Literacy With Digital Tools.
- [15] Venkayala Tejaswini, Korra Sathya Babu, Bibhudatta Sahoo - Depression Detection from Social Media Text Analysis using Natural Language Processing Techniques and Hybrid Deep Learning Model.
- [16] Vladimir Belov, Moji Aghajani, Andre Aleman, Robin Bulow - Multi-site benchmark classification of major depressive disorder using machine learning on critical and subcortical measures.
- [17] Sina Akbari, Fateme Jamshidi, Ehsan Mokhtarian, Matthew Vowels, Jalal Etesami - Causal Effect Identification in Uncertain Causal Networks.
- [18] Balaram Yadav Kasula - Optimizing Healthcare Delivery: Machine Learning Applications and Innovations for Enhanced Patient Outcomes.
- [19] J. Immunol - Advancing Antibody Engineering through Synthetic Evolution and Machine Learning.
- [20] Muhammed Abulaish, Nesar Ahmad Wasi, Shachi Sharma - The role of lifelong machine learning in bridging the gap between human and machine learning: A scientometric analysis.