

Automated Ti-Rads Classification of Thyroid Ultrasound Image Using CNN.

¹Mrs. Renuka B N, ²Vijay R

¹Assistant Professor, Department of MCA, BIET, Davanagere, India

²Student, Department of MCA, BIET, Davanagere, India

ABSTRACT

Thyroid disorders such as hypothyroidism hyperthyroidism and thyroid cancer are some of the most prevalent endocrine disorders that often go undiagnosed due to mild or asymptomatic symptoms. Early and accurate diagnosis is essential for both prevention and effective treatment. Because they primarily rely on radiological interpretation of ultrasound images and clinical experience conventional diagnostic techniques can result in inconsistent assessments. Applying deep learning and the TI-RADS (Thyroid Imaging Reporting and Data System) standard the proposed system offers an intelligent web-based diagnostic tool that automatically classifies thyroid ultrasound images in deal with this problem.

1. The Flask-built system incorporates a model of a trained Convolutional Neural Network assess uploaded images classify them using TI-RADS categories and provide interpretive insights to support clinical decision-making. The web application provides a robust role-based framework for both administrators and users. User accounts can be managed by administrators add or remove health tips and respond to user questions while users can register log in upload thyroid ultrasound photos for prediction peruse health recommendations and communicate with the admin. By automating the image interpretation process and ensuring readily available health advice the technology promotes early diagnosis lowers diagnostic errors and offers users reliable thyroid health insights. This project offers patients and medical professionals a helpful digital assistant by increasing the efficacy accuracy and accessibility of thyroid illness diagnosis.

2. INTRODUCTION

One of the most prevalent endocrine conditions that people worldwide thyroid issues are sometimes misdiagnosed because of their mild or asymptomatic manifestations. For the effective treatment and prevention of diseases like hypothyroidism hyperthyroidism and thyroid cancer an early and precise diagnosis is essential. Clinical assessments blood tests and imaging particularly ultrasonography which can reveal structural anomalies in the thyroid gland are all part of the traditional diagnosis process. Radiologists may however interpret these pictures in different ways.

The TI-RADS (Thyroid Imaging Reporting and Data System) classification was created to stratify cancer risk based on ultrasound results and standardize the evaluation of thyroid nodules. This project suggests a web deep learning-based application to automatically determine the degree of thyroid issues based on ultrasonography pictures. The system accepts image uploads and generates predictions consistent with TI-RADS classifications using Flask and a trained Convolutional Neural Network model.

II. LITERATURE REVIEW

By employing a model for deep learning to evaluate ultrasound pictures and swiftly and precisely predict the TI-RADS category, the suggested approach automates the thyroid nodule risk classification. It helps with early identification and well-informed decision-making by giving users clear, instantaneous results along with thorough descriptions of their condition. Additionally, the platform enhances patient assistance and education by integrating admin-managed health recommendations and facilitating direct communication where users may ask questions

and get answers. This all-encompassing strategy seeks to increase accessibility, shorten the time needed for diagnosis, and promote improved thyroid health care.

III. EXISTING SYSTEM

The majority of thyroid nodule assessment systems now in use rely on radiologists or other professionals manually interpreting ultrasound pictures, which can be laborious, subjective, and subject to variation depending on the examiner's experience. Patients often encounter delays in diagnosis and therapy as a result of the lack of specialists and the need for multiple visits. Additionally, the lack of integrated communication between patients and healthcare providers for ongoing health advice or concerns in many current systems limits patient involvement and education.

Limitations:

Complex Data Handling: Existing ML models often struggle to effectively interpret complex agricultural datasets for crop quality and weed control.

Data Scarcity: High-performing models typically require large volumes of training data, which may not always be available.

Labeling Errors: Model accuracy is dependent on the correctness of training labels. Incorrect annotations can result in poor performance.

PROPOSED SYSTEM

The study introduces a meticulously labeled “CottonWeedID15” dataset containing images of various weed species commonly found in cotton fields. Each image is precisely annotated with rectangular regions of interest (ROIs). By making this dataset publicly available, the study provides a valuable resource to further research in weed detection and control.

This research makes a substantial contribution by evaluating the effectiveness of diverse feature types—including statistical and texture features such as simple moments, Hu moments, GLCM, and LBP. Additionally, deep learning-based feature representations are analyzed. The combined approach

offers deeper insights into the efficacy of different feature extraction strategies in weed identification. The models achieved over 88% accuracy on test sets across both benchmark datasets.

A novel application of the U2Net model is used to remove background information from images. The study conducts a thorough comparison to assess how well various models perform on images with and without backgrounds.

This work also contributes by raising global awareness about the transformative potential of deep learning in agriculture. By showcasing how these technologies can improve crop yields and farming efficiency, the research seeks to encourage farmers to adopt smart technologies. This educational outreach aims to bridge the gap between modern AI advancements and practical agricultural applications, fostering a more informed and technologically empowered farming community.

Advantages:

The proposed approach overcomes existing challenges in weed detection by utilizing targeted features that enhance the performance of both ML and DL models. It offers innovative solutions through robust feature engineering and comparative analysis, ultimately supporting more accurate and sustainable weed control methods in smart agriculture.

System Architecture




Fig 1. System Architecture

IV. METHODOLOGY

A standardized process that begins with data collection is used to extract TI-RADS scores from ultrasound images and related XML labels. The images are preprocessed normalized resized and feature extracted using CNN layers. Multi-class classification is used to train a custom CNN model to distinguish between TI-RADS 1 2 3 4A 4B and 5 categories. After training the model is integrated into the web application for real-time prediction. The CNN analyzes an ultrasound image uploaded by users to generate a prediction that is displayed with a medical justification. The system also contains modules for account management health advice and user-admin communication.

warning systems, and refined recommendations for field interventions.

Together, these modules form a robust ecosystem that not only supports precision agriculture but also fosters collaboration between field users and agricultural service entities, thereby promoting a more efficient and sustainable farming practice.

V. RESULT



Automated TI-RADS classification using Convolutional Neural Networks (CNNs) represents a significant leap in diagnostic precision by transforming subjective ultrasound interpretation into a data-driven, objective output. In this process, the CNN functions as a feature extractor that analyzes raw pixel data to identify critical morphological indicators—such as **hypoechoogenicity**, **microcalcifications**, and a **"taller-than-wide" orientation**—which are then mapped to the ACR TI-RADS scoring system (TR1 through TR5). The

resulting description typically includes a probability score for malignancy alongside a recommended management

plan, such as "Routine Follow-up" for low-risk nodules or "Fine Needle Aspiration (FNA)" for high-risk cases.



Based on the image provided, the automated system has classified the thyroid ultrasound as **TI-RADS Category 5**, which is the highest suspicion level on the scale. The prediction result explicitly describes this category as being "effectively certainly malignant" with a **100% risk** estimate. This classification suggests that the Convolutional Neural Network (CNN) identified multiple high-risk sonographic features within the nodule, such as irregular margins, microcalcifications, or a taller-than-wide shape, which are classic hallmarks of malignancy.

In clinical practice, a TI-RADS 5 result is a critical finding that typically triggers an immediate recommendation for **Fine Needle Aspiration (FNA)** biopsy, provided the nodule meets the size threshold (usually ≥ 1 cm). While the system's "100% risk" description is an aggressive statistical prediction from the model, it underscores the urgent need for pathological confirmation. This automated output provides a standardized, objective baseline that assists clinicians in prioritizing high-risk patients and reducing the likelihood of diagnostic oversight during the imaging review process.

VI. CONCLUSION

Deep learning's potential in medical image processing is demonstrated by the automated TI-RADS categorization system. The technology offers rapid, reliable, and educational thyroid diagnosis support by incorporating a CNN-based prediction algorithm within an intuitive interface. Both patients and medical professionals can profit from the system's improved usability thanks to the admin and user

modules. The experiment demonstrates how AI can help radiologists and raise patient awareness, which will ultimately lead to more effective thyroid screening.

REFERENCES

1. Explainable Automated TI-RADS Evaluation of Thyroid Nodules; Alisa Kunapinun; Dittapong Songsaeng; Sittaya Buathong; Matthew N. Dailey; Chadaporn Keatmanee; Mongkol Ekpanyapong; *Sensors*, 2023, DOI 10.3390/s23167289; ESSN 1424-8220.
2. A Multi-Scale Densely Connected Convolutional Neural Network for Automated Thyroid Nodule Classification; Luoyan Wang, Xiaogen Zhou, Xingqing Nie, Xingtao Lin, Jing Li, Haonan Zheng, Ensheng Xue, Shun Chen, Cong Chen, Min Du, Tong Tong, Qinquan Gao, Meijuan Zheng; Frontiers in Neuroscience, 2022; DOI 10.3389/fnins.2022.878718; ESSN 1662-453X.
3. An efficient deep convolutional neural network model for visual localization and automatic diagnosis of thyroid nodules on ultrasound images; Jialin Zhu, Sheng Zhang, Ruiguo Yu, Zhiqiang Liu, Hongyan Gao, Bing Yue, Xun Liu, Xiangqian Zheng, Ming Gao, Xi Wei; Quantitative Imaging in Medicine and Surgery, 2021; DOI 10.21037/qims-20-538; Print ISSN 2223-4292; Online ESSN 2223-4306.
4. TIRADS-Based Artificial Intelligence Systems For Ultrasound Imaging of Thyroid Nodules: A Systematic Review; Yasaman Sharifi, Morteza Danay Ashgzari, Zeinab Naseri, Amin Amiri Tehranizadeh 2025; DOI 10.51406/smjmc.v7i1033; ESSN 2572-9655.
5. Ultrasound Image Classification of Thyroid Nodules Using Machine Learning Techniques; Vijay Vyas Vadhiraj, Andrew Simpkin, James O'Connell, Naykky Singh Ospina, Spyridoula Maraka, Derek T- O'Keeffe; Medicina (Kaunas), 2021; DOI 10.3390/medicina57060527; e-ISSN 1648-9144.