

Customer Segmentation in E-Commerce

Ms. Anusha P M , Sachin G M

Student, Department of MCA, BIET, Davangere -577004.

sachisachin923@gmail.com, Davangere, Karnataka, India

Assistant Professor, Department of MCA, BIET, Davangere-577004. anupm1808@gmail.com, Davangere, Karnataka, India

ABSTRACT:

In the contemporary digital marketplace, the exponential growth of e-commerce has resulted in the generation of vast and complex datasets regarding consumer behavior. However, the sheer volume of this data often exceeds the processing capabilities of traditional manual analysis, leading to a significant gap between data availability and actionable business intelligence. This project, "Customer Segmentation in E-commerce," addresses this critical challenge by developing a robust, machine learning-driven framework designed to categorize customers into distinct, meaningful groups based on their transactional behaviors and interaction patterns. System identifies granular customer personas. Behavioral Customer Segmentation through RFM Analysis The primary objective of this study is to move beyond the limitations of generic, mass-market outreach by implementing a highly granular, data-driven engagement model. By identifying specific consumer archetypes—such as "Champions," "At-Risk" users, and "Hibernating" clients—the system enables a transition toward hyperpersonalized marketing strategies.

I. INTRODUCTION

The "Customer Segmentation in E-commerce" project is a comprehensive data science initiative designed to solve one of the most persistent challenges in the online retail sector: understanding the diverse needs and behaviors of a fragmented customer base. As online retail platforms scale, the "one-size-fits-all" approach to marketing and user experience becomes increasingly ineffective. Consumers now demand tailored communications, pertinent product suggestions, and deals that align with their particular purchasing preferences. This project aims to bridge the gap between raw transactional data and strategic decision-making by

building an intelligent system capable of automatically identifying patterns within customer data.

At its core, the project functions as an analytical engine that processes historical data—including purchase dates, order values, product categories, and frequency of interaction—to construct a multi-dimensional view of the customer. The system moves beyond simple intuition and utilizes advanced statistical techniques and machine learning algorithms to uncover hidden structures in the data.

II. RELATED WORK

1. The existing customer analysis system in many small and mid-sized e-commerce businesses depends mainly on manual processes and spreadsheet tools like Microsoft Excel or Google Sheets. Customer segmentation is often based on simple rules or management intuition, such as labeling high spenders as VIPs without statistical validation. These systems over-rely on demographic factors and maintain data in silos, where transactional, web, and CRM data are not integrated. As data volumes grow, spreadsheets fail to scale effectively. The approach is rigid, slow, and unable to detect complex behavioral patterns, while manual handling increases the risk of errors and poor strategic decisions.

2. The proposed system uses Python and Machine Learning to automate customer segmentation through a structured data science lifecycle and ETL pipeline. It applies K-Means clustering on RFM values to create dynamic, behavior-based segments. The model adapts to changing trends, enables predictive categorization, improves accuracy, reduces manual effort, and enhances marketing ROI through targeted, data-driven decision-making.

3. The feasibility analysis shows the project is technically, economically, and operationally practical. Technically, it uses reliable opensource

tools like Python, Pandas, and ScikitLearn, which run on standard systems or cloud platforms without special hardware. Economically, it has low costs since no expensive licenses are required, and improved customer retention increases ROI.

Operationally, the system integrates easily into existing workflows, provides user-friendly dashboards, and follows a modular development approach, allowing quick prototyping and completion within a manageable project timeline.

III. METHODOLOGY

The proposed methodology follows the industry-standard CRISP-DM (CrossIndustry Standard Process for Data Mining) lifecycle, adapted specifically for this clustering problem. This rigorous, step-by-step approach ensures that the analysis is reproducible and scientifically valid.

Phase 1: Data Collection and Understanding:

The process begins with the acquisition of the "Online Retail" dataset. In this phase, we perform an initial explorative analysis (EDA) to understand the shape of the data. We check data types (e.g., ensuring dates are recognized as DateTime objects), assess the range of values, and calculate basic descriptive statistics (mean, median, mode) to get a "feel" for the business context.

Phase 2: Data Preprocessing (The Cleaning Phase):

Real-world data is messy. This phase involves:

Null Handling: Removing rows where CustomerID is missing, as we cannot track behavior for unknown users.

Noise Reduction: Filtering out transactions with Quantity < 0 (cancellations) which would artificially lower a customer's value, or handling them separately as a "Return Rate" feature.

Deduplication: Ensuring no duplicate transaction logs exist that would inflate the frequency count.

Phase 3: Feature Engineering (RFM Modeling):

This is the most critical conceptual step. We transform the data from a "Transaction Level" (one row per product bought) to a "Customer Level" (one row per user). We aggregate the data to create three new features:

Recency: Computed as (Current Date - Max(Invoice Date)) for each user. **Frequency:** Computed as Count(InvoiceNo) for each user. **Monetary:** Computed as Sum(Quantity * UnitPrice) for each user.

Log Transformation: Since monetary data is usually right-skewed (a few people spend millions, most spend

hundreds), we apply a Log transformation to normalize the distribution, making it suitable for K-Means. **Phase 4: Model Selection and Training:** We utilize the K-Means Algorithm, a centroid-based clustering method.

Scaling: We apply a Standard Scaler to normalize the RFM values so that they have a mean of 0 and a standard deviation of 1.


Elbow Method: We run the algorithm for k=1 to k=10 and plot the Within-Cluster Sum of Squares (WCSS). The point where the drop in WCSS slows down (the "elbow") represents the optimal number of clusters.

Clustering: The algorithm is run with the optimal 'k', assigning a cluster label to every customer.

Phase 5: Evaluation and Interpretation:

The Silhouette Score, which gauges how similar each object is to its own cluster in relation to other clusters, is how we assess the clusters' quality. Finally, we interpret the results by calculating the average RFM for each cluster (e.g., "Cluster 1 has high Recency, low Frequency").

IV. SYSTEM ARCHITECTURE



V. RESULTS AND DISCUSSION

The output shows a two-step process of data analysis. In the first image, there is an input panel where users can upload their transaction data in CSV format through a simple and userfriendly interface. After the file is uploaded, the system processes the data automatically. The second image displays a generated dashboard that presents the analyzed results in a clear and organized manner. It highlights important metrics such as total revenue, total orders, active customers, and average order value. The dashboard also includes visual

representations like line charts and segment graphs to show revenue trends and customer distribution. Overall, the output demonstrates how raw transaction data is converted into meaningful insights for better business decision-making. The output presents a Customer Value Matrix and a Revenue Contribution chart. The Customer Value Matrix visualizes customers based on frequency and monetary value, helping to identify high-value segments such as champions. The scatter plot clearly shows how different customer groups are distributed according to their purchasing behavior. The Revenue Contribution chart highlights how much each customer segment contributes to the overall revenue. Together, these visualizations help businesses understand customer performance and focus on the most profitable segments.

The output shows a Customer Details table containing information such as Customer ID, segment category, recency, frequency, total spend, and RFM score. Customers are grouped into segments like Loyal Customers, Champions, At Risk, and Hibernating based on their purchasing behavior. This table helps businesses analyze customer value and plan targeted marketing strategies effectively.



Customer ID	Segment	Recency	Frequency	Monetary	RFM Score
CUST-001	Loyal Customer	90	5	\$120.00	100.0
CUST-002	Loyal Customer	85	4	\$90.00	95.0
CUST-003	Loyal Customer	75	3	\$60.00	80.0
CUST-004	At Risk	60	2	\$30.00	60.0
CUST-005	Champion	95	6	\$150.00	110.0
CUST-006	Champion	80	5	\$100.00	105.0
CUST-007	At Risk	50	1	\$10.00	40.0
CUST-008	Hibernating	30	0	\$0.00	20.0
CUST-009	Loyal Customer	88	4	\$80.00	90.0
CUST-010	Loyal Customer	78	3	\$70.00	85.0

VI. CONCLUSION AND FUTURE WORK

The Customer Segmentation in E-commerce project highlights the transformative role of data science in modern retail by shifting marketing strategies from static, heuristic-based methods to a dynamic, algorithmic approach. By integrating the RFM (Recency, Frequency, Monetary) model with K-Means clustering, the framework successfully identifies meaningful customer segments such as high-value “Champions” and early “At-Risk” churn groups. An automated ETL pipeline ensures data quality and consistency, enabling reliable machine learning outcomes and demonstrating the strong

predictive power of behavioral data over traditional demographic attributes.

Future enhancements can include using Deep Learning models like Autoencoders to detect more complex customer behavior patterns. Real-time processing with Kafka or Spark Streaming can update customer segments instantly after each transaction. A churn prediction module can estimate the probability of customers leaving the platform.

Additionally, Market Basket Analysis and API deployment can enable product recommendations and dynamic personalization in websites or mobile apps.

REFERENCES

1. Han, J., Kamber, M., & Pei, J. (2011). Data Mining: Concepts and Techniques. Morgan Kaufmann. (A foundational text on data mining methodologies and clustering algorithms).
2. Kotler, P., & Keller, K. L. (2016). Marketing Management. Pearson Education. (Provides the theoretical business framework for customer segmentation and targeting).
3. Müller, A. C., & Guido, S. (2016). Introduction to Machine Learning with Python. O'Reilly Media. (Practical guide for implementing K-Means and Scikit-Learn pipelines).
<https://www.oreilly.com/library/view/introduction-to-machine/9781449369880/>
4. Chen, D., Sain, S. L., & Guo, K. (2012). "Data mining for the online retail industry: A case study of RFM model-based customer segmentation using data mining." Journal of Database Marketing & Customer Strategy Manage.