Drone to Ground Wireless Communication System

Atharv Shankar Sathe , Sandhyarani M. Biradar , Jogeshwari S. Bhandare , Vaishnavi M. Bhosale ,

Mr. Waghmode M.N.

1 .Student,E&tc,Jspm's,Bhivrabai Sawant Polytechnic Wagholi ,Pune ,Maharashtra ,India
2.Student,E&tc,Jspm's,Bhivrabai Sawant Polytechnic Wagholi ,Pune ,Maharashtra ,India
3.Student,E&tc,Jspm's,Bhivrabai Sawant Polytechnic Wagholi ,Pune ,Maharashtra ,India
4.Student,E&tc,Jspm's,Bhivrabai Sawant Polytechnic Wagholi ,Pune ,Maharashtra ,India
5.Lecturer,E&tc,Jspm's,Bhivrabai Sawant Polytechnic Wagholi ,Pune ,Maharashtra ,India

---

Abstract –

Drone-to-Ground (D2G) Wireless Communication means sending and receiving information between a drone in the air and a ground station or user on the ground. The drone uses a wireless transmitter and antenna to send data such as images, videos, sensor data and control signals. The quality of this communication depends on drone height, distance, antenna position, obstacles, signal strength and interference. This paper explains the basic architecture, working, wireless technologies, important factors, applications, advantages, challenges and future scope of D2G communication. D2G communication is useful in agriculture, disaster management, surveillance, traffic monitoring, search and rescue, and remote areas. In future, 5G/6G, smart antennas, beamforming and AI-based methods can make this communication faster and more reliable.

Keywords: Drone Communication, UAV, Ground Station, Wireless Communication, 5G, Line-of-Sight

1.INTRODUCTION-

A drone is an unmanned flying device that can be controlled from the ground. Drones are used in communication, surveillance, agriculture, mapping and emergency work. Drone-to-Ground communication allows the drone and ground station to exchange data, video, sensor information and control signals.

In D2G communication, the drone is in the air, so the communication path is different from normal ground communication. Drone height, distance, buildings, trees, terrain, antenna direction and frequency can affect the received signal.

2.BODY OF PAPER-


The body of this paper describes the architecture ,design and fabrication of drone to ground wireless communication system. A drone is an unmanned flying device that can be controlled from the ground. Drones are used in agriculture, surveillance, photography, security and disaster management.

Drone-to-Ground Wireless Communication is a system that transfers information between a drone in the air and a ground station. It allows the drone to send sensor data, images, videos and GPS location to the ground station without using a wired connection.

2.1 PROPOSED SYSTEM –


The proposed system consists of two major sections: (A) Drone Unit—flight controller, microcontroller/interface unit, wireless transmitter, GPS module, sensors, and power supply; and (B) Ground Station—wireless receiver, microcontroller or computer, monitoring software/display, and power supply.

The sensors collect information from the drone or surrounding environment. The controller processes the collected information and sends the required data through the wireless communication module. The ground station receives and displays the information.



2.2 SYSTEM ARCHITECTURE / BLOCK DIAGRAM-

The system has two main parts: the drone unit and the ground station. The drone has a controller, sensors or camera, wireless transmitter, antenna and battery. The ground station has an antenna, receiver, computer or mobile device.



2.3 SOFTWARE REQUIRMENTS-

• Arduino IDE or suitable embedded development environment

• Embedded C/C++ programming

• Ground-station monitoring software

• Serial communication tools

• Communication-module configuration software

HARDWARE COMPONANTS-


No.	Component	Function
v1	Drone / UAV	Provides aerial platform
2	Flight Controller	Controls and manages UAV operation
3	Microcontroller	Processes sensor/communication data
4	Wireless Module	Provides wireless communication
5	GPS Module	Provides location information
6	Sensors	Collect environmental/flight data
7	Ground Receiver	Receives transmitted data
8	Laptop / Display	Displays received information
9	Battery	Provides power

1.ESP32 Microcontroller-




The ESP32 is a low-cost, low-power system-on-a-chip (SoC) microcontroller with integrated Wi-Fi and dual-mode Bluetooth, developed by Espressif Systems. It is widely used for Internet of Things (IoT) projects, home automa

2. DHT11 Sensor-



The DHT11 sensor is a low-cost, digital temperature and humidity sensor that uses an internal NTC thermistor and a capacitive humidity sensing element paired with a built-in 8-bit microcontroller to process and output digital signals.

3.Fight Controller-



A flight controller is the central computer and "brain" of a drone or radio-controlled aircraft that manages stability, processes pilot commands, and controls motor speeds in real time.

4. GPS Module-



A GPS module is a small electronic receiver that uses radio signals from navigation satellites to calculate its exact geographic location (latitude, longitude, and altitude), speed, and time.

5.Wireless Module-



A wireless module is a small, integrated electronic device that allows hardware to send and receive data without physical cables using radio frequency (RF) signals


3. WORKING OF THE SYSTEM-

The Drone-to-Ground Wireless Communication System works by sending data from a drone to a ground station through a wireless communication link.

1. Power ON: First, the drone and its communication system are switched ON.
2. Initialization: The flight controller and wireless communication module are initialized.
3. Data Collection: Sensors and the GPS module collect information such as temperature, humidity and location.
4. Data Processing: The microcontroller or flight controller processes the collected data.
5. Data Transmission: The wireless transmitter sends the processed data through an antenna using a wireless technology such as RF, LoRa or Wi-Fi.
6. Wireless Communication: The data travels through the air from the drone to the ground station.
7. Data Reception: The wireless receiver at the ground station receives the transmitted data.
8. Data Display: The received information is processed and displayed on a computer or laptop.
9. Monitoring: The user checks the received sensor data, GPS location and other available information.
10. Performance Checking: The system performance can be checked by measuring communication range, data rate, communication delay and packet loss.

In this way, the system helps transfer information from a flying drone to a ground station for monitoring and further use.

FLOWCHART-



4. LITRATURE REVIEW-

Several wireless technologies can be used for UAV communication. RF-based communication is commonly used for telemetry and control because it can provide reliable communication over suitable distances. Wi-Fi provides relatively high data rates but its effective range may be limited depending on the environment. Long-range technologies such as LoRa can provide communication over longer distances at lower data rates.

Modern UAV systems may also use cellular networks such as 4G and 5G for wide-area communication. However, the selection of communication technology depends on the application, required range, data rate, power consumption, latency, and environmental conditions.

WIRELESS TECHNOLOGIES-

• Wi-Fi: Easy to use and suitable for short or medium range communication.
• 4G/5G: Useful for wide-area communication and high-speed data.
• RF/Telemetry: Mainly used for drone control and status information.
• Satellite: Useful in very remote areas, but it can be costly and may have more delay

5.CONCLUSION-

Drone-to-Ground Wireless Communication is a useful technology for connecting a drone with people or systems on the ground. Its performance depends on height, distance, antenna, frequency, interference and drone movement. With better antennas, 5G/6G and smart communication methods, D2G systems can become more reliable and useful in agriculture, industries, emergency work and smart cities.

ACKNOWLEDGEMENT-

We would like to express our sincere gratitude to everyone who supported and guided us throughout the development of the Drone-To -Ground Wireless Communication System .We are especially thankful to our project guide and faculty members for their valuable guidance, continuous encouragement, and constructive suggestions, which helped
us understand the technical requirements and improve the overall development of the project. We also sincerely thank our department and institution for providing the necessary facilities, resources, and learning environment required to work on the project. We are grateful to our friends and team members for their cooperation, discussions, and assistance during the design, implementation, and documentation stages. Finally, we would like to thank our parents and family members for their constant support, motivation, and encouragement throughout the project. Their support played an important role in helping us complete this project successfully.

REFERENCES-

1. P. J. Burke, “Demonstration and Application of Diffusive and Ballistic Wave Propagation for Drone-to-Ground and Drone-to-Drone Wireless Communications,” Scientific Reports, vol. 10, Article 14782, 2020.

2. 3GPP, “Study on Enhanced LTE Support for Aerial Vehicles,” Technical Report 36.777.

3. M. Mozaffari, W. Saad, M. Bennis, Y. Nam, and M. Debbah, “A Tutorial on UAVs for Wireless Networks: Applications, Challenges, and Open Problems,” IEEE Communications Surveys & Tutorials, vol. 21, no. 3, pp. 2334–2360, 2019.

4. 3GPP, “Study on New Radio (NR) to Support Non-Terrestrial Networks,” 3GPP Technical Report 38.811.

5. Y. Zeng, R. Zhang, and T. J. Lim, “Wireless Communications with Unmanned Aerial Vehicles: Opportunities and Challenges,” IEEE Communications Magazine, vol. 54, no. 5, pp. 36–42, 2016.