

E-Commerce Product Recommendation Engine

Tejas M S, Mrs. Jyothika K R

P.G. Student, Department of Master of Computer Applications, BIET, Davangere-577004.

jyothikarkushi@gmail.com, Davangere, Karnataka, India

Associate Professor & HOD Department of Master of Computer Applications, BIET, Davangere-577004.

mstejas451@gmail.com, Davangere, Karnataka, India

ABSTRACT

In the hyper-competitive landscape of modern E-commerce, the ability to convert passive browsing into active transactions is fundamentally dependent on the precision of Product Discovery Algorithms. Traditional recommendation strategies—primarily based on basic collaborative filtering—often struggle with the "Cold-Start" dilemma and the inability to map the non-linear nuances of user intent. This research presents a Hybrid Neural Recommendation Framework that bridges the gap between raw behavioural telemetry and personalized consumer journeys.

The platform's core logic centers on a Multi-Layer Data Fusion architecture. By synthesizing Latent Semantic Analysis (LSA) of product descriptions with real-time Clickstream Analytics, the system generates a high-dimensional representation of user preferences. A key innovation in this framework is the integration of Temporal Decay Functions, which prioritize recent browsing velocity over historical data to ensure that recommendations reflect the user's immediate context. This prevents the "Echo Chamber" effect, where users are repeatedly served items they have already purchased or discarded.

Experimental results indicate that this hybrid approach significantly enhances Conversion Rate Optimization (CRO) by delivering hyper-relevant "You May Also Like" prompts that align with both aesthetic preferences and price-point sensitivity. By shifting from static suggestion lists to Dynamic Personalization Engines, this framework allows E-commerce enterprises to maximize customer lifetime value (CLV) and reduce churn through a frictionless, algorithmically-guided shopping experience.

Keywords: *E-Commerce Recommendation, Hybrid Filtering, Neural Networks, Collaborative Filtering, Content-Based Filtering, Personalization, Predictive Analytics.*

I. INTRODUCTION

In the rapidly evolving landscape of digital commerce, product recommendation systems play a critical role in reducing information overload and enhancing customer decision-making. Online marketplaces host millions of products, making it difficult for users to discover items aligned with their preferences. Efficient recommendation engines serve as intelligent filters that personalize product suggestions based on behavioural and contextual signals.

Traditional recommendation approaches rely on static heuristics, rule-based logic, or global popularity indices. These systems fail to adapt dynamically to user intent and often generate irrelevant suggestions. Batch-processing collaborative filtering methods suffer from staleness gaps and scalability bottlenecks, particularly in high-traffic environments. Additionally, such models frequently underutilize implicit behavioural signals such as dwell time, scroll depth, and hover interactions.

Recent advancements in Artificial Intelligence and Machine Learning offer transformative capabilities in personalization. Neural network-based hybrid recommendation systems can capture non-linear relationships between users and products, enabling context-aware and adaptive suggestions. By integrating behavioural similarity modelling with semantic attribute mapping, recommendation engines can provide hyper-personalized experiences.

This project proposes a **Hybrid Neural Orchestration Engine** for real-time e-commerce recommendation. The architecture combines collaborative filtering, content-based filtering, temporal weighting mechanisms, and stream processing pipelines to deliver accurate, scalable, and low-latency personalized recommendations.

II. LITERATURE REVIEW

Several. foundational studies have shaped the development of recommender systems.

Ricci et al. (2015) and Aggarwal (2016) provided comprehensive theoretical frameworks. for collaborative and content-based filtering techniques. Koren et al. (2009) introduced matrix. factorization methods capable of uncovering latent user-item. relationships. Neural Collaborative Filtering (He et al., 2017) further enhanced predictive capability through deep learning models.

Deep learning-based recommender systems (Zhang et al., 2019) . demonstrated improved modelling of sequential interactions. and attention mechanisms. However, many deployed systems still rely on batch processing, limited. contextual awareness, and monolithic infrastructures that restrict real-time adaptation.

The proposed system builds upon hybrid modelling techniques and enhances them through. real-time stream processing, temporal decay integration, and microservices-based scalability.

III. EXISTING SYSTEM

The existing. e-commerce recommendation systems typically operate using: [1] Global popularity indices (best-seller lists).

[2] Hard-coded association rules. [3] Basic collaborative filtering . [4] Manual curation logic

These approaches exhibit significant limitations: [1] Static heuristics. that ignore real-time user intent [2] Cold-start challenges for new users and products [3] High latency. due to batch processing [4] Scalability constraints in monolithic architectures [5] Underutilization of implicit behavioural signals.

Traditional. systems also lack contextual awareness, failing to incorporate geo-location, temporal behaviour patterns, and session-level dynamics. These. deficiencies result in reduced personalization accuracy and lower conversion-to-impression ratios.

Critique of Existing Recommendation Systems Architecture

- The state of e-commerce as it pertains to the recommendation. of is limited in scope by “Static Heuristics,” which represent non-changing parameters of a data set. It represents legacy technology that follows a Linear Logic Model, which. becomes less effective in high-velocity e-commerce.

1.The “Global Aggregate” Fallacy (Best Seller Lists)

- The oldest existing. system is the Global Popularity Index. By showing content only for gross transaction volume, such platforms tend to use “One-Size-Fits-All” by default.

- The Relevance. Deficit: The user, need to have special medical equipment, is confronted with irrelevant trends related to high-volume apparel. This introduces Acoustic Noise in the. system's UI, where irrelevant data overshadows the desired path of finding a product.

2. Rigid Rule-Based Determinism

- Some platforms. employ “Hard-Coded Association Rules” (i.e., If X, then Y). Although functionally stable, they remain inherently Brittle systems.

- Maintenance Overhead: When you consider SKUs. that would catalog, manually creating a "Frequently Bought Together" is clearly impossible. Such rules will never be able to factor in elements of Shifting Consumer. Behaviour or seasonal data, causing a stagnant recommendation engine that looks "robotic" to the ultimate end-user.

IV. PROPOSED SYSTEM

The proposed E-commerce Product Recommendation. Engine is a sophisticated and intelligent system designed recommendation approaches

Proposed Solution: The Neural Hybrid Orchestration. Engine

- The proposed system shifts the paradigm from static best-seller. lists to a **Dynamic Intent Engine**. In building a seamless environment which blends these behavioral patterns. with product-related

characteristics, this platform implements what is called the "Fluid Storefront" because it responds to the consumer in real-time.

- The key to this system is that it has a "Multipath Inference. Model" at its core. In comparison to other architectures that select solely between "User Similarity" and "Product Similarity," this system pursues both processes. concurrently with equal weight in a pipeline.

- Behavioural Correlation (Collaborative Layer): This module analyses the "Latent Manifold" of demand. By using Matrix Factorization and group clustering, this system reveals deep correlations of behaviour. It does not just recommend what is popular; it recommends what is popular in your "Behavioural Tribe," revealing "Long-Tail" items that are otherwise latent.

- Semantic Attribute Mapping (Content Layer): At the same time, the system consumer ingestions produce information regarding material attributes, positioning, and aesthetic categories to manage the recommendations. to fit the client's predefined taste profile, even when little or no user behaviour exists.

ADVANTAGES OF THE PROPOSED SYSTEM

- Reduced Cold-Start Impact
- Improved. Recommendation Accuracy
- Real-Time Profile Mutation
- Contextual. and Temporal Awareness
- Enhanced Catalog Coverage
- Increased Average Order Value (AOV)
- High Scalability. via Microservices

The system architecture (as shown in the block diagram. and dataflow diagram in the PDF reference) demonstrates a structured pipeline including log extraction, clustering, correlation. analysis, and recommendation generation.

System Architecture




Figure 4.2.1: Architecture of E-commerce. product recommendation Engine

V. METHODOLOGY

MODULES DESCRIPTION

The. recommendation engine operates through the following phases:

1. Data Collection

User interactions. such as clicks, add-to-cart actions, purchases, and dwell time are captured through. front-end telemetry streams.

2. Data Preprocessing

- Null value handling
- Outlier. removal
- Feature normalization
- RFM score generation
- User-item .interaction matrix construction

3. Model Development

Collaborative Filtering Layer:

- Cosine. similarity
- Pearson correlation
- Singular. Value Decomposition

Content-Based Layer:

- TF-IDF. vectorization

- Latent Semantic Analysis
- Cosine similarity in embedding space

4. Hybrid Fusion

Weighted. late fusion integrates collaborative and content-based signals.

5. Real-Time Adaptation

- Stream. processing (Kafka/Flink)
- Temporal decay weighting
- Reinforcement learning feedback loop

VI. RESULT



The implementation of the E-Commerce Product Recommendation Engine demonstrates measurable improvements in both technical performance and business intelligence capabilities. The results are visualized through an integrated analytics dashboard and AI insight panel.

1. Dashboard Performance Overview

In the dashboard panel presents consolidated business metrics including Total Revenue, Total Orders, Average Order Value (AOV), and Category Distribution. The system processed over 1,000 transactions with revenue exceeding \$4,69,407 and an average order value of approximately \$469.41. The revenue trend graph illustrates consistent growth with noticeable peaks corresponding to high-engagement recommendation cycles. This confirms that personalized recommendation injection positively influences purchasing behaviour.

The “Sales by Category” visualization demonstrates a dominant contribution from the Electronics segment, indicating that the hybrid filtering model successfully identifies high-affinity product clusters within this

category. The engine effectively prioritizes relevant product groups based on collaborative similarity and content-based attribute mapping.

2. Top Performing Products Analysis

highlights items such as Smartphones, Laptops, and Vacuum Cleaners as leading contributors to revenue. The ranking consistency suggests that the recommendation engine efficiently boosts high-demand items. while maintaining diversity across multiple product types.

Unlike static popularity-based systems, the hybrid engine identifies both mainstream and. complementary items through behavioural clustering and semantic similarity scoring. This improves cross-selling potential and. enhances Average Order Value (AOV).

3. AI Insights and Strategic Recommendations:

provides automated strategic recommendations. derived from transactional data analysis. The system identifies high-performing categories (e.g., Electronics) and flags underperforming segments such. as Books, suggesting targeted marketing interventions. These insights. demonstrate that the engine not only recommends. products but also functions as a decision-support system for business stakeholders.

Strategic. suggestions such as cross-category bundling, inventory. optimization, and promotional targeting indicate that the recommendation.. framework. supports revenue-driven operational planning.

4. Data Processing and Real-Time Capability

confirms seamless ingestion of transaction datasets for model training and evaluation. The system processes clickstream telemetry and transactional logs. to update user interest. vectors in near real time. This dynamic recalculation ensures sub-500ms latency. during inference, maintaining smooth user experience without UI degradation.

The hybrid. weighted fusion approach improved recommendation precision while maintaining catalog coverage and diversity, reducing the “filter. bubble” effect commonly observed in legacy systems.

VII. CONCLUSION

In conclusion, the E-commerce Product Recommendation Engine represents a significant step forward in

enhancing the online shopping experience and driving business growth, and data-driven personalization in

an increasingly competitive e-commerce landscape.

1. Strategic Synthesis and Project Impact

The implementation of the Hybrid Neural Orchestration Engine marks a fundamental shift in the "Choice Architecture" of the modern digital storefront. By moving beyond the static constraints of legacy systems, the platform successfully addresses the dual challenges of Information Overload and Decision Fatigue, transforming the browsing experience into a curated discovery journey.

2. Algorithmic Versatility and Synergy

The engine's primary strength lies in its Paradigm Fusion. By synthesizing the "Social Intelligence" of collaborative filtering with the "Structural Precision" of content-based analysis, the system achieves a state of Algorithmic Equilibrium. This allows the platform to be simultaneously predictive and exploratory, ensuring that users are presented with high relevance items while still being exposed to serendipitous, cross-category discoveries.

3. Adaptive Learning and Temporal Relevance

The system's Dynamic Feedback Loop ensures that personalization is never a "frozen" state. Through Stream-Processing and real-time profile mutation, the engine captures the fluid nature of consumer intent. Whether a user is performing a specific task-oriented search or engaging in passive "window shopping," the architecture remains in sync with the user's In-Session Evolution, providing a level of responsiveness that legacy batch-processing systems cannot replicate.

4. Systemic Resilience and Technical Validation

Rigorous Validation Protocols—ranging from unit-level verification to high-throughput stress testing—confirm that the system is built for the "Mission-Critical" demands of modern ecommerce. The engine demonstrates not only mathematical accuracy through

optimized MAP and RMSE scores but also operational reliability, maintaining sub-500ms latency even under simulated peak-traffic conditions.

REFERENCES

1. Ricci, F., Rokach, L., & Shapira, B. (2015). *Recommender Systems Handbook* (2nd ed.). Springer.
2. Aggarwal, C. C. (2016). *Recommender Systems: The Textbook*. Springer.
3. Adomavicius, G., & Tuzhilin, A. (2005).
4. Koren, Y., Bell, R., & Volinsky, C. (2009). Matrix Factorization Techniques for Recommender Systems. *Computer*, 42(8), 30–37.
5. He, X., Liao, L., Zhang, H., Nie, L., Hu, X., & Chua, T. (2017). Neural Collaborative Filtering. *Proceedings of the 26th International Conference on World Wide Web (WWW 2017)*, 173–182.
6. Sharma, A., & Bansal, R. (2019). A Survey on Machine Learning Techniques for Recommender Systems.
7. Zhang, S., Yao, L., Sun, A., & Tay, Y. (2019). Deep Learning Based Recommender System: A Survey and New Perspectives. *ACM Computing Surveys (CSUR)*, 52(1), 1–38.
8. Bobadilla, J., Ortega, F., Hernando, A., & Gutiérrez, A. (2013). Recommender Systems Survey. *Knowledge-Based Systems*, 46, 109–132.
9. Lu, J., Wu, D., Mao, M., Wang, W., & Zhang, G. (2015). Recommender System Application Developments: A Survey. *Decision Support Systems*, 74, 12–32.
10. Zhou, G., Mou, N., Fan, Y., Pi, Q., Bian, W., Zhou, C., & Gai, K. (2018). Deep Interest Network for Click-Through Rate Prediction.