

Flood Detection Using Satellite Images

Suma¹, Mohammed Ruman²

¹Assistant Professor, Department of Computer Science and Engineering (MCA)
Visvesvaraya Technological University, Centre for PG Studies, Kalaburagi, India

²Student, Department of Computer Science and Engineering (MCA)
Visvesvaraya Technological University, Centre for PG Studies, Kalaburagi, India

Abstract - Floods represent one of the most severe natural disasters, causing extensive damage to human life, infrastructure, agriculture, and economic stability. The growing frequency and intensity of flood events, driven by climate variability and rapid urbanization, have increased the demand for efficient and reliable flood monitoring systems. Conventional flood assessment methods primarily depend on field surveys and manual interpretation of satellite imagery, which are often time-consuming, labor-intensive, and inadequate for providing timely information during emergency situations. The integration of remote sensing technologies with artificial intelligence offers a promising approach for overcoming these limitations and enabling rapid flood mapping over large geographic regions.

This study proposes a deep learning-based flood detection framework that automatically identifies and segments flooded areas from satellite imagery. The proposed model employs a U-Net architecture integrated with a ResNet34 encoder to perform pixel-level classification of flood-affected regions. Image preprocessing techniques, including normalization, resizing, and augmentation, are applied to enhance data quality and improve model generalization across diverse environmental conditions. The segmentation network is trained using annotated satellite datasets and evaluated through widely accepted performance metrics such as Intersection over Union (IoU), Dice Coefficient, Precision, Recall, and Pixel Accuracy.

Experimental results demonstrate that the proposed framework effectively captures flood boundaries and generates accurate segmentation masks, making it suitable for disaster monitoring applications. To facilitate practical deployment, the trained model is integrated into a web-based platform that allows users to upload satellite images and obtain flood detection results in real time. This capability enables disaster management agencies, government organizations, and humanitarian groups to access critical information quickly and support informed decision-making during flood emergencies.

The proposed system provides a scalable, cost-effective, and intelligent solution for automated flood assessment. By combining deep learning and satellite remote sensing, the framework contributes to improving disaster preparedness, accelerating emergency response, and enhancing the overall effectiveness of flood management strategies.

Key Words: Flood Detection, Deep Learning, U-Net, ResNet34, Satellite Remote Sensing, Semantic Segmentation, Disaster Management, Artificial Intelligence.

1. INTRODUCTION

Floods are among the most frequent and destructive natural disasters, causing widespread damage to human lives, infrastructure, agricultural lands, and economic resources. In recent years, the occurrence of flood events has increased due to factors such as climate change, rapid urbanization, deforestation, and extreme weather conditions. The impact of floods extends beyond immediate physical destruction, often disrupting transportation networks, communication systems, public services, and livelihoods. As a result, timely identification and monitoring of flood-affected areas have become critical components of modern disaster management and emergency response strategies.

Traditional flood detection methods primarily rely on ground surveys, manual inspections, and visual interpretation of satellite images. Although these approaches can provide valuable information, they are often time-consuming, labor-intensive, and difficult to implement during large-scale disasters. The delay in obtaining accurate flood information can significantly affect rescue operations, resource allocation, and decision-making processes. Therefore, there is a growing need for automated and intelligent systems capable of rapidly analyzing large volumes of geographical data and providing reliable flood assessments in real time.

Recent advancements in satellite remote sensing have enabled continuous observation of the Earth's surface with high spatial and temporal resolution. Satellite imagery provides valuable information about land cover, water bodies, and environmental changes, making it an essential resource for flood monitoring. At the same time, developments in Artificial Intelligence (AI) and Deep Learning have revolutionized image analysis by enabling computers to automatically learn complex patterns and features from large datasets. Deep learning models, particularly convolutional neural networks, have demonstrated exceptional performance in image classification, object detection, and semantic segmentation tasks.

Among various deep learning architectures, the U-Net model has gained significant attention for image segmentation applications due to its ability to capture both local and global image features. When combined with powerful feature extraction networks such as ResNet34, the segmentation

performance can be further improved, allowing more accurate identification of flooded regions from satellite imagery. These capabilities make deep learning-based approaches highly suitable for disaster monitoring and environmental analysis.

This research proposes an automated flood detection system based on a U-Net architecture integrated with a ResNet34 encoder for semantic segmentation of satellite images. The system is designed to accurately identify flood-affected areas and generate detailed flood maps that can support disaster response and recovery efforts. Furthermore, the trained model is deployed through a web-based platform, enabling users to upload satellite images and obtain flood detection results in a simple and accessible manner. By combining deep learning techniques with remote sensing data, the proposed framework aims to improve the speed, accuracy, and reliability of flood assessment while supporting informed decision-making during emergency situations.

The significance of this study lies in its contribution to the development of intelligent disaster management solutions. By reducing dependence on manual analysis and enabling automated flood mapping, the proposed system offers a practical, scalable, and cost-effective approach for monitoring flood events. The integration of artificial intelligence into flood detection has the potential to enhance preparedness, improve emergency response efficiency, and minimize the social and economic impacts associated with natural disasters.

2. PROBLEM STATEMENT

Floods continue to be one of the most challenging natural disasters, causing substantial damage to human life, infrastructure, agriculture, and the environment. Effective disaster management depends on the timely identification of flood-affected regions so that appropriate rescue, relief, and recovery measures can be implemented. However, conventional flood monitoring approaches largely rely on field surveys, manual observations, and visual interpretation of satellite imagery, which are often slow, labor-intensive, and difficult to perform during large-scale flood events. These limitations can delay critical decision-making and reduce the effectiveness of emergency response operations.

The increasing availability of satellite imagery has created opportunities for large-scale flood assessment, but manually analyzing vast amounts of image data remains a significant challenge. Human interpretation is not only time-consuming but also prone to inconsistencies and errors, particularly when dealing with complex geographical conditions and rapidly changing flood situations. Furthermore, traditional image processing techniques often struggle to accurately distinguish flooded regions from surrounding land features, resulting in reduced detection accuracy and unreliable flood maps.

Another major challenge is the need for real-time and scalable solutions capable of processing satellite images from different regions and environmental conditions. Existing methods may lack the ability to generalize effectively across diverse datasets, making them less suitable for practical deployment in disaster-prone areas. In addition, many current systems require technical expertise to operate, limiting their accessibility to

disaster management personnel and decision-makers who need quick and understandable results.

Therefore, there is a need for an intelligent and automated flood detection system that can accurately identify inundated areas from satellite imagery with minimal human intervention. Such a system should be capable of processing large volumes of data efficiently, generating precise flood maps, and delivering results in a timely manner to support disaster response activities. By leveraging deep learning and remote sensing technologies, the proposed solution aims to overcome the limitations of traditional methods and provide a reliable framework for rapid flood assessment and disaster management.

3. OBJECTIVES

The primary objective of this research is to develop an intelligent flood detection system that utilizes deep learning techniques and satellite imagery to accurately identify and map flood-affected regions. The study aims to create an automated framework capable of analyzing large volumes of remote sensing data and generating reliable flood segmentation results with minimal human intervention. By employing a U-Net architecture integrated with a ResNet34 encoder, the proposed system seeks to improve the accuracy of flood detection while effectively distinguishing flooded areas from surrounding land features. Another important objective is to preprocess and enhance satellite images through normalization, resizing, and augmentation techniques to improve model performance and generalization across different geographical and environmental conditions. The research also focuses on evaluating the effectiveness of the developed model using standard performance metrics such as Intersection over Union (IoU), Dice Coefficient, Precision, Recall, and Pixel Accuracy. Furthermore, the study aims to integrate the trained model into a user-friendly web-based application that enables real-time flood analysis and supports easy access for disaster management authorities, government agencies, researchers, and humanitarian organizations. By reducing dependence on manual flood assessment methods and accelerating the availability of critical information, the proposed system seeks to enhance disaster preparedness, improve emergency response efficiency, and support informed decision-making during flood-related events. Ultimately, the research contributes to the advancement of artificial intelligence-driven disaster management solutions by providing a scalable, reliable, and cost-effective approach for automated flood monitoring and assessment.

4. METHODOLOGY

The proposed flood detection system follows a systematic methodology that combines satellite remote sensing data with deep learning techniques to accurately identify flood-affected regions. The process begins with the collection of satellite imagery from publicly available datasets containing both flooded and non-flooded areas. These datasets provide diverse geographical and environmental conditions, enabling the model to learn meaningful patterns associated with flood events. Since raw satellite images may contain variations in size, quality, and illumination, a preprocessing stage is

performed to improve data consistency and enhance model performance.

During preprocessing, the satellite images are resized to a uniform resolution, normalized to standardize pixel values, and augmented through techniques such as rotation, flipping, and scaling. These operations increase the diversity of the training data and help the model generalize effectively to unseen images. Corresponding flood masks are also prepared to provide accurate ground truth information for supervised learning. The processed images and masks are then organized into training, validation, and testing datasets to ensure reliable model evaluation.

The core component of the proposed framework is a U-Net-based semantic segmentation model integrated with a ResNet34 encoder. The encoder extracts important spatial and contextual features from satellite images, while the decoder reconstructs detailed segmentation maps that highlight flood-affected regions at the pixel level. This architecture enables the model to capture both high-level semantic information and fine-grained boundary details, resulting in accurate flood delineation. During training, the model learns to distinguish flooded areas from surrounding land features by minimizing prediction errors through iterative optimization techniques.

After training, the model is evaluated using standard segmentation performance metrics, including Intersection over Union (IoU), Dice Coefficient, Precision, Recall, and Pixel Accuracy. These metrics provide a comprehensive assessment of the model's ability to correctly identify inundated regions and generate reliable flood maps. The experimental results are analyzed to determine the effectiveness of the proposed approach under different conditions and datasets.

To facilitate practical application, the trained model is integrated into a web-based platform that allows users to upload satellite images and receive flood detection results in real time. The system automatically processes the input image, performs segmentation, and generates a visual flood map that can support disaster management and emergency response activities. By combining image preprocessing, deep learning-based segmentation, performance evaluation, and web deployment within a unified framework, the proposed methodology provides an efficient, scalable, and intelligent solution for automated flood detection and monitoring.

5. LITERATURE SURVEY

The application of artificial intelligence and remote sensing technologies in flood detection has gained significant attention in recent years due to the increasing frequency and severity of flood-related disasters. Researchers have explored various image processing, machine learning, and deep learning approaches to improve the accuracy and efficiency of flood monitoring systems. These studies have demonstrated that automated analysis of satellite imagery can provide valuable information for disaster management, risk assessment, and emergency response activities.

Early flood detection methods primarily relied on traditional image processing techniques and manual interpretation of

satellite images. These approaches utilized spectral indices, threshold-based segmentation, and feature extraction methods to identify water bodies and flooded regions. Although such techniques provided useful results, their performance was often affected by environmental conditions, image quality, and variations in terrain. Furthermore, manual analysis required significant time and expertise, limiting its effectiveness during emergency situations where rapid decision-making was essential.

With the advancement of machine learning technologies, researchers began employing classification algorithms such as Support Vector Machines (SVM), Decision Trees, Random Forests, and Artificial Neural Networks for flood mapping applications. These methods improved automation and enabled the analysis of larger datasets compared to traditional techniques. However, their effectiveness depended heavily on handcrafted feature extraction, which often restricted their ability to capture complex spatial relationships present in satellite imagery.


Recent developments in deep learning have significantly transformed flood detection and remote sensing analysis. Convolutional Neural Networks (CNNs) have demonstrated remarkable success in automatically learning meaningful image features without the need for manual feature engineering. Various deep learning architectures have been proposed for flood segmentation, including Fully Convolutional Networks (FCNs), U-Net, DeepLab, SegNet, and attention-based models. Among these approaches, U-Net has emerged as one of the most widely adopted architectures due to its ability to perform precise pixel-level segmentation while preserving important spatial information. The encoder-decoder structure of U-Net enables effective extraction and reconstruction of image features, making it highly suitable for flood mapping tasks.

Several studies have further enhanced segmentation performance by integrating transfer learning techniques and pre-trained backbone networks such as ResNet, EfficientNet, and DenseNet. These models improve feature extraction capabilities and accelerate convergence during training. Research has also explored the use of multi-source remote sensing data, including optical satellite imagery, Synthetic Aperture Radar (SAR) data, and multispectral images, to overcome limitations caused by cloud cover and varying weather conditions. The combination of deep learning and multi-sensor data has demonstrated improved accuracy and robustness in flood detection applications.

Despite substantial progress in this field, challenges remain in achieving reliable flood mapping across diverse geographic regions and environmental conditions. Variations in image quality, seasonal changes, and differences in landscape characteristics can affect model performance. Additionally, many existing systems focus primarily on model development without providing user-friendly deployment mechanisms for real-world disaster management operations. Therefore, there is a need for scalable and accessible flood detection frameworks that combine accurate deep learning models with practical deployment solutions.

The present study addresses these challenges by developing a deep learning-based flood detection system that utilizes a U-Net architecture integrated with a ResNet34 encoder for semantic segmentation of satellite imagery. The proposed framework not only focuses on accurate flood delineation but also incorporates a web-based platform that enables real-time analysis and easy accessibility for disaster management authorities and decision-makers. By combining advanced deep learning techniques with practical implementation, the study contributes to the ongoing development of intelligent and efficient flood monitoring systems for disaster risk reduction and emergency response.

6. SYSTEM DESIGN



WORKFLOW enables quick, accurate, and user-friendly flood assessment while supporting effective decision-making during flood events.

7. SCREENSHOTS



Figure 2: Home Page

2. Performance Analysis of the Proposed Flood Detection System





Figure 3: Performance Analysis of the Proposed Flood Detection System

3.Upload Page

Figure 4: Upload Page

4. Prediction Result Page



8. CONCLUSION & FUTURE SCOPE

Floods continue to pose significant challenges to communities, governments, and disaster management agencies due to their widespread social, economic, and environmental impacts. This study presented a deep learning-based Flood Detection System that utilizes satellite imagery and semantic segmentation techniques to automatically identify flood-affected regions. The proposed framework employs a U-Net architecture integrated with a ResNet34 encoder to accurately extract and classify flooded areas from remote sensing data. Through image preprocessing, feature learning, and pixel-level segmentation, the system demonstrated its ability to generate reliable flood maps that can support timely disaster assessment and emergency response activities. The integration of the trained model into a web-based platform further enhances its practical applicability by allowing users to perform flood analysis through a simple and accessible interface. The results indicate that the proposed approach can effectively reduce dependence on manual image interpretation while improving the speed, consistency, and accuracy of flood detection. Consequently, the system provides a scalable and cost-effective solution for supporting disaster management, resource planning, and decision-making processes during flood events.

Future developments can further improve the capabilities and effectiveness of the proposed system. The integration of real-time satellite imagery, meteorological information, rainfall data, and hydrological models can enhance flood monitoring and support predictive flood forecasting. Incorporating multi-source remote sensing data, including Synthetic Aperture Radar (SAR) imagery, can improve detection performance under adverse weather conditions and cloud cover. The system can also be extended through cloud-based deployment to enable large-scale processing and support multiple users simultaneously. Furthermore, mobile applications and automated alert mechanisms can be developed to provide instant notifications to disaster management authorities and vulnerable communities. Future research may explore advanced deep learning architectures, attention-based networks, and explainable artificial intelligence techniques to improve segmentation accuracy, transparency, and reliability. These enhancements have the potential to transform the proposed framework into a comprehensive and intelligent disaster management platform capable of supporting proactive flood preparedness, rapid emergency response, and effective risk mitigation strategies.

9. REFERENCES

- [1] O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional Networks for Biomedical Image Segmentation," in *Proceedings of the International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, 2015, pp. 234–241.
- [2] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [3] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA, USA: MIT Press, 2016.
- [4] C. M. Bishop, *Pattern Recognition and Machine Learning*. New York, NY, USA: Springer, 2006.
- [5] R. Szeliski, *Computer Vision: Algorithms and Applications*, 2nd ed. Cham, Switzerland: Springer, 2022.
- [6] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, 4th ed. Burlington, MA, USA: Morgan Kaufmann, 2022.
- [7] A. Géron, *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow*, 3rd ed. Sebastopol, CA, USA: O'Reilly Media, 2022.
- [8] Y. LeCun, Y. Bengio, and G. Hinton, "Deep Learning," *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [9] L. Wang, Y. Zhang, and H. Chen, "Lightweight U-Net with Soft Fusion for Flood Detection Using Satellite Image Time Series," *Remote Sensing Applications*, vol. 28, pp. 100–112, 2023.
- [10] R. Gonzalez, F. Martinez, and A. Diaz, "Transfer Learning-Based U-Net for Water Body Detection from Satellite Imagery," *International Journal of Remote Sensing*, vol. 44, no. 8, pp. 3150–3168, 2023.
- [11] S. Mishra, R. Kumar, and N. Sharma, "Deep Learning Approaches for Early Flood Detection Using Multispectral Satellite Images," *Journal of Environmental Informatics*, vol. 41, no. 2, pp. 145–158, 2023.
- [12] E. Betsas, A. Papadopoulos, and C. Nikolaidis, "Deep Learning and GIS-Based Flood Mapping from Sentinel-2 Satellite Data," *Remote Sensing*, vol. 16, no. 4, pp. 1–18, 2024.