International Journal of Scientific Research in Engineering and Management (IJSREM)
Volume: 10 Issue: 10 | Oct - 2026 SJIF Rating: 8.659 ISSN: 2582-3930

# IOT – Based Smart System for Boat Tracking, Weather Monitoring and Ocean Conservation

**Mohd Abdul Naqi[1], M.P.Jason[2], M.Vasantha Laxmi[3], K.Rama Krishna[4], N.Anusha[5]**
[1,2,3,4,5]Deptartment of ECE, CMR Technical Campus, Hyderabad, India.
Corresponding Author mail id: mohdabdulnaqi@gmail.com

## Abstract

The Boat Tracking, Weather Monitoring, and Ocean Cleaning System harness the power of IoT technology to create a smarter, more sustainable maritime environment. By integrating real-time vessel tracking with advanced weather analytics, this system enhances navigation safety while promoting proactive ocean conservation efforts. Additionally, it addresses marine pollution through targeted cleanup initiatives, fostering a healthier ecosystem. Together, these innovations aim to revolutionize how we interact with and protect our oceans. It is crucial for enhancing maritime safety, improving environmental monitoring, and promoting sustainable ocean management. It enables real-time data collection and analysis, allowing for timely responses to changing weather conditions and efficient debris removal, ultimately contributing to healthier marine ecosystems and safer navigation for vessels.

**Keywords:** IoT Technology, Vessel Tracking, Weather Monitoring, Ocean Cleaning, Maritime Safety, Sustainable Ocean Management.

## 1. Introduction

[1], Marine pollution poses a significant threat to ecosystems, necessitating innovative solutions for efficient ocean cleanup. This paper proposes an advanced IoT-based [8] system integrating real-time tracking and monitoring to enhance waste removal, weather observation, and border security in marine environments.[2], The growing demand for clean water, particularly in rural areas, necessitates innovative real-time monitoring solutions. This paper presents an IoT-enabled, cost-effective water quality assessment system using a mobile sensor-equipped boat to analyse key physicochemical parameters remotely. [3], Water pollution poses a serious threat to public health and ecosystems, necessitating real-time monitoring for early detection. This paper explores an IoT-based smart water quality monitoring system that continuously analyses key parameters to ensure safe and clean water. [4], Climate change significantly impacts marine ecosystems, making continuous ocean monitoring essential for environmental sustainability. This paper presents the design of smart moored buoys equipped with IoT-based sensors to collect and analyse real-time oceanographic data. [5], With rising concerns over climate change, marine environment monitoring has become increasingly vital. This paper explores the role of IoT and Big Data in advancing marine monitoring systems, highlighting key innovations, challenges, and future opportunities. [6], ensuring the safety of deep-sea fishermen in low-connectivity areas require advanced tracking solutions. This paper proposes an AI/ML-powered GIS application for real-time location monitoring, enhancing maritime safety and operational efficiency.

## 2. Proposed System

### Problem Statement

Marine pollution and navigation inefficiencies demand a smart ESP-32 system for real-time tracking, weather monitoring, and automated ocean cleaning.

### Existing Solution

[1], A boat tracking, weather monitoring, and ocean cleaning system based on IoT using Arduino can provide real-time data for navigation and environmental monitoring. The system integrates GPS for boat tracking, sensors for temperature, humidity, and water quality, and an automated cleaning mechanism for debris removal. Using wireless modules like GSM or LoRa, data is transmitted to cloud platforms for analysis, improving marine safety, environmental protection, and operational efficiency [8] in cleaning polluted waters.

### Proposed Solution

A boat tracking, weather monitoring, and ocean cleaning system based on ESP-32 offers superior performance over Arduino. With built-in Wi-Fi and Bluetooth, the ESP-32 allows real-time data transmission of GPS tracking, weather (temperature, humidity) sensors, and water quality metrics. It's faster processor and larger memory enable smoother operation of automated debris removal, enhancing marine safety and environmental efficiency. Compared to Arduino,

ESP-32 provides more robust wireless communication and processing power for complex IoT applications.

## Block Diagram

Fig.1, is the block diagram of proposed solution. The below are the steps that are followed in our system for execution.





**Fig.1: Block Diagram**

1. **Power Supply Initialization**
   - A 5V power supply is provided to the ESP-32 microcontroller to power the connected sensors and modules.
   - A separate 12V power supply is used to drive the motor and conveyor belt system.
2. **Sensor Data Acquisition**
   - The IR Sensor detects objects or obstacles and sends data to the ESP-32.
   - The DHT11 Sensor measures temperature and humidity levels, transmitting the readings to the ESP-32.
   - The GPS Module provides real-time location data for tracking and monitoring.
   - The Bluetooth Module enables wireless communication with external devices.
3. **Data Processing by ESP-32**
   - The ESP-32 microcontroller collects and processes data from all connected sensors.
   - The processed data is sent to the Wi-Fi Module for cloud integration or remote monitoring.
4. **Communication and Control**
   - The Wi-Fi Module transmits the collected data to an IoT platform, making it accessible remotely.
   - The system can also be controlled using the Arduino Blue Control App, allowing users to manage operations via Bluetooth.
5. **Motor and Conveyor Belt Activation**
   - The Motor Driver receives signals from the ESP-32, which determines when to activate the Motor.
   - The Motor, powered by the 12V power supply, drives the Conveyor Belt, facilitating mechanical operations.
6. **System Execution and Monitoring**
   - The conveyor belt operates based on sensor data, ensuring automated functionality.
   - Users can monitor real-time data and control the system via IoT or Bluetooth applications.
   - The entire process enables efficient automation and tracking of operations.

## Importance of the Project

### Well-Integrated IoT System for Real-Time Boat Tracking and Weather Monitoring

The proposed IoT-based smart system seamlessly integrates GPS tracking, environmental monitoring, and real-time data transmission to enhance maritime operations. Utilizing an ESP-32 microcontroller, the system facilitates continuous communication between multiple sensors and the Arduino Blue Control App, ensuring precise vessel tracking and environmental data collection. Through Wi-Fi and Bluetooth connectivity, users can remotely monitor and control system functions, enabling efficient decision-making and proactive responses to changing maritime conditions.

### Practical Applications with Environmental Benefits

Beyond navigation and weather forecasting, the system plays a pivotal role in marine conservation. The automated conveyor belt mechanism, controlled via IoT, effectively collects floating debris, reducing water pollution and promoting sustainable ocean management. This innovative approach enhances traditional marine waste collection methods by automating cleanup operations, thereby reducing manual labour dependency and fostering a healthier marine ecosystem.

### Robust Technical Framework with ESP-32 Integration

The adoption of the ESP-32 microcontroller enhances system efficiency, connectivity, and

power management. This advanced microcontroller supports dual-core processing, integrated Wi-Fi, and Bluetooth, enabling real-time data acquisition from GPS, DHT11, and IR sensors. Its high processing speed and energy-efficient architecture make it a suitable choice for continuous maritime operations, ensuring uninterrupted system performance in dynamic marine environments.

**Long-Term Power Efficiency and Sustainability**

For extended deployment in remote and offshore environments, optimizing power consumption is critical. The ESP-32 microcontroller is designed to operate in low-power modes, ensuring prolonged system functionality. Future advancements may incorporate solar-powered energy sources, reducing dependency on external power grids. Additionally, smart power management techniques, such as adaptive sleep modes and efficient data transmission protocols, can further enhance energy efficiency, ensuring long-term sustainability of the system.

**Data Security Measures for Cloud-Stored Information**

As the system relies on cloud-based data storage for GPS tracking and environmental monitoring, implementing robust cybersecurity measures is essential. Several security protocols can be integrated to safeguard sensitive information, including:

**End-to-End Encryption (E2EE):** Ensuring secure data transmission from the ESP-32 microcontroller to the cloud platform.

**Multi-Factor Authentication (MFA):** Strengthening system access control to prevent unauthorized entry.

**Regular Firmware Updates and Firewalls:** Protecting against potential cyber threats and vulnerabilities.

**Data Backup and Recovery Systems:** Preserving critical information by storing encrypted backups across multiple cloud locations.

## 3. Results

Fig.2 represents the hardware kit of our proposed system which is used for boat tracking, weather monitoring and ocean conservation. To control the system we use some instructions. This system is controlled by Arduino Blue Control app.




**Fig.2: Hardware Kit**

Fig.3, results the output for boat tracking and weather monitoring. Where the temperature and humidity are parameters of weather monitoring. The longitude and latitude are the parameters for boat tracking.





**Fig.3: Output Of Boat Tracking and Weather monitoring**

Fig.4, results the exact location of the boat. The exact location of boat is given by the link of Fig.3 from google maps.Tracking an exact location of boat is useful to find it out.




**Fig.4: Output For Exact Location**

Fig.5, represents the output for ocean conservation where the conveyor belt cleans the dust particles from the ocean. The dust particles are dumped into the boat through conveyor belt.



**Fig.5: Output for Ocean Conservation**

**Comparative Analysis with Existing Solutions**

When compared to traditional marine tracking and environmental monitoring systems, this IoT-based solution offers several distinct advantages:

Conventional tracking solutions primarily focus on location monitoring, while this system integrates weather analysis and automated waste collection, providing a holistic maritime solution.

Manual marine waste removal methods are often time-consuming and inefficient, whereas this system automates debris collection, significantly improving efficiency and scalability.

Satellite-based tracking systems require high operational costs, whereas this IoT-driven system leverages low-cost wireless connectivity, making it a cost-effective and scalable alternative.

The real-time data visualization and remote control features of the Arduino Blue Control App enhance user engagement, allowing for instant decision-making and proactive responses.

**Future Prospects and Enhancements**

The future scope of this IoT-driven system includes integrating AI-based predictive analytics for enhanced weather forecasting and waste pattern recognition. Expanding the system to support large-scale marine operations, including commercial fleets and smart ports, can further enhance maritime safety and environmental conservation efforts. Additionally, satellite communication integration can improve connectivity in deep-sea environments, ensuring seamless tracking and monitoring beyond coastal regions.

## 4. Conclusion

The ESP-32-based system for boat tracking, weather monitoring, and ocean cleaning offers a smart and effective solution to combat marine pollution and improve navigation efficiency. Utilizing its high processing power, built-in Wi-Fi, and Bluetooth connectivity, the system ensures real-time GPS tracking, environmental data collection, and automated debris removal. Compared to Arduino-based alternatives, the ESP-32 delivers enhanced performance, making it well-suited for advanced IoT applications [9] in maritime operations.

With integrated sensors for temperature, humidity, and water quality assessment, the system strengthens maritime safety and enables proactive environmental protection. Its real-time data transmission and automation capabilities enhance response efficiency, ensuring prompt waste removal and accurate weather monitoring. This approach supports marine sustainability while streamlining operational processes for various maritime industries.

Future developments could incorporate AI-driven predictive analytics, cloud-based data management, and renewable energy sources to further improve system scalability and efficiency. These

enhancements will enable remote monitoring, facilitate data-driven decision-making, and contribute to global initiatives aimed at preserving marine ecosystems and ensuring safer waterways.

## 5. Acknowledgement

We extend our deepest gratitude to Mr. Mohd Abdul Naqi, Assistant Professor, for his invaluable guidance and continuous support throughout the completion of this project. We also wish to express our sincere appreciation to Dr.S. Mallesh, Professor and Head of the Department , and Dr. A. Raji Reddy, Director, for their generous provision of the necessary facilities. Their collective support and leadership have been pivotal to the successful realization of this work.

## 6. References

1. R. Tharwin Kumar1, R. R. Ramya2, R. K. Padmashini3, Buvanesh Pandian V4, International Journal of Advanced Trends in Engineering and Management (IJATEM) Vol. 2(09), September 2023, pp. 24-32.
2. 1Ms. Divya Panchmukh, 2Ms. Pallavi Patil, 3Ms. Vaibhavi Nimbalkar, 4Prof. Kalpita Mane, International Journal of Creative Research Thoughts (IJCRT).
3. Varsha Lakshmikantha, Anjitha Hiriyannagowda, Akshay Manjunath, Aruna Patted, Jagadeesh Basavaiah, Audre Arlene Anthony, Global Transitions Proceedings 2 (2021) 181–186.
4. Arnas Majumder, Michele Losito, Santhosh Paramasivam, Amit Kumar, Gianluca Gatto, Ocean Engineering 313 (2024) 119521.
5. GuobaoXu YanjunShi2, XueyanSun3 and Weiming Shen3, Sensors 2019, 19, 1711.
6. Nanda Kumar V, Thayaharan J, Selvaganesh, Kanishkar A, Saravanan Ku, International Journal of Creative Research Thoughts (IJCRT).
7. Diaz Saputra; Ford Lumban Gaol; Edi Abdurachman; Dana Indra Sensuse; Tokuro Matsuo,Emerging Science Journal, Vol: 7, no: 4, pp. 1188 – 1205.
8. Ramanand Samdekar; S. M. Ghosh; Konda Srinivas,Efficiency Enhancement of Intrusion Detection in Iot Based on Machine Learning Through Bioinspire, 2021 Third International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV)
9. M.Sivajyothi, IOT Based Over Speeding Vehicles Detection The International journal of analytical and experimental modal analysis (IJAEMA)
10. A.T. Demetillo, M.V. Japitana, E.B. Taboada, Sustain. Environ. Res. 29 (2019) 12, doi: 10.1186/s42834-019-0009-4.
11.. D, S.K., Sankar Panda, U., Pradhan, U., Mishra, P., Ramana Murthy, M.V., 2022. In: OCEANS 2022 - Chennai. IEEE, Chennai, India, pp. 1–5.
12. S. Niveda, Year: 2021, Turkish Journal of Computer and Mathematics Education (TURCOMAT), Vol: 12, no: 9, pp. 991 – 995.