

## Learning With Augmented Reality

Rajiv Kumar Pandey, Yash Singh, Anshika Singh, Rahul Kumar, Shashank Singh, Mr Puneet Shukla

### Abstract

**Background.** The effective development of healthcare competencies poses great educational challenges. A possible approach to provide learning opportunities is the use of augmented reality (AR) where virtual learning experiences can be embedded in a real physical context. The aim of this study was to provide a comprehensive overview of the current state of the art in terms of user acceptance, the AR applications developed and the effect of AR on the development of competencies in healthcare.

**Methods.** We conducted an integrative review. Integrative reviews are the broadest type of research review methods allowing for the inclusion of various research designs to more fully understand a phenomenon of concern. Our review included multi-disciplinary research publications in English reported until 2012.

**Results.** 2529 research papers were found from ERIC, CINAHL, Medline, PubMed, Web of Science and Springer-link. Three qualitative, 20 quantitative and 2 mixed studies were included. Using a thematic analysis, we've described three aspects related to the research, technology and education. This study showed that AR was applied in a wide range of topics in healthcare education. Furthermore acceptance for AR as a learning technology was reported among the learners and its potential for improving different types of competencies.

**Discussion.** AR is still considered as a novelty in the literature. Most of the studies reported early prototypes. Also the designed AR applications lacked an explicit pedagogical theoretical framework. Finally the learning strategies adopted were of the traditional style 'see one, do one and teach one' and do not integrate clinical competencies to ensure patients' safety.

**Keywords:** Medical education, Medical simulation, Augmented reality

## Introduction

---

Augmented reality (AR) supplements the real world with virtual objects, such that virtual objects appear to coexist in the same space as the real world (Zhou, Duh & Billinghamurst, 2008). It has the potential to provide powerful, contextual, and situated learning experiences, as well as to aid exploration of the complex interconnections seen in information in the real world. Students can use AR to construct new understanding based upon their interactions with virtual objects, which bring underlying data to life. AR is being applied across disciplines in higher education, including; environmental sciences, ecosystems, language, chemistry, geography and history (Johnson et al., 2011; Klopfer & Squire, 2007). Clinical care is also interested in AR because it provides doctors with an internal view of the patient, without the need for invasive procedures (Bajura, Fuchs & Ohbuchi, 1992; Chris, 2010; De Paolis et al., 2011; De Paolis et al., 2008; Pandya, Siadat & Auner, 2005). Since students and medical professionals need more situational experiences in clinical care, especially for the sake of patient safety, there is a clear need to further study the use of AR in healthcare education. The wide interest in studying AR over recent years (Rolland et al., 2003; Sielhorst et al., 2004; Thomas, John & Delieu, 2010) has highlighted the following beliefs:

AR provides rich contextual learning for medical students to aid in achieving core competencies, such as decision making, effective teamwork and creative adaptation of global resources towards addressing local priorities (Frenk, Chen & Bhutta, 2010).

AR provides opportunities for more authentic learning and appeals to multiple learning styles, providing students a more personalized and explorative learning experience.

The patients' safety is safeguarded if mistakes are made during skills training with AR.

While information technology has been presented as a driver for educational reforms, technology, by itself, is not a vehicle for learning (Merrill, 2002; Salomon, 2002). To prevent AR from being a gimmick with tremendous potential, it is important to understand the new capabilities that technology offers, including how those capabilities may impact learning (Garrison & Zehra, 2009; Salinas, 2008). Therefore, a necessary first step is to analyze the current research on AR in healthcare education to determine its' strengths and weaknesses.

There are two systematic reviews about AR; one is on AR in rehabilitation to improve physical outcomes (Al-Issa, Regenbrecht & Hale, 2012), and the other is focused on AR tracking techniques (Rabbi, Ullah & Khan, 2012). In addition to these, Lee (2012) published a literature review to describe AR applied in training and education, and discussed its potential impact on the future of education. Carmigniani & Furht (2011) developed an overview of AR technologies and their applications to different areas. Shuhaiber (2004) discussed augmented reality in the field of surgery, including its potential in education, surgeon training and patient treatment. Thomas, John & Delieu (2010), provided a brief overview of AR for use in e-health within medicine, and specifically highlighted issues of user-centered development. Ong et al. (2011) presented the use of AR in assistive technology and rehabilitation engineering, focusing on the methods and application aspects. Of the studies include in these

reviews, only two focused on medical or healthcare education. The first reviewed the current state of mixed reality manikins for medical education ([Sherstyuk et al., 2011](#)). The second analyzed applying AR in laparoscopic surgery with a focus on training ([Botden & Jakimowicz, 2009](#)). Both were helpful in understanding AR from different perspectives, but lacked a broader view of AR in healthcare education. Furthermore, few reviews focused on analyzing AR in relation to learning and teaching, which is important for ensuring that AR has an appropriate instructional design adapted to medical education.

The aim of this study was therefore to investigate of the current state of AR in healthcare education and its reported strengths and weaknesses of the reported AR applications for education in healthcare.

## Material and Methods

---

We conducted an integrative review, as described by [Whittemore \(2005\)](#). Integrative reviews are the broadest type of research review method and allow for the inclusion of various research designs to more fully understand a phenomenon of interest. In contrast, systematic reviews combine the evidence of primary studies, with similar research designs, to study related or identical hypotheses ([Whittemore, 2005](#)). They are more useful at providing insights about effectiveness, rather than seeking answers to more complex search questions ([Grant & Booth, 2009](#)). Scoping reviews identify the nature and extent of research evidence to provide a preliminary assessment of the potential size and scope of available research ([Grant & Booth, 2009](#)). However, due to lack of a process for quality assessment, the findings from scoping reviews are weak resources for recommending policy/practice. Performing an integrative review helped us to understand how AR has been applied in healthcare education, and our findings will be used to help guide better practice. Our review included multi-disciplinary research publications, reported until 2012, which were related to the construct of AR in healthcare education.

## Inclusion and exclusion criteria

In order to present a comprehensive overview of AR relative to healthcare education, we used broad inclusion criteria. An article was included in the review if it was a research paper (\*), on AR (\*\*), or on AR in healthcare education (\*\*\*), and was written in English. The criteria of inclusion and exclusion were further defined as follows in [Table 1](#):

**Table 1**
**The inclusion and exclusion criteria.**

Criterion	Inclusion criteria	Exclusion criteria
Research	<ul style="list-style-type: none"> <li>Clearly described the goal or research question</li> <li>A scientific study design</li> <li>The data collection and analysis methods were clearly described</li> <li>The results were clearly described</li> </ul>	<ul style="list-style-type: none"> <li>Neither goal nor research question described</li> <li>Review papers were put in introduction</li> </ul>
Focus of the technology	<ul style="list-style-type: none"> <li>Combination of real and virtual environments</li> <li>Interactive in real-time</li> <li>Real or perceived registration in 3D</li> </ul>	<ul style="list-style-type: none"> <li>Used mixed reality in name, but was only virtual reality.</li> </ul>
Content	<ul style="list-style-type: none"> <li>Healthcare education</li> <li>Health science education</li> <li>Medical education</li> </ul>	<ul style="list-style-type: none"> <li>Education without medicine</li> <li>Medicine without education</li> <li>Veterinary medicine education</li> </ul>

Clarification of criteria terms:

**Research paper.** There is no widespread accepted set of criteria with which to assess the quality of studies. Further, research paradigm is different across the various members of the academic community, such as developer, educator and doctor. We have not restricted the methodology and the writing style of the research papers but they should contain the following core information; clear description of the context, study aims, research question, study design, sampling, data collection and analysis, and findings. Papers were excluded if they did not describe the core information mentioned above.

**AR.** Augmented reality, which sometimes is referred to as ‘mixed reality’, or ‘blended reality,’ is a technology that allows a live real-time direct or indirect real-world environment to be augmented/enhanced by computer-generated virtual imagery information (Carmigniani & Furht, 2011; Lee, 2012). It is different from virtual reality that completely immerses the user in a computer-generated virtual environment. We did not make a clear distinction between augmented reality and augmented virtuality (AV) where AR is closer to the real world and AV is closer to a pure virtual environment (Milgram & Colquhoun, 1999). Studies focusing on enhancing the user’s perception of and interaction with the real world through virtual information were included. It would be excluded if it only discussed the virtual environment.

**Healthcare education.** According to the glossary of medical education terms from AMEE, medical education is “the process of teaching, learning and training of students with an ongoing integration of knowledge, experience, skills, qualities, responsibility and values which qualify an individual to practice medicine” (Wojtczak, 2002, p 36). “With the growing understanding of the conditions for learning within medical care and health care, and the increasing focus on the ‘lifelong’ nature of medical education, medical education now, more so than in the past, needs to span three sectors: undergraduate, postgraduate and the continuing professional development of established clinicians” (Swanwick & Buckley, 2010, p 123). The two definitions represents to current established perspectives on medical education, the first with a process and outcome focus, while the second is acknowledging education as a lifelong continuum.

### Search strategy and inclusion procedure


Agreement about the review protocol, and inclusion and exclusion criteria was reached through discussion between EZ, NZ and IM. Relevant computerized databases were searched for eligible studies, including: ERIC, CINAHL, Medline, Web of Science, PubMed and Springer-link. Separate searches were completed for each database with no date restrictions, no methodological filter, and the language limited to English. The searches were updated until November 2012. Word groups representing the key characteristics of our study were created and combined in several ways. The first group was ‘augmented reality’ and included terminology with similar meaning such as ‘mixed reality,’ or ‘blended reality.’ The second group was ‘medical education’ and included terms like ‘healthcare education,’ ‘health science education’ and so on. The two key groups of terms used the Boolean operator ‘(and)’ to combine with the terms one another when searching for papers to include. Also, we used symbols like ‘medic \* education’ to include more related articles with potentially different endings.

EZ independently searched for eligible studies in the six databases using the methods above and identified each article meeting the inclusion criteria. ‘Medical education’ and synonyms were searched in ‘all areas’ in the six databases throughout the search procedure. We began by searching for ‘augmented reality,’ or synonyms, plus ‘medical education’ in all areas to get the overall data. Next, ‘augmented reality,’ or its’ synonyms, were searched within the title or abstract field, but with ‘medical education’ in ‘all areas.’ One reason for this is that we felt the focus terms should be placed in the title or abstract. Another reason is that the papers in which augmented reality was neither in the title nor abstract, were not studying augmented reality when we reviewed them. When the abstract contained insufficient information we sometimes referred to the full text to assess eligibility. This was then discussed with NZ and IM. After confirming that the paper’s title and abstract discussed augmented reality on medical education, the full text was downloaded and printed to re-read and analyze, if it met the review criteria. EZ examined and marked the full texts to select the articles that met the inclusion criteria. AH checked the excluded papers by EZ to ensure we did not leave out any papers that should include. NZ checked the full text and discussed with EZ. IM was involved in the discussions and selection process when necessary. The quality of the studies was then reviewed by all the co-authors for final inclusion.

## Data extraction and analysis

We extracted information specifically on research, technology and learning from the included studies. The characteristics and the results of the included studies were recorded with a standardized data-extraction form. Data were extracted independently and in tripartite for all characteristics. Three main characteristics, including research, technology and learning, and eleven sub-characteristics were described through qualitative content analysis for each of the included studies ([Appendix SI](#)). Also, we used content analysis to describe the study design for each study ([Appendix SI](#)). Thematic analysis was used to identify the prominent themes that describe current use of AR in healthcare education. The themes are then presented in the result section in terms of strength and weakness of AR.

## Results



From the included 25 research papers focusing on AR in healthcare education, 20 were based on quantitative research methods, 3 on qualitative research methods and 2 on mixed research methods. In these studies, AR was applied on 15 healthcare related subjects. Most of studies used their own AR system and 5 groups used the same system.

### Methodological quality of the identified studies

We chose to apply a broad inclusion criteria and no restriction with regard to the papers' methodology since research on AR is still in an early innovative phase. Methodological quality was presented adapting the Medical Education Research Study Quality Instrument (MERSQI) (Reed et al., 2007). Quality (Table 2) was assessed purely for descriptive purposes, not as grounds to exclude.

**Table 2**

#### Characteristics of the included studies.

Characteristics	Types	No of studies	
Study design	Experiment	1 group post-test only	2
		1 group pre-test and post-test	1
		2 groups randomized	6
		2 groups non-random	5
		3 groups non-random	4
	Descriptive	Interviews	3
		Questionnaire	10
		Case	2
Type of data	Self-reported (participants)		10
	Measured		18
Data analysis	Descriptive analysis		19

Characteristics	Types	No of studies
Outcomes	Other types of analysis	3
	Satisfaction, attitudes, perceptions, opinions	10
	Knowledge, skills	16
	Experiences	2
	Healthcare outcome	0
	Not reported	3

### Use of augmented reality in healthcare education

The earliest study on AR in healthcare education was published in 2002 but publications in the field take off starting in 2008 (see [Appendix SI](#)). [Fig. 2](#) was developed to map our results on AR in healthcare education, and to give us a clearer understanding of learning paradigms and the capabilities of AR offered in

### Characteristics of AR in medical education.

\* This number is the total of unique participants for all the included papers. We used the largest number given for two groups ([Botden et al., 2007](#); [Botden et al., 2008](#); [Botden, Hingh & Jakimowicz, 2009a](#); [Botden, Hingh & Jakimowicz, 2009b](#); [Leblanc et al., 2010a](#); [Leblanc et al., 2010b](#); [Leblanc et al., 2010c](#); [Leblanc et al., 2010d](#)), who published 4 papers; \*\* This number shows the type of computer system that was used in the included papers. Three papers did not describe a computer system ([Karthikeyan et al., 2012](#); [Sakellariou et al., 2009](#); [Yudkowsky et al., 2012](#)).

Across the studies we saw high variability in the research aims and also the role of AR in healthcare education ([Fig. 2](#)). Twelve studies focused on evidence that AR can improve learning. Seven studies were aimed at developing AR systems for healthcare education. Two studies investigated the user's acceptance of AR as a learning technology. Six studies tested AR applications. The main use of AR for learning has been to provide



feedback, and eight studies used AR as a means to provide feedback to students. Two studies used AR as an innovative interface and two studies used it for simulator practice. The other studies tried AR as navigation, regenerative concept, remote assessment and training, and as a meaningful information tool. One used it to reduce resources, while another group used it to offer immersion in a scenario, and one tried to give participatory reality.

The research results showed that learners can accept AR as a learning technology, and that AR can improve the learning effect by acquisition of skills and knowledge, understanding of spatial relationships and medical concepts, enhancing learning retention and performance on cognitive-psychomotor tasks, providing material in a convenient and timely manner that shortens the learning curve, giving subjective attractiveness, and simulating authentic experiences (see [Appendix SI](#) and [Fig. 2](#)).

### Technical specifications

Most of the included papers (50%) employed mobile laptops. Four studies used smaller mobile devices such as smart phone, tablet, PDA and e-book readers. Seven papers used stationary desktop computers. Three papers did not mention which computing system they used in their studies.

Of the included papers, 68% used a camera and marker as a tracking device. Two papers used an electromagnetic tracker but different markers; one a radiographic marker and one used anatomical landmarks. Two papers used sensors. Other tracking systems, such as hybrid optical tracker and Wi-Fi signal, were found in at least one of the included papers. One paper described using a head-and-hand tracking system, but did not provide details on the technology ([Yudkowsky et al., 2012](#)). One did not use a tracking device because they projected the virtual picture on a manikin ([Pretto et al., 2009](#)).

### Strengths of AR in healthcare education

We identified three themes that related to the strengths of AR in healthcare education.

***AR implemented in several healthcare areas and aimed at all level of learners***

AR was applied in various subjects, such as: joint injection, thoracic pedicle screw placement, laparoscopic surgery, administering local anesthesia, endotracheal intubation, ventriculostomy, forensic medicine, inguinal canal anatomy, diathermy, tissue engineering, alimentary canal physiology and anatomy, disease outbreak, clinical breast examination, cardiologic data, and life support training, all of which are applicable to healthcare education (see [Fig. 2](#)). We found that 64% of the included papers were within surgery, primarily laparoscopic surgery, which represented 44% (11/25). Two groups provided the majority of publications of laparoscopic surgery ([Botden et al., 2007](#); [Botden et al., 2008](#); [Botden, Hingh & Jakimowicz, 2009a](#); [Botden, Hingh & Jakimowicz, 2009b](#); [Leblanc et al., 2010a](#); [Leblanc et al., 2010b](#); [Leblanc et al., 2010c](#); [Leblanc et al., 2010d](#)). Other healthcare subject areas had only one paper included in this research.

While two studies did not mention participants, the remaining 23 studies included 713 participants representing medical staff, medical students, high school students and children, (see [Table 2](#) and [Fig. 2](#)). Participants used AR to learn healthcare skills and acquire knowledge. Most of the participants were, or will be, healthcare staff, however the children and high school student participants may not pursue an education or career in healthcare in their future.

***AR seems useful for improving healthcare education***

Ninety-six percent of the papers claimed that AR is useful for improving healthcare education. Several aspects were elicited in the different studies such as decreased amount of practice needed, reduced failure rate, improved performance accuracy, accelerated learning, shortened learning curve, easier to capture learner's attention, better understanding of spatial relationships, provided experiences with new kinds of authentic science inquiry and improved assessment of trainees.

***Broad focus of research—from user acceptance, system development and testing, to the study of learning effects***

Even though every paper in this study had its own research aim and focus, together they gave us a more complete perspective of how AR is being used in healthcare education (Fig. 2). Two papers investigated user acceptance of AR and they claimed that participants would like to use AR instructions in their future professional life, primarily due to the perceived usefulness of AR. Six papers focused on developing AR systems and two of them tested the usefulness of the systems. One of the six studies, in addition to two other studies focused on evaluating the validity of AR systems. One paper described the usefulness, reliability and applicability of the AR system, and one tested the system value. Fourteen out of the twenty-five papers presented AR for various learning aims.

### **Weaknesses of AR in healthcare education**

We also identified three themes around the weaknesses of AR in healthcare education.

#### ***Lack of learning theories to guide the design of AR***

Of the included papers, 80% did not clearly describe which kind of learning theory was used to guide design or application of AR in healthcare education. One claimed that they used activity-based learning but did not tell us how they used it; moreover, the learning strategies are not clearly described in the paper (Sakellariou et al., 2009). Two groups used standard skills, such as the manual skills of fundamentals of laparoscopic surgery or expert illustration of what is done in practice, to guide design of AR systems. The participants in these groups used the standard skills identified to perform a task. One group, which used situated learning, allowed the participants to explore and navigate with AR environments, but did not show any learning effect (Rasimah, 2011). Only one group used on location learning theory and the learning strategy of collaborative inquiry and role play (Rosenbaum, Klopfer & Perry, 2007). The results indicated that incorporating the affordances of AR games and

the dynamic models of participatory simulations make possible new kinds of authentic science inquiry experiences.

### ***Traditional learning strategies applied***

In 64% of the included papers it was shown that they are still using traditional methods of teaching practical skills in medical education, whether or not AR was used as a guidance system or as feedback tool. Three included papers (12%) did not describe how the participants used AR to learn. One wrote that students can explore and navigate with AR environments, but that the time allotted was only half an hour and no learning effect was shown ([Rasimah, 2011](#)).

However, a few studies explored other methods. One study investigated AR in teaching using different forms such as; group setting, self-learning or revision of cases ([Jan, Noll & Albrecht, 2012](#)). One research group used interactive story and another group used game play to attract students ([Karthikeyan et al., 2012](#); [Nischelwitzer et al., 2007](#)). One group used collaborative inquiry and role-play strategies ([Rosenbaum, Klopfer & Perry, 2007](#)).

### ***Mostly AR applications prototypes reported***

Fifty-six percent of the papers presented an AR prototype without studying its impact. Five groups studied the ProMIS AR simulator, which was used by colorectal surgeons in their training to improve laparoscopic colorectal skills. The 5 groups contributed with 11 papers. The usefulness, reliability and applicability of the ProMIS AR simulator system were examined, and the systems' value and validity were also evaluated. ProMIS AR was additionally compared to other systems.

---

## Discussion

---

In this paper, we have shown an overview of the use of AR in healthcare education, additionally, we have identified the currently reported strength and weakness. The findings suggests a potential role in healthcare education even if most of the AR applications were still in a prototype stage.

Most studies said AR is useful for healthcare education, with one exception that did not mention the learning effect of AR. AR is useful because it helps the healthcare learner to understand spatial relationships and concepts, to acquire skills and knowledge, to strengthen cognitive-psychomotor abilities, and to shorten their learning curve and prolong learning retention. Further, it increases subjective attractiveness by providing students with authentic simulated experiences. Moreover, AR offers more conveniences, such as with time.

Most of the studies used AR for learning through feedback or as a navigation system. However, a few used AR to offer immersion into a scenario, a participatory reality or a regenerative concept. Some used AR as an innovative interface or meaningful information tool. The others tried AR for remote assessment and training, or simulator practice. One used it to reduce resources.

## Comparison with existing literature

Two pieces of literature relevant to healthcare education, focused on introducing several examples of using AR systems. Sherstyuk et al. (2011) introduced human manikins with augmented sensory input for medical education, while Botden & Jakimowicz (2009) compared three AR systems that allow the trainee to use the same instruments currently being used in the operating room for laparoscopic surgery. Al-Issa, Regenbrecht & Hale (2012) used systematic review to investigate the effectiveness of physical outcomes through use of AR in rehabilitation. AR is not currently included in rehabilitation training and the study also showed that research on AR in rehabilitation is still in its infancy. Rabbi, Ullah & Khan (2012) attempted a systematic review of AR tracking techniques but did not show a result. Carmigniani & Furht (2011) focused on analysis of the technical specifications of different types of AR and pointed out the advantages and disadvantages. They also discussed AR for use in medicine and education.

This review searched six different databases to determine the characteristics of AR in healthcare education, and to distinguish the strength and weakness found in current research. It particularly focused on including studies related to healthcare education. Most of the AR applications found in this review are based on mobile computing systems, especially on laptops. It is different with Carmigniani and Furht's study where the medical AR application systems are fixed in-doors. While light mobile AR has been predicted to be feasible to develop as real-time AR applications that are locally processed, our findings show that there are still very few examples of

light mobile AR (Carmigniani & Furht, 2011). In our review, we aimed to not only describe the research outcome and learning effect of included papers, but also to check which kind of learning theory was used and how they used it.

### **AR and educational theory**

Although each study presented a clear research aim, few suggestions were given for choosing an AR model that is better for healthcare education. Moreover, there is not enough evidence to inform the design of suitable learning activities with AR system, where knowledge and skill development could be integrated into the learner's world. Thus, further research in this area should be taken to clarify the appropriate AR model, instructional designs and how to effectively use AR for healthcare education.

### **Study strengths and limitations**

To our knowledge, this is the first integrative review that specifically addresses AR in healthcare relative to education. We explored how AR was applied in healthcare education encompassing a broad range of learners, learning strategy, outcomes and study designs. Content analysis and thematic analysis were useful to provide a comprehensive understanding on AR in healthcare education.

This review tries to provide a comprehensive description of AR in healthcare education with no research methodology filter. However, it is possible that some studies were missed if the key words did not appear on the title or abstract. The studies were also limited by excluding any non-English studies. This was not only because most of papers were published in English, but also because the authors come from different countries, and English allowed them to reach a consensus on the articles to include in the analysis. It is useful to minimize bias, but we possibly excluded some important papers. Further, an interesting AR application could have been missed because it was not published.

## Conclusions

---

AR is in the early stages of application within healthcare education but it has enormous potential for promoting learning in healthcare based on this review of preliminary AR studies. The infancy of AR in healthcare education requires more than the testing and improvement of prototype products, but also needs to identify appropriate learning theories to better guide application of AR in healthcare education.

## Acknowledgments

---

We would like to thanks Mr Puneet Shukla for reviewing this manuscript and guide our team to build this manuscript.

## Additional Information and Declarations

---

### Competing Interests

The authors declare there are no competing interests.

### Author Contributions

Rajiv Kumar Pandey conceived and designed the experiments, performed the experiments, analyzed the data, wrote the paper, prepared figures and/or tables, reviewed drafts of the paper.

Yash Singh and Anshika Singh analyzed the data, reviewed drafts of the paper.

Rahul Kumar and Shashank Singh conceived and designed the experiments, performed the experiments, analyzed the data, wrote the paper, reviewed drafts of the paper.

## References

---

Al-Issa, Regenbrecht & Hale (2012) Al-Issa H, Regenbrecht H, Hale L. Augmented reality applications in rehabilitation to improve physical outcomes. *Physical Therapy Reviews*. 2012;17:16–28. doi: 10.1179/1743288X11Y.0000000051. [[CrossRef](#)] [[Google Scholar](#)]

Bajura, Fuchs & Ohbuchi (1992) Bajura M, Fuchs H, Ohbuchi R. Merging virtual objects with the real world: seeing ultrasound imagery within the patient. *ACM*. 1992;26(2):203–210. doi: 10.1145/142920.134061. [[CrossRef](#)] [[Google Scholar](#)]

Botden et al. (2007) Botden S, Buzink S, Schijven M, Jakimowicz J. Augmented versus virtual reality laparoscopic simulation: what is the difference? A comparison of the ProMIS augmented reality laparoscopic

- simulator versus LapSim virtual reality laparoscopic simulator. *World Journal of Surgery*. 2007;31(4):764–772. doi: 10.1007/s00268-006-0724-y. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Botden et al. (2008) Botden S, Buzink S, Schijven M, Jakimowicz J. ProMIS augmented reality training of laparoscopic procedures face validity. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*. 2008;3(2):97–102. doi: 10.1097/SIH.0b013e3181659e91. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Botden, Hingh & Jakimowicz (2009a) Botden S, Hingh I, Jakimowicz J. Meaningful assessment method for laparoscopic suturing training in augmented reality. *Surgical Endoscopy*. 2009a;23(10):2221–2228. doi: 10.1007/s00464-008-0276-3. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Botden, Hingh & Jakimowicz (2009b) Botden S, Hingh I, Jakimowicz J. Suturing training in Augmented Reality: gaining proficiency in suturing skills faster. *Surgical Endoscopy*. 2009b;23(9):2131–2137. doi: 10.1007/s00464-008-0240-2. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Botden & Jakimowicz (2009) Botden S, Jakimowicz J. What is going on in augmented reality simulation in laparoscopic surgery? *Surgical Endoscopy*. 2009;23(8):1693–1700. doi: 10.1007/s00464-008-0144-1. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Bruellmann et al. (2012) Bruellmann DD, Tjaden H, Schwanecke U, Barth P. An optimized video system for augmented reality in endodontics: a feasibility study. *Clinical Oral Investigations*. 2013;17(2):441–448. doi: 10.1007/s00784-012-0718-0. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Carmigniani & Furht (2011) Carmigniani J, Furht B. Augmented reality: an overview. In: Furht B, editor. *Handbook of augmented reality*. New York: Springer; 2011. pp. 3–46. [[CrossRef](#)] [[Google Scholar](#)]
- Chris (2010) Chris C. 2010. How augmented reality helps doctors save lives – readwrite. Available at [http://readwrite.com/2010/06/02/how\\_augmented\\_reality\\_helps\\_doctors\\_save\\_lives](http://readwrite.com/2010/06/02/how_augmented_reality_helps_doctors_save_lives) (accessed 15 March 2013)
- De Paolis et al. (2008) De Paolis LT, Pulimeno M, Aloisio G. An augmented reality application for minimally invasive surgery. 14th Nordic-baltic conference on biomedical engineering and medical physics IFMBE proceedings; 2008. pp. 489–492. [[Google Scholar](#)]
- De Paolis et al. (2011) De Paolis LT, Ricciardi F, Dragoni AF, Aloisio G. An augmented reality application for the radio frequency ablation of the liver tumors. In: Murgante B, Gervasi O, Iglesias A, Taniar D, Apduhan B, editors. *Computational science and its applications ICCSA 2011*. Vol. 6785. Berlin/Heidelberg: Springer; 2011. pp. 572–581. [[CrossRef](#)] [[Google Scholar](#)]
- Di Loreto et al. (2011) Di Loreto I, Van Dokkum L, Gouaich A, Laffont I. Mixed reality as a means to strengthen post-stroke rehabilitation. In: Shumaker R, editor. *Virtual and mixed reality—systems and applications*. Berlin, Heidelberg: Springer-Verlag; 2011. pp. 11–19. [[CrossRef](#)] [[Google Scholar](#)]
- Frenk, Chen & Bhutta (2010) Frenk J, Chen L, Bhutta ZA, Cohen J, Crisp N, Evans T, Fineberg H, Garcia P, Ke Y, Kelley P, Kistnasamy B, Meleis A, Naylor D, Pablos-Mendez A, Reddy S, Scrimshaw S, Sepulveda J, Serwadda D, Zurayk H. Health professionals for a new: transforming education to strengthen health systems in an interdependent world. *Lancet*. 2010;376(9756):1923–1958. doi: 10.1016/S0140-6736(10)61854-5. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]



Garrison & Zehra (2009) Garrison DR, Zehra A. Role of instructional technology in the transformation of higher education. *Journal of Computing in Higher Education*. 2009;21:19–30. doi: 10.1007/s12528-009-9014-7. [[CrossRef](#)] [[Google Scholar](#)]

Grant & Booth (2009) Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Information and Libraries Journal*. 2009;26(2):91–108. doi: 10.1111/j.1471-1842.2009.00848.x. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Hsiao (2012) Hsiao K-F. Using augmented reality for students health - case of combining educational learning with standard fitness. *Multimedia Tools and Applications*. 2013;64(2):407–421. doi: 10.1007/s11042-011-0985-9. [[CrossRef](#)] [[Google Scholar](#)]

Jan, Noll & Albrecht (2012) Jan U, Noll C, Albrecht U. 2012. mARble – Augmented Reality in Medical Education.pdf.

Johnson et al. (2011) Johnson L, Smith R, Willis H, Levine A, Haywood K. *The 2011 horizon report (Vol. 2010, p. 36)* New Media Consortium Educause Association Media; 2011. Available at <http://wp.nmc.org/horizon2011/> [[Google Scholar](#)]

Karthikeyan et al. (2012) Karthikeyan A, Mani P, Balasubramaniyan S, Selvam P. Use of augmented reality in serious game for training medical personnel. In: Meghanathan N, Chaki N, Nagamalai D, editors. *Advances in computer science and information technology. computer science and engineering*. Vol. 85. Berlin, Heidelberg: Springer; 2012. pp. 222–230. [[CrossRef](#)] [[Google Scholar](#)]

Klopfer & Squire (2007) Klopfer E, Squire K. Environmental Detectives—the development of an augmented reality platform for environmental simulations. *Educational Technology Research and Development*. 2007;56(2):203–228. doi: 10.1007/s11423-007-9037-6. [[CrossRef](#)] [[Google Scholar](#)]

Leblanc et al. (2010a) Leblanc F, Champagne BJ, Augestad KM, Neary PC, Senagore AJ, Ellis CN, Delaney CP. A comparison of human cadaver and augmented reality simulator models for straight laparoscopic colorectal skills acquisition training. *Journal of the American College of Surgeons*. 2010a;211(2):250–255. doi: 10.1016/j.jamcollsurg.2010.04.002. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Leblanc et al. (2010b) Leblanc F, Delaney C, Ellis C, Neary P, Champagne B, Senagore A. Hand-assisted versus straight laparoscopic sigmoid colectomy on a training simulator: what is the difference? A stepwise comparison of hand-assisted versus straight laparoscopic sigmoid colectomy performance on an augmented reality simulator. *World Journal of Surgery*. 2010b;34(12):2909–2914. doi: 10.1007/s00268-010-0765-0. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Leblanc et al. (2010c) Leblanc F, Delaney C, Neary P, Rose J, Augestad K, Senagore A, Champagne B. Assessment of comparative skills between hand-assisted and straight laparoscopic colorectal training on an augmented reality simulator. *Diseases of the Colon and Rectum*. 2010c;53(9):1323–1327. doi: 10.1007/DCR.0b013e3181e263f1. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Leblanc et al. (2010d) Leblanc F, Senagore A, Ellis C, Champagne B, Augestad K, Neary P, Delaney C. Hand-assisted laparoscopic sigmoid colectomy skills acquisition: augmented reality simulator versus human cadaver training models. *Journal of Surgical Education*. 2010d;67(4):200–204. doi: 10.1016/j.jsurg.2010.06.004. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

Lee (2012) Lee BK. 2012. Augmented Reality in Education and Training, (April), 13–21.

- Merrill (2002) Merrill MD. Effective use of instructional technology requires educational reform. *Educational Technology*. 2002;42:13–16. [[Google Scholar](#)]
- Milgram & Colquhoun (1999) Milgram P, Colquhoun H. A taxonomy of real and virtual world display integration. In: Ohta Y, Tamura H, editors. *Mixed reality: merging real and virtual worlds*. Tokyo: Springer-Verlag; 1999. pp. 5–30. [[Google Scholar](#)]
- Nischelwitzer et al. (2007) Nischelwitzer A, Lenz F, Searle G, Holzinger A. Some aspects of the development of low-cost augmented reality learning environments as examples for future interfaces in technology enhanced learning. In: Stephanidis C, editor. *Universal access in HCI, Part III*. Berlin Heidelberg: Springer-Verlag; 2007. pp. 728–737. [[Google Scholar](#)]
- Ong et al. (2011) Ong SK, Shen Y, Zhang J, Nee AY. Augmented reality in assistive technology and rehabilitation engineering. In: Furht B, editor. *Handbook of augmented reality*. New York, NY: Springer; 2011. pp. 603–630. [[CrossRef](#)] [[Google Scholar](#)]
- Pagador et al. (2011) Pagador JB, Sánchez LF, Sánchez JA, Bustos P, Moreno J, Sánchez-Margallo FM. Augmented reality haptic (ARH): an approach of electromagnetic tracking in minimally invasive surgery. *International Journal of Computer Assisted Radiology and Surgery*. 2011;6(2):257–263. doi: 10.1007/s11548-010-0501-0. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Pandya, Siadat & Auner (2005) Pandya A, Siadat M-R, Auner G. Design, implementation and accuracy of a prototype for medical augmented reality. *Computer Aided Surgery*. 2005;10(1):23–35. doi: 10.3109/10929080500221626. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Pretto et al. (2009) Pretto F, Manssour IH, Lopes MHI, Silva ERda, Pinho MS. Augmented reality environment for life support training. SAC '09 Proceedings of the 2009 ACM symposium on applied computing; 2009. pp. 836–841. [[Google Scholar](#)]
- Rabbi, Ullah & Khan (2012) Rabbi I, Ullah S, Khan SU. Augmented Reality Tracking Techniques—a systematic literature. *IOSR Journal of Computer Engineering (IOSRJCE)* 2012;2(2):23–29. doi: 10.9790/0661-0222329. [[CrossRef](#)] [[Google Scholar](#)]
- Rasimah (2011) Rasimah CMY. Evaluation of user acceptance of mixed reality technology. *Australasian Journal of Educational Technology*. 2011;27(8):1369–1387. Available at <http://www.ascilite.org.au/ajet/ajet27/rasimah.html>. [[Google Scholar](#)]
- Reed et al. (2007) Reed DA, Cook DA, Beckman TJ, Levine RB, Kern DE, Wright SM. Association between funding and quality of published medical education research. *JAMA: The Journal of the American Medical Association*. 2007;298(9):1002–1009. doi: 10.1001/jama.298.9.1002. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Rolland et al. (2003) Rolland J, Davis L, Hamza-Lup F, Daly J, Ha Y, Martin G, Norfleet J, Thumann R, Imielinska C. Development of a training tool for endotracheal intubation. In: Westwood JD, editor. *Medicine meets virtual reality II*. IOS Press; 2003. pp. 288–294. [[PubMed](#)] [[Google Scholar](#)]
- Rosenbaum, Klopfer & Perry (2007) Rosenbaum E, Klopfer E, Perry J. On location learning: authentic applied science with networked augmented realities. *Journal of Science Education and Technology*. 2007;16(1):31–45. doi: 10.1007/s10956-006-9036-0. [[CrossRef](#)] [[Google Scholar](#)]

- Sakellariou et al. (2009) Sakellariou S, Ward BM, Charissis V, Chanock D, Anderson P. Design and implementation of augmented reality environment for complex anatomy training: inguinal canal case study. In: Shumaker R, editor. *Virtual and mixed reality—systems and applications*. Vol. 5622. 2009. pp. 605–614. [[CrossRef](#)] [[Google Scholar](#)]
- Salinas (2008) Salinas MF. From Dewey to Gates: a model to integrate psychoeducational principles in the selection and use of instructional technology. *Computers & Education*. 2008;50(3):652–660. doi: 10.1016/j.compedu.2006.08.002. [[CrossRef](#)] [[Google Scholar](#)]
- Salomon (2002) Salomon G. Technology and pedagogy: why don't we see the promised revolution? *Educational Technology*. 2002;42:71–75. [[Google Scholar](#)]
- Sherstyuk et al. (2011) Sherstyuk A, Vincent D, Berg B, Treskunov A. Mixed reality Manikins for Medical Education. In: Berg B, Treskunov A, editors. *Handbook of augmented reality*. New York: Springer; 2011. pp. 479–500. [[CrossRef](#)] [[Google Scholar](#)]
- Shuhaiber (2004) Shuhaiber JH. Augmented reality in surgery. *Archives of Surgery*. 2004;139:170–174. doi: 10.1001/archsurg.139.2.170. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Sielhorst et al. (2004) Sielhorst T, Obst T, Burgkart R, Riener R, Navab N. An augmented reality delivery simulator for medical training. *Nature Medicine*. 2004;7(6):11–20. [[Google Scholar](#)]
- Swanwick & Buckley (2010) Swanwick T, Buckley G. In: *Understanding medical education evidence, theory and practice*. Swanwick T, editor. London: Wiley-Blackwell; 2010. pp. xv–xvii. Available at <http://www.google.se/books?id=3QvtYis7nIMC&printsec=frontcover#v=onepage&q&f=false>. [[Google Scholar](#)]
- Thomas, John & Delieu (2010) Thomas RG, John NW, Delieu JM. Augmented reality for anatomical education. *Journal of Visual Communication in Medicine*. 2010;33(1):6–15. doi: 10.3109/17453050903557359. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Whittemore (2005) Whittemore R. Combining evidence in nursing research: methods and implications. *Nursing Research*. 2005;54(1):56–62. doi: 10.1097/00006199-200501000-00008. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Wojtczak (2002) Wojtczak A. Glossary of medical education terms: part 4. *Medical Teacher*. 2002;24(5):567–568. doi: 10.1080/0142159021000012667. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Yudkowsky et al. (2012) Yudkowsky R, Luciano C, Banerjee P, Schwartz A, Alaraj A, Lemole GM, Frim D. Practice on an augmented reality/haptic simulator and library of virtual brains improves residents' ability to perform a ventriculostomy. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*. 2012;8(1):25–31. doi: 10.1097/SIH.0b013e3182662c69. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
- Zhou, Duh & Billingham (2008) Zhou F, Duh HB, Billingham M. Trends in augmented reality tracking, interaction and display: A review of ten years of ISMAR. *2008 7th IEEEACM International Symposium on Mixed and Augmented Reality*. 2008;2(4):193–202. doi: 10.1109/ISMAR.2008.4637362. [[CrossRef](#)] [[Google Scholar](#)]