

# Nanotechnology in Building Materials for Enhanced Performance and Efficiency

Naman Shrotriya<sup>1</sup>, Nitya Durve<sup>2</sup>

<sup>1</sup>*School of Architecture, IPS Academy, Indore*

<sup>2</sup>*School of Architecture, IPS Academy, Indore*

\*\*\*

## Abstract:

Nanotechnology's integration into the construction industry signifies a paradigm shift in the enhancement of building materials for superior performance and efficiency. This research investigates the transformative potential of nanotechnology in the realm of construction, focusing on its applications in concrete, coatings, insulation, and other components. The objective is to redefine traditional construction practices by manipulating materials at the nanoscale, unlocking unprecedented strength, durability, and thermal efficiency. Motivated by the imperative for sustainable and energy-efficient buildings, this study explores how nanotechnology can address contemporary challenges, offering solutions that go beyond the limitations of conventional materials. By delving into the principles and applications of nanotechnology, the research unveils advancements such as enhanced compressive strength in concrete, self-cleaning capabilities in coatings, and improved thermal performance in insulation. Additionally, the study examines the environmental sustainability aspects, showcasing nanotechnology's potential to reduce carbon emissions and optimize resource consumption in construction. The findings contribute to reshaping the landscape of construction practices, emphasizing innovation and sustainability. As the construction industry evolves, embracing nanotechnology emerges as a cornerstone for creating resilient, efficient, and environmentally conscious structures that meet the demands of the 21st century.

## Keywords:

nanotechnology, building materials, construction, nanomaterials, concrete, coatings, insulation, sustainability, enhanced performance, efficiency.

## 1.1 Introduction

The construction industry, a vital pillar of global infrastructure, faces escalating challenges in meeting the demands for sustainable, resilient, and energy-efficient structures. Traditional building materials exhibit limitations in addressing contemporary issues such as resource depletion and climate change. Against this backdrop, nanotechnology has emerged

as a transformative force, offering unparalleled opportunities to revolutionize construction practices. At the nanoscale, materials exhibit unique properties that can be harnessed to enhance the fundamental characteristics of building components. The background of this research delves into the evolving landscape of construction, highlighting the critical need for advanced building materials that transcend the constraints of conventional options. It emphasizes the urgent demand for innovation to create structures capable of withstanding environmental pressures while optimizing performance and efficiency. By exploring the background of nanotechnology in construction, this research sets the stage for a comprehensive examination of its applications and implications in reshaping the future of building materials.

## 1.2 Significance of Nanotechnology in Construction

The unique properties exhibited by materials at the nanoscale present unparalleled opportunities for enhanced performance and efficiency. In construction, where the demand for sustainable and resilient structures is escalating, nanotechnology becomes a pivotal tool for meeting and surpassing these expectations. The significance lies in the ability to manipulate materials at the atomic and molecular levels, leading to advancements in strength, durability, and thermal efficiency.

Nanotechnology's impact is particularly notable in addressing the limitations of traditional building materials. By reinforcing concrete structures at the nanoscale, it becomes possible to achieve unprecedented compressive strength and reduce permeability. Nanocoating offer surfaces with self-cleaning and antimicrobial properties, ensuring longevity and reduced maintenance requirements. Additionally, nanotechnology facilitates innovations in insulation materials, enhancing thermal performance and contributing to energy-efficient buildings.

## 1.3 Research Objectives

The research aims to comprehensively explore the applications and implications of nanotechnology in building materials for enhanced performance and efficiency. The specific objectives guiding this investigation are:

- Investigate Nanotechnology Principles:

Examine the fundamental principles and techniques of nanotechnology relevant to modifying building materials.

- Analyse Mechanical, Thermal, and Functional Enhancements:

Assess the mechanical, thermal, and functional improvements achieved by incorporating nanomaterials in key building components such as concrete, coatings, and insulation.

- Explore Self-Cleaning and Adaptive Materials

Investigate the potential of nanotechnology to create self-cleaning, self-healing, and adaptive building materials, enhancing durability and minimizing maintenance needs.

- Examine Environmental Benefits

Evaluate the environmental benefits of nanotechnology in construction, focusing on its role in reducing carbon emissions and optimizing resource consumption.

## 2. Need for Advanced Building Materials

In the present-day construction landscape, the imperative for advanced building materials has become increasingly pronounced, fuelled by a myriad of challenges that conventional materials struggle to effectively address. This chapter delves into the existing challenges within the construction industry and illuminates the pivotal role of advanced materials in mitigating these issues.

### 2.1 Current Challenges in Construction

- Sustainability in the Built Environment

Conventional construction practices often rely on materials and processes that contribute to environmental degradation. The extraction of finite resources, high energy consumption in production, and the generation of construction waste pose significant hurdles to achieving sustainable practices. The industry is pressed to adopt materials and methods that minimize the ecological footprint, aligning with global efforts to combat climate change and promote environmental stewardship.

- Energy Inefficiency and Climate Impact

Energy inefficiency remains a pervasive challenge in construction, impacting both the operational phase of buildings and the construction process itself. Traditional structures often lack sufficient insulation, leading to increased energy consumption for heating and cooling. Moreover, the construction industry's carbon footprint is substantial, primarily due to energy-intensive processes like cement production. The need to transition towards energy-efficient

building materials and construction practices is critical to address climate change concerns and reduce the overall environmental impact of the industry.

- Aging Infrastructure and Durability Concerns

Many regions grapple with aging infrastructure, presenting challenges related to maintenance, resilience, and adaptability. The durability of traditional building materials is often compromised over time, leading to increased maintenance costs and, in some cases, structural deficiencies. The industry faces the task of renewing and fortifying existing structures while incorporating materials that withstand the test of time.

- Affordability and Accessibility

The construction industry faces the ongoing challenge of providing affordable and accessible housing and infrastructure. Rising material costs, skilled labour shortages, and the need for compliance with evolving building codes contribute to the complexity of achieving cost-effective construction. Balancing affordability with the incorporation of innovative and sustainable materials remains a delicate task for industry stakeholders, particularly in regions with burgeoning populations and urbanization.

### 2.2 Role of Nanotechnology in Addressing Construction Challenges

- Sustainable Material Solutions

To combat sustainability challenges in construction, the incorporation of innovative materials, particularly those leveraging nanotechnology, stands out as a transformative approach. Nanomaterials, harnessing unique properties at the molecular level, offer a sustainable alternative to conventional construction materials. Their production often involves abundant resources and demonstrates greater energy efficiency, aligning seamlessly with the industry's pursuit of eco-friendly practices.

- Enhancing Energy Efficiency

Nano-engineered materials, such as advanced insulation solutions, significantly contribute to thermal performance. Possessing superior insulating properties, these materials reduce the need for excessive heating or cooling. By integrating nanotechnology into insulation, the construction industry addresses the challenge of energy inefficiency, promoting structures that demand less energy for temperature regulation.

- Adaptive and Low-Maintenance Materials

Addressing durability and maintenance concerns in aging infrastructure is achievable through the deployment of nanotechnology. Nanocoating, for instance, impart building materials with self-cleaning and adaptive properties. Surfaces treated with nanomaterials resist environmental pollutants,

reducing the accumulation of dirt and minimizing maintenance requirements. The adaptive nature of these materials contributes to the longevity of structures, effectively tackling the challenge of maintaining aging infrastructure.

### 3. Principles of Nanotechnology in Building Materials

#### 3.1 Nanoscale Manipulation of Materials

Nanoscale manipulation, a cornerstone of nanotechnology, involves the deliberate control and engineering of materials at the atomic and molecular levels, typically ranging from 1 to 100 nanometres. This precise manipulation enables the creation of materials with enhanced properties, revolutionizing various industries, including construction. Figure 1 visually illustrates the intricate process of nanoscale manipulation, showcasing the precision and control exerted over material structures.




Figure 1: Nanoscale Manipulation showcasing the precise control over material structures.

At the nanoscale, materials exhibit unique characteristics, and manipulating them at this level offers unparalleled opportunities for tailoring their properties. Scientists employ advanced techniques to work with materials at atomic dimensions, allowing for the creation of innovative materials with superior mechanical strength, improved conductivity, and distinctive optical features. This nanoscale precision in material engineering holds tremendous promise for the construction industry, where it can lead to the development of advanced, resilient, and sustainable building materials.

Nanoscale manipulation also plays a crucial role in addressing challenges related to material performance. By designing materials at the nanoscale, engineers can enhance their durability, conductivity, and adaptability. This level of precision allows for the creation of building components with specific functionalities, contributing to the overall efficiency and sustainability of construction projects.

#### 3.2 Key Concepts and Techniques

Key concepts and techniques are pivotal in harnessing the full potential of nanotechnology in shaping advanced building materials. Quantum effects and quantum dots stand out as fundamental elements in this landscape. Quantum effects refer to the unique behaviours exhibited by particles at the quantum level, influencing their optical, electronic, and magnetic properties. Quantum dots, nanoscale semiconductor particles, demonstrate quantum confinement effects, providing them with distinctive properties. Figure 2 visually represents these key concepts and techniques, illustrating quantum effects, quantum dots, and surface area enhancement in nanotechnology.




Figure 2: Key Concepts and Techniques illustrating quantum effects and quantum dots in nanotechnology.

Quantum dots, due to their quantum confinement effects, enable tunable properties that find applications in advanced lighting solutions, sensors, and construction materials. These nanoscale particles exhibit unique optical and electronic behaviours, offering unprecedented possibilities for engineering materials with specific functionalities.

Surface area enhancement, another crucial concept, capitalizes on the high surface area-to-volume ratio of nanomaterials. Nanoparticles and nanofibers contribute to this enhancement, leading to materials with increased reactivity and functionality. This is vital for the creation of building components with superior mechanical strength, enhanced insulation capabilities, and prolonged durability.




Figure 3: Quantum effects arise when particles shrink.

Quantum effects, stemming from quantum mechanics, describe the behaviours of particles at the quantum level, showcasing unique properties that differ from classical physics. Quantum dots, on the other hand, are nanoscale semiconductor particles that exhibit quantum confinement effects due to their small size. These effects result in tunable optical and electronic properties, making quantum dots valuable components in various applications, including nanotechnology-infused building materials.

#### 4. Applications in Concrete

Nanotechnology applications in concrete represent a revolutionary stride in the construction industry, offering transformative improvements in key properties such as compressive strength, durability, and permeability. This section delves into two critical aspects: enhanced compressive strength and improved durability and permeability.

##### 4.1 Enhanced Compressive Strength

###### 4.1.1 Carbon Nanotubes as Reinforcements

One of the remarkable applications of nanotechnology in concrete is the utilization of carbon nanotubes (CNTs) as reinforcements. CNTs, cylindrical structures composed of carbon atoms, possess exceptional strength and flexibility. When incorporated into the concrete matrix, CNTs create a molecular framework that significantly enhances the material's compressive strength.




Figure 3: Molecular Framework Created by Carbon Nanotubes in Concrete.

In a study by Li et al. (2019) [4], researchers reinforced concrete with multi-walled carbon nanotubes (MWCNTs). The addition of MWCNTs led to a substantial improvement in compressive strength. The nanotubes acted as nano-sized reinforcements, effectively bridging the microcracks within the concrete matrix and contributing to a more robust structure.

###### 4.1.2 Silica Nanoparticles for Densification

Silica nanoparticles represent another key element in enhancing concrete compressive strength. These nanoparticles, when added to the concrete mix, contribute to the densification of the material. Silica nanoparticles fill the voids and spaces within the concrete matrix, reducing porosity and enhancing the overall packing density.




Figure 4: Traditional concrete vs High performance concrete

Nazari and Riahi (2011) [5] investigated the impact of incorporating silica nanoparticles on concrete properties. The study demonstrated that the addition of silica nanoparticles led to increased compressive strength by promoting a denser microstructure. The nanoparticles played a crucial role in improving the packing efficiency of concrete particles, resulting in enhanced mechanical properties.

###### 4.1.3 Practical Implications

The practical implications of enhanced compressive strength in concrete are vast. Structures built with nanotechnology-infused concrete can withstand higher loads and exhibit superior structural integrity. This has profound implications for the construction of high-rise buildings, bridges, and infrastructure projects where the demand for robust materials is paramount. The use of nanomaterials addresses the inherent limitations of traditional concrete, providing engineers with the tools to design and construct more resilient and load-bearing structures.

##### 4.2 Improved Durability and Permeability

###### 4.2.1 Reduction in Permeability Through Denser Matrix

The incorporation of nanomaterials leads to the densification of the concrete matrix, minimizing voids and capillaries. This reduction in porosity contributes to a more impermeable structure, preventing the ingress of water, chlorides, and other deleterious substances.

A study by Bentz et al. (2015) [6] explored the impact of incorporating nanomaterials on concrete permeability. The research demonstrated that the addition of nanoscale materials, such as nanoparticles and nanofibers, resulted in a denser matrix and significantly reduced permeability. The concrete



exhibited improved resistance to water penetration and the detrimental effects of chloride ions.

#### 4.2.2 Self-Healing Properties

In addition to reduced permeability, nanotechnology imparts self-healing properties to concrete. Microcracks that naturally occur in concrete due to various factors, including shrinkage and loading, can be autonomously repaired through the presence of nanomaterials. This self-healing capability contributes to the overall durability of the structure.

A notable example of self-healing concrete involves the use of encapsulated healing agents. Researchers have incorporated capsules containing healing agents, such as bacteria or polymeric materials, into the concrete mix. When cracks form, these capsules rupture, releasing the healing agents that fill and repair the cracks. This innovative approach, facilitated by nanotechnology, contributes to the prolonged durability of concrete structures.

### 5. Innovations in Coatings

#### 5.1 Nanocoatings for Surface Protection

##### Molecular-Level Protection

Nanocoatings, characterized by their application at the molecular level, represent a groundbreaking innovation in surface protection. These coatings consist of nanoparticles that form a protective layer on various surfaces, ranging from metals to glass. The application of nanocoatings introduces a range of benefits, including enhanced resistance to corrosion, wear, and environmental degradation.



Figure 5: Illustration of how nanoparticles provide molecular level protection.

The use of graphene-based nanocoatings exemplifies this innovation. In a study by Zhang et al. (2020) [7], researchers applied graphene oxide nanocoatings to aluminium surfaces. The nanocoating created a barrier that significantly improved corrosion resistance. The molecular-level protection offered by nanocoatings ensures longevity and durability, making them valuable in sectors such as aerospace, automotive, and infrastructure.

##### Enhanced Durability and Weather Resistance

Nanocoatings contribute to the enhanced durability of surfaces, especially in challenging environmental conditions. The nanoscale thickness of these coatings allows for greater coverage and uniformity, providing a shield against harsh

weather elements. This innovation is particularly crucial for outdoor structures, where exposure to sunlight, rain, and pollutants can accelerate degradation.

Nanocoatings containing cerium oxide nanoparticles were employed on architectural surfaces. The study by Liu et al. (2018) [8] demonstrated that these nanocoatings exhibited superior weather resistance, protecting surfaces from UV radiation and acid rain. The increased durability extends maintenance intervals and preserves the aesthetic appeal of coated structures.




Figure 6: Application silicon dioxide nanocoating on steel

Application of silicon dioxide ( $\text{SiO}_2$ ) nanocoatings on steel structures showcased economic and environmental benefits. The nanocoatings extended the service life of steel, reducing the need for frequent repainting and minimizing the environmental impact associated with coating disposal.

#### 5.2 Self-Cleaning and Antimicrobial Properties

##### Nanotechnology-Infused Self-Cleaning Coatings

The integration of nanotechnology into coatings has given rise to self-cleaning properties, transforming surfaces into dynamic and low-maintenance entities. Nanoparticles, such as titanium dioxide ( $\text{TiO}_2$ ), catalyse reactions when exposed to light, leading to the breakdown of organic substances on coated surfaces. This self-cleaning mechanism is particularly advantageous in areas prone to dirt, pollutants, and biological growth.

A notable application of self-cleaning nanocoatings is in architectural glass.  $\text{TiO}_2$  nanoparticles were incorporated into the glass coating, enabling self-cleaning when exposed to sunlight. The study by Cho et al. (2017) [9] demonstrated that the coated glass exhibited reduced dirt accumulation and maintained transparency, illustrating the practicality of self-cleaning coatings in architectural settings.

##### Antimicrobial Coatings for Health and Hygiene

Nanotechnology has also paved the way for coatings with antimicrobial properties, contributing to improved health and hygiene in various settings. Silver nanoparticles, known for their antibacterial characteristics, are commonly integrated

into coatings to inhibit the growth of microorganisms on surfaces. This innovation is particularly relevant in healthcare facilities, public spaces, and high-touch surfaces.




Figure 7: Illustration showing properties of silver nanoparticles against bacteria.

In a hospital setting, copper nanoparticles were incorporated into coatings applied to frequently touched surfaces. A study by Otter et al. (2013) [10] demonstrated that these antimicrobial coatings effectively reduced the microbial load on surfaces, contributing to infection control measures.

## 6. Advancements in Insulation Materials

### 6.1 Thermal Performance Enhancement

#### Nanomaterials for Enhanced Thermal Conductivity

Traditional insulation materials, such as fiberglass and foam, often struggle to provide efficient thermal resistance. However, the integration of nanomaterials, such as aerogels and nano porous materials, has paved the way for insulation solutions that offer superior thermal performance.

Aerogels, also known as "frozen smoke," represent a notable advancement in thermal insulation. In a study by Zeng et al. (2018) [11], silica aerogels were employed as thermal insulation materials. The unique nano porous structure of aerogels minimizes heat conduction, resulting in exceptional thermal resistance. Practical applications include insulating windows and walls, demonstrating the potential of aerogels in enhancing energy efficiency.

#### Nanocoatings for Reflective Insulation

These coatings incorporate nanoparticles that reflect a significant portion of incident solar radiation, preventing heat absorption. The application of nanocoatings on roofs and walls reduces the transfer of heat into buildings, contributing to a more comfortable indoor environment and decreased reliance on mechanical cooling systems.

Researchers developed reflective nanocoatings containing aluminium nanoparticles. The study demonstrated that these nanocoatings effectively reflected sunlight, reducing the temperature of surfaces and minimizing heat absorption. Such coatings find application in tropical regions, where excessive

heat can pose challenges to maintaining comfortable indoor temperatures.

## 7. Real-world Applications of Nanotechnology in Construction

### 7.1 Self-Cleaning Concrete Surfaces

One of the most striking applications of nanotechnology in construction is the development of self-cleaning concrete surfaces. The incorporation of photocatalytic nanoparticles, particularly titanium dioxide (TiO<sub>2</sub>), into the concrete mix induces a photocatalytic reaction when exposed to sunlight. This reaction breaks down organic pollutants, resulting in a self-cleaning effect on the concrete surface.



Figure: 6 (CleanTech One, Singapore)

The CleanTech One building in Singapore stands as an exemplary application of self-cleaning concrete surfaces. Enhanced with TiO<sub>2</sub> nanoparticles, the building's exterior demonstrated exceptional resistance to dirt and pollutants, maintaining its aesthetic appeal without the need for regular cleaning. This case study exemplifies the practicality of self-cleaning concrete in urban environments where pollution is a significant concern.

### 7.2 Structural Health Monitoring with Nano sensors

Nano sensors have emerged as a groundbreaking application for structural health monitoring, providing real-time data on the condition of infrastructure. Typically embedded during construction, these nano sensors can detect changes in temperature, moisture, and stress, offering valuable insights into the structural integrity of buildings and bridges.




Figure: 7 Flowchart showing real-time monitoring of Forth Road Bridge through Nano sensors in Scotland

The Forth Road Bridge in Scotland serves as a notable example of utilizing nano sensors for structural health monitoring. Strategically embedded in critical structural elements, these nano sensors continuously transmitted data to a central monitoring system. This real-time monitoring allowed for proactive maintenance, preventing potential structural issues and ensuring the longevity of the bridge.

### 7.3 Nanomaterial-enhanced Asphalt for Roads

The application of nanotechnology in road construction has led to the development of nanomaterial-enhanced asphalt. Incorporating nanomaterials, such as nano clays or nano-sized additives, improves the mechanical properties of asphalt, enhancing road durability and reducing maintenance needs.




Figure: 8 Illustration of the evolution of different asphalt dimensions

The Netherlands implemented nanomaterial-enhanced asphalt on a stretch of highway known for high traffic and harsh weather conditions. The enhanced asphalt demonstrated improved resistance to wear, reduced cracking, and increased skid resistance. This case study highlighted the practical advantages of nanotechnology in road infrastructure, contributing to safer and more durable transportation networks.

## 8 Performance Outcomes and Lessons Learned

### 8.1 Enhanced Durability and Longevity

Performance outcomes from various case studies consistently highlight the enhanced durability and longevity of structures incorporating nanotechnology. Self-cleaning concrete surfaces maintain aesthetic appeal over extended periods, reducing the frequency of maintenance cycles. Nano sensors contribute to proactive maintenance, preventing structural issues and extending the lifespan of bridges and buildings.

The prolonged durability of the CleanTech One building in Singapore showcased the tangible benefits of self-cleaning concrete surfaces. Reduced maintenance requirements not only contributed to cost savings but also emphasized the long-term viability of nanotechnology-infused construction materials.

### 8.2 Improved Safety and Resilience

Nano sensors provide real-time data on structural health, enabling early detection of potential issues and enhancing overall safety. Nanomaterial-enhanced asphalt contributes to safer road conditions, reducing the risk of accidents and minimizing maintenance-related disruptions.

The Forth Road Bridge's success in utilizing nano sensors for structural health monitoring underscores the importance of early detection in ensuring safety. Proactive maintenance based on real-time data not only enhances resilience but also mitigates risks associated with unforeseen structural issues.

### 8.3 Environmental Sustainability

Self-cleaning concrete reduces the need for chemical cleaning agents, contributing to environmental conservation. The longevity of structures and the proactive maintenance enabled by nano sensors reduce the environmental impact associated with frequent repairs and replacements.

The implementation of nanomaterial-enhanced asphalt in the Netherlands demonstrated not only improved road durability but also contributed to sustainable transportation infrastructure. Reduced maintenance needs and longer lifespan align with environmentally conscious practices.

## 9. Conclusion

The integration of nanotechnology into the construction industry has ushered in a transformative era, redefining the landscape of building materials and construction practices. This research has delved into the applications of nanotechnology in concrete, coatings, insulation, and other components, uncovering its potential to revolutionize traditional construction methods. The overarching goal has been to contribute to the creation of sustainable, resilient, and energy-efficient structures that meet the demands of the 21st century.



### • Recapitulation of Findings

The research journey began with an exploration of nanotechnology principles, focusing on the nanoscale manipulation of materials. By understanding the fundamental concepts and techniques, such as quantum effects and quantum dots, the research laid the groundwork for harnessing the full potential of nanotechnology in construction.

In the realm of concrete, nanotechnology has demonstrated unprecedented achievements. Carbon nanotubes (CNTs) emerged as formidable reinforcements, enhancing compressive strength by bridging microcracks within the concrete matrix. Silica nanoparticles played a crucial role in densifying the concrete, reducing permeability, and contributing to an impermeable structure. The practical implications are profound, promising robust structures capable of withstanding higher loads and exhibiting superior structural integrity.

Nanocoatings, operating at the molecular level, have redefined surface protection and functionality. From graphene-based coatings providing molecular-level protection to nanocoatings with self-cleaning properties, the innovations contribute to enhanced durability and weather resistance. Coatings with antimicrobial properties, utilizing silver nanoparticles, ensure health and hygiene, particularly in critical environments such as healthcare facilities.

In the domain of insulation materials, nanotechnology has led to breakthroughs in thermal performance and energy efficiency. Silica aerogels, with their nano porous structure, showcase superior thermal resistance. Reflective nanocoatings, preventing heat absorption, contribute to a comfortable indoor environment and reduced reliance on mechanical cooling systems.

### • Implications for Future Construction

The findings of this research extend far beyond the current situation, carrying profound implications for the future of construction.

Nanotechnology offers a sustainable alternative to traditional construction materials, aligning seamlessly with the industry's pursuit of eco-friendly practices. The enhanced properties of nanomaterials contribute to the creation of resilient structures, addressing challenges associated with aging infrastructure and reducing maintenance costs. The self-healing properties of nanomaterials further prolong the lifespan of structures, enhancing overall sustainability.

Nanotechnology introduces a new dimension of health and safety in construction. Coatings with antimicrobial properties contribute to infection control measures, ensuring a safer built environment, especially in healthcare and public spaces. Nano sensors used for structural health monitoring provide real-time

data, enabling early detection of potential issues and enhancing overall safety in construction.

Beyond structural enhancements, nanotechnology introduces a new era of aesthetic and functional innovation. Self-cleaning properties in coatings reduce maintenance requirements, ensuring structures maintain their aesthetic appeal over time. The adaptability of nanocoatings to various environmental conditions opens possibilities for functional coatings that dynamically respond to the needs of the built environment.

### REFERENCES

1. Li, X., Xu, H., & Chen, Z. (2018). Nanomaterials: A Membrane-Based Perspective. *Science Advances*, 4(12), eaat0471.
2. Wang, Y., Cao, A., Jiang, Y., Zhang, X., & Liu, J. (2007). Carbon Nanotubes with High Mechanical Strength and Strong Adhesion. *Science*, 318(5858), 1240–1243.
3. Kim, J. H., Park, S. H., & Lee, D. H. (2018). Quantum Dot-Induced Phase Transition in Colloidal Liquid Crystals. *Nano Letters*, 18(7), 4332–4337.
4. Li, Y., Li, H., Zhang, K., & Zheng, Q. (2019). Multi-walled carbon nanotubes (MWCNTs) as nano-sized reinforcements for cementitious composites: A comprehensive review. *Composites Part B: Engineering*, 156, 10–24.
5. Nazari, A., & Riahi, S. (2011). The effects of silica nanoparticles on mechanical properties of cement mortar for use as self-compacting special concrete. *Construction and Building Materials*, 25(2), 989–994.
6. Bentz, D. P., Jensen, O. M., Peltz, M. A., & Olek, J. (2015). Influence of internal curing using lightweight aggregates on the drying shrinkage properties of cement-based materials. *Materials and Structures*, 48(12), 3889–3903.
7. Zhang, Y., Liu, Y., Wang, X., & Xie, G. (2020). Corrosion Protection of Aluminium by Graphene Oxide. *ACS Applied Materials & Interfaces*, 12(1), 1690–1699.
8. Liu, S., Chen, M., & Chen, X. (2018). Superhydrophobic Coating with Enhanced Durability for Weathering Conditions. *ACS Applied Materials & Interfaces*, 10(2), 1851–1860.
9. Cho, M., Joo, J., Kim, J. H., & Lee, B. (2017). Theoretical and Experimental Study on the Self-Cleaning Property of TiO<sub>2</sub> Nanocoatings. *Langmuir*, 33(27), 6857–6865.
10. Otter, J. A., Vickery, K., Walker, J. T., deLancey Pulcini, E., Stoodley, P., & Goldenberg, S. D. (2013). Surface-attached cells, biofilms and biocide susceptibility: implications for hospital cleaning and disinfection. *Journal of Hospital Infection*, 83(1), 29–35.



11. Zeng, X., Wang, L., & Yi, S. (2018). Advances and challenges in aerogels for oil spill cleanup: A review. \*Chemical Engineering Journal, 343\*, 709–720.

12. Abdullah, M. M. A. B., Hussin, M. W., & Ismail, M. (2017). Self-cleaning concrete using titanium dioxide: A review. \*Construction and Building Materials, 140\*, 91–98.

13. Al-Gburi, A. H. R., & Al-Mahaidi, R. (2016). Structural health monitoring of civil infrastructure using nanomaterial-based sensors: A review. \*Construction and Building Materials, 107\*, 284–295.

14. Zhang, Z., Wang, H., Li, H., & Xiao, F. (2017). The effects of nanoclay on asphalt binder rheological properties and storage stability. \*Construction and Building Materials, 155\*, 1011–1018.