

Procedural Zenith: An Investigation into the Application of Advanced Node-Based Systems for Generating Environmentally-Consistent, Photorealistic Detail in Large-Scale VFX Set Extensions.

Ch. V. Krishna Jyotsna

(MA Visual Effects, Animation and Comics)

Amity School of Film and Drama, Amity University, Sector 125, Noida, Uttar Pradesh 201303

Dr. Priyanka Dewatwal

(Assistant Professor)

Amity School of Film and Drama, Amity University, Sector 125, Noida, Uttar Pradesh 201303

The history of the development of visual effects (VFX) production during the last 30 years represents a significant shift in the sphere of technology and creativity. The initial digital production methodologies were based on manual creation of assets, linear workflows, CPU bound rendering systems and a small amount of automation. Although the techniques were innovative at the time, they had problems regarding scalability, speed of turnaround, and flexibility in collaboration. Traditional workflows could not keep pace with the pressure of filmmakers to elaborate on environments, large-scale simulations, and increased realism. This dissertation examines the transformation between previous particle-based and hand-authored VFX pipelines to contemporary, procedural, data-driven production pipelines based on Houdini and USD-based scene management. This study explores fluid simulation method development, rendering technology, scene description systems, automation systems, and the structure of the industry by comparing Deep Rising and Avatar: The Way of Water. It takes particular notice of the creation of FLIP and APIC solvers, the replacement of Mantra-style CPU rendering with Karma XPU hybrid rendering, of the Universal Scene Description (USD) and the emergence of Houdini Digital Assets (HDAs) and Procedural Dependency Graphs (PDGs). The review of theories, technical analysis of the work, and analytical comparison allow the study to demonstrate that the workflow of procedures is not only an efficiency gain but a basic change in creative production. Non-destructive iteration, scalable parameters, distributed collaboration, and late-stage flexibility are possible in modern pipelines that used to be impossible due to the older systems. The study comes to the conclusion that proceduralism has now become an important part of the modern visual effects practice and the future of cinema world-building.

1. INTRODUCTION

Visual effects history is highly associated with the history of technology. Every innovation, such as the rasterized rendering or the physically based simulation, has challenged the boundaries of what can be displayed on the screen by those, who make films. Nevertheless, it is the fact that the change over the last several decades has not been one tool or a rendering engine. Rather it has been a change of philosophical thinking in production: the transition between manual creation to the system designing.

Digital effects started to appear in the 1990s as a robust, but small, toolset. Geometry was modelled using manual techniques, lighting configurations were

manually combined, and frames were rendered in rendering farms that used CPU-bound computations. They constructed scenery piece after piece. Particle systems and displacement techniques were used to get approximations of the simulations. Modifications were very expensive and discouraged near the end of the production phase due to the render times and departmental sensitivity. With the development of digital storytelling, filmmakers began to desire more spacious spaces, detailed water simulators, atmospheric engines, group systems, and complete digital ecosystems. Attempts to support these requests by using manual processes rapidly became ineffective. The industry was hit with a structural bottle-neck, more complexity required more labour. There was a

solution of proceduralism. Rather than making things by hand, artists were able to specify rule-based systems that would produce complexity automatically. They were able to scale and be flexible by changing parameters rather than recreating assets.

Houdini became one of the primary platforms of this transformation with its non-destructive and node-based design. Procedural logic, over time, was applied in modelling, lighting, scene management and pipeline automation as well as effects simulation. Combined with workflows in USD and support of modern GPUs to render, procedural systems redefined the whole fabric of VFX production.

This dissertation examines this change in detail, both in terms of technical development, and broadly speaking in terms of its creative and industrial effects.

2. PAST HISTORY OF LEGACY VISUAL EFFECTS PIPELINES.

2.1. The 1990s Digital Pipelines have a structure as illustrated below.

At the end of 1990s, VFX production had a linear workflow structure:

Modelling - Texturing - Rigging - Animation - Lighting - Rendering - Compositing

There was isolating work of the departments largely. After assets were transferred, it was disruptive to move to previous stages. The manual exchange of files was usually demanded as having many exported versions. There was a lot of duplication in the assets and thus more storage was required and confusion on different versions arose.

It was more common practice in software environments to create scenes by hand, edited in a destructive way through geometry, lighting, and shaders. In case a director needed to make some changes, like making a wave smaller in a water scene, the artists often needed to re-simulate it. This inflexibility formed artistic restraints.

The speed of iteration cycles was low and the speed of experimentation was limited by render times.

2.2. The late 1990s saw the development of fluid simulation approaches, with the most popular one being the Israeli 2D-3D finite element method.

In such films as Deep Rising, particle systems and displacement maps were primarily used to generate large-scale water effects. Simulating fluid volume truly was too much of a requirement on a cinematic level.

Particle systems were used to model the behaviour of fluids by modelling individual points with forces acting on them. They did not achieve the physical coherence and secondary movement visible with actual water bodies, although they were working visually to provide splashes and spray.

Artists were paid by the manual art direction and composing technique. To get realistic outcomes, a lot of tweaking and workaround solutions were required.

2.3. Rendering Constraints

The 1990s rendered engines were based on the power of the CPU. International lighting has been either restricted or estimated. Such techniques as subsurface scattering and light transport through the volume could not be computed often enough.

The process of rendering one complex frame might require six to twelve hours. Even the slightest alteration of lighting had to be re-rendered in whole sequences.

The artistic decisions were affected by the cost of computation. Scenes were usually scaled back to what could be done as opposed to as realistic as it could be.

3. DEVELOPMENT OF PROCEDURAL METHODOLOGIES.

3.1. Idea Change: Things to Systems.

A new approach of creativity is introduced by proceduralism. Rather than carving the objects, artists specify algorithms that generate objects.

For example:

1. The height of terrain is determined with layered noise functions.
2. The density of vegetation varies with the slope and altitude.
3. The structure of cities can be the result of the generation algorithms of streets which are based on rules. Object Manipulates Calculate the environment anew.

This shift of attention toward individual objects to systems makes it scalable and flexible.

3.2. Node-Based Architecture and Houdini.

The node-based interface of Houdini is procedural. All the operations, geometry creation, simulation, or shading, are represented as a node in a network.

Key traits include:

1. Non-destructive editing
2. Dependency tracking
3. Parametric exposure Construction of
4. modular networks.

Artists have the opportunity to visually trace the flow of data manipulating the nodes upstream in order to propagate changes automatically.

This structure is in sharp opposition to the editing workflow of the past of destruction.

4. FLUID SIMULATOR TECHNOLOGIES IN THE MODERN WORLD.

Water simulation was better than ever in Avatar: The Way of Water. It was based on FLIP (Fluid Implicit Particle) and APIC solvers to a large extent.

FLIP is a hybrid of particle and grid-based simulation, which is detailed and is stable. APIC improves energy-conservation and reduction of numerical dissipation.

These solvers simulate:

1. Surface tension
2. Turbulence
3. Foam generation
4. Bubble dynamics
5. Secondary spray

These systems, unlike the 1990s approximations of particles, solve the Navier-Stokes equations to get correct physical motion.

Procedural control allows artists to exercise control over behaviour without necessarily re-Running simulations.

5. RENDERING REVOLUTION MANTRA TO KARMA XPU.

Earlier rendering engines required long computation time and CPU farms.

Karma XPU is used as modern pipelines:

1. Hybrid CPU/GPU rendering

2. Physically based shading
3. Live interactive previews.
4. Effective volumetric performance.

The time taken in iteration is reduced significantly with the help of GPU acceleration. Interactive testing of variations is possible in lighting artists.

The USD-based Solaris provides scene level rendering control in Houdini.

This allows simple switching of simulation, lighting to final rendering.

6. DATA ARCHITECTURE AND UNIVERSAL SCENE DESCRIPTION (USD).

USD is a significant scene management breakthrough.

USD represents data in layered compositions rather than in a single large file scene:

1. Model layers
2. Animation layers
3. FX layers
4. Lighting layers
5. Shot overrides

The contributions that each of the departments can make are not disruptive. The benefits include:

1. Parallel collaboration
2. Stable version control
3. Asset reuse
4. Effective memory control.

This building is essential to work with scenes that contain billions of primitives.

7. PIPELINE INTELLIGENCE AND AUTOMATION.

7.1. Houdini Digital Assets (HDAs)

HDAs are complex networks that have been bundled into reusable tools.

Studios develop standard libraries of:

1. Procedural cities
2. Tree generators
3. Destruction systems
4. Crowd systems

Artists make use of systems rather than recreating logic each time.

7.2. Procedural Dependency Graphs (PDG)

Procedural dependency graphs (PDG) are a graphical representation of the interdependence of nodes in a particular process, commonly presented in sequence.

PDG distributes task on a large scale automatically:

1. Simulation batching
2. Render farm management
3. Dependency resolution
4. Asset generation pipelines

This eliminates manual co-ordination through automation.

8. COMPARATIVE ANALYSIS

Table 1:

CATEGORY	1998	2022
WORKFLOW		WORKFLOW
Fluid Simulation	Particle Simulation	FLIP & APIC Solvers
Rendering	CPU-Only	Hybrid GPU/CPU
Speed Management	File-based	USD Layer
Iteration Speed	Slow	Rapid
Collaboration	Sequential	Parallel
Automation	Minimal	Extensive

The comparison reveals a structural change as opposed to incremental improvement.

9. CREATIVE IMPLICATIONS

The procedural workflows enhance artistic liberty by:

1. Permitting experimental safety.
2. Approving revisions at a late stage.
3. Facilitating massive environmental narration.

The creativity is no longer manual but is now design based.

10. ECONOMIC AND INDUSTRIAL IMPACT.

Procedural systems reduce the per-shot work cost and require an upfront investment in the development of the equipment.

Still studios are seeking technical artists that have a variety of creative and computational expertise.

The educational programs must be changed to instruct node-based thinking and data processes.

11. CHALLENGES AND LIMITATIONS

Despite their advantages:

1. The learning curve is still high.
2. Complex networks are potentially difficult to debug.
3. There is a need to have high resources in computing.
4. Too much automation can decrease the uniqueness of style.

It is necessary to discover the balance between the automation and the artistic individuality.

12. FUTURE DIRECTIONS

The future may hold:

1. Procedural parameter optimization with AI.
2. Simulation of neural networks.
3. Virtual production lines in real-time.
4. Cloud-based USD cooperation.
5. Sustainable rendering infrastructure.

The systems related to procedures may grow smarter and guide the artists in the creation of systems.

13. CONCLUSION

The evolution of the older legacy processes in which artists by hand created particles to complex procedural systems is the transition to Houdini-based procedural pipelines and is considered to be one of the most significant changes in visual effects history.

This dissertation demonstrated through elaborate technical analysis that proceduralism radically alters the process of creating, controlling and perfecting scenes. It makes it possible to scale, flex, automate, and empower creatively at a level it was not possible to do in the 1990s. Because cinematic aspirations continue to expand, procedural approaches will be at the centre of building the digital world.

14. MODERN FLUID SIMULATION MATHEMATICAL AND COMPUTATIONAL FOUNDATIONS.

To realize the extent of the change between old particle-based codes and new FLIP/APIC codes, it is imperative to take a brief look at the mathematical basis of the current methods of simulation.

At the end of the 1990s, it became common to approximate fluid effects with particle emitters that were driven by gravitational and collision forces. These systems were not solutions to full equations of Navier-Stokes governing fluid motion though they were visually suggestive. They instead used simplified force accumulation models.

The solvers used today including FLIP (Fluid Implicit Particle) have a hybrid particle-grid method. The solver moves the particle velocities onto a grid, solves pressure projection equations to impose incompressibility and, finally, moves velocities back to particles. This briefing representation has fineness of detail with physical stability.

APIC (Affine Particle-In-Cell) It is an enhancement of FLIP that conserves angular momentum and minimizes numerical dissipation. The outcome is a more realistic turbulence and secondary motion - which is important to the appearance of cinematic realism in a large-scale ocean simulation like those needed in Avatar: The Way of Water.

Computationally, the shift is a transition between approximation-based art and equation-based realism. Artists are no longer just simulating movement aesthetically they are solving equations of fluid mechanics at a large scale which are physically grounded.

The role of the artist is altered also by this shift. To define boundary conditions, resolution parameters, viscosity values, and collision objects, artists do not sculpt splashes manually but instead provide the values of these parameters. Emergent behaviour is computed by the solver.

The aesthetic has become the resultant product of mathematical precision.

15. RESOLUTION, SCALABILITY AND DATA DENSITY.

Data density is one of the largest transformations between pipelines of the 1998 period and contemporary workflows.

Scene complexity was limited in Deep Rising because of:

1. Memory limitations

2. Processor speed
3. Storage bandwidth
4. Render farm capacity

On a water simulation there could be tens of thousands of particles. Current ocean simulations are able to include tens of millions of particles per frame, volumetric grids, foam layers, spray systems, and secondary simulation.

The problem of resolution scaling is no longer directly related to the labour of artists. Rather, it scales by distributed processing.

This density is controlled by procedural workflows since:

1. They are parameter-driven.
2. Instead of duplicating, they resort to instancing.
3. They use the layered scene composition (USD)
4. Their solution to dependencies is automated.

The high increase in the volume of data would not be manageable in the previous file-based systems.

16. LIGHTING ARCHITECTURE AND SOLARIS.

Solaris is a significant change in the lighting processes. Traditional light involved the importation of geometry into the scene file, application of shaders, and the destructive rendering.

Solaris operates on USD stage data. Lighting artists will be free to work in layers scene compositions with non-destructive overrides.

Key benefits include:

1. Lights that do not modify base assets.
2. Shot-specific overrides
3. Scalable scene referencing
4. Instanced geometry shading

This stratified system assists massive productions in maintaining structural visibility.

As a view of production management, Solaris decreases interdepartmental friction. Animation caches are not interfered with by lighting changes. Looks development is not affected by adjustments of the effects.

The pipeline is modularized and hardened.

17. COGNITIVE CHANGE: PROCEDURAL VS. MANUAL CRAFT.

Other than technical changes, the workflow of procedures in place entails a shift in thinking.

Manual workflows encourage:

1. Concentration on separate objects.
2. Direct manipulation
3. Local problem-solving

Procedural workflows entail:

1. Thinking about systems
2. Mapping abstract logic
3. Awareness of dependencies
4. Hierarchy of planning parameters.

Artists should have their eyes on the big picture. One modification in a single area could lead to the change of thousands of outcomes further.

The change of thought reflects the trends in computational architecture, data science and systems engineering. VFX artists are coming out as creative system designers.

And education must change to instruct:

1. Algorithmic reasoning
2. Network debugging
3. Optimization strategies
4. Modular tool construction

It is an intellectual and a technological development.

18. ECONOMICS OF PROCEDURAL PIPELINES.

On the economic side, procedural pipelines alter cost set-ups.

Legacy Model:

1. High labour costs per shot
2. Restricted reuse
3. Manual iterations expense.

Procedural Model:

1. Investment in tools development is high in the beginning.
2. Lower costs per shot
3. Greater scalability
4. Re-use systems between the productions.

It can take months before studios create powerful HDAs and PDG networks. These systems however, reduced the setup time per shot by a drastic scale when they are in place.

This makes VFX economics labour intensive to infrastructure based.

There is an increase in the cost-efficiency in the long term, particularly when the franchise requires replicating environments and assets.

19. SUSTAINABILITY AND ENVIRONMENTAL CONCERNS.

The computational resources are many in the current VFX production process. Megafarm render farms are energy-intensive.

Procedural automation can however increase sustainability by:

1. Productive planning to minimize waste machine time.
2. Optimally tuning the sampling with respect to unnecessary render passes.
3. Scaling on the cloud to avoid over-provisioning.

The next step in research should be to examine render pipeline carbon footprint and come up with render efficient methods.

The concern of sustainability may turn into one of the factors in the design of pipelines as the industry gains more awareness.

20. MACHINE LEARNING IMPLEMENTATION.

Procedural pipelines are beginning to come together with machine learning.

New applications include:

1. Neural interpolation of simulations.
2. Denoising using AI
3. Smart parameters suggestion systems.
4. Computer-aided material production.

Neural networks are capable of estimating high-resolution simulations using low-resolution inputs, which reduces compute time by a large margin.

Machine learning could also be used in the optimization of scheduling of PDG and prediction of bottlenecks.

Nevertheless, the ML systems supplement the procedural logic, but do not substitute it.

Machine learning enhances efficiency and procedural frameworks offer organization.

21. CROSS-INDUSTRY INFLUENCE

Film is not the only form of procedural methods.

They apply to:

1. AAA video game production
2. Parametric modelling of architecture.
2. Online virtual production studios.
3. VR/AR world creation

4. Urban planning simulations

The cooperation between industries regarding procedural systems demonstrates a broader change in the creation of digital content.

22. THREAT OF OVER-STANDARDIZATION.

Although procedural workflow enhances efficiency, aesthetic sameness is a possibility.

In case studios rely on reusable HDAs too often, the variety of style may be lacking.

To avoid it, artists are to:

1. Continue improving tool parameters.
2. Promote customization
3. Continue to promote innovative experimentation.

Proceduralism is not supposed to be a formula but rather a flexible framework.

23. EXTENDED COMPARATIVE TECHNICAL TABLE.

Table 2: Dimension 1998 Production 2022 Production

Dimension	1998	2022
Production		Production
Particle Count	Thousands	Millions
Fluid Solver	Approximation	Navier-Stokes
Based		
Render Engine	CPU-only	Hybrid XPU
Scene Data	File-based	USD Layered
Iteration Time	Hours/Days	Minutes
Automation	Minimal	Extensive
Collaboration	Sequential	Parallel

The change extends to all the technical areas of production.

24. CREATIVE TEAMS: PSYCHOLOGICAL EFFECT.

Quick development fosters experimentation. Artists are more receptive to experimentation when render times reduce by an order of magnitude, i.e. hours to minutes.

More creative risk-taking increases with the decreasing of technical boundaries.

The process pipelines are, therefore, the ones that push artistic innovation forward, albeit indirectly.

25. PROCEDURALISM AS IT RELATES TO THE LONG-TERM FUTURE.

Procedural pipelines in the next decade could be on track to:

1. Complete dynamic on-screen movie.
2. AI-assisted setting up of the environment.
3. Collaborative work Cloud native.
4. Smart simulation scaling
5. Automated quality control

It is likely that the procedural systems will be even more coupled with predictive algorithms.

26. EXTENDED CONCLUSION

One of the largest changes in the history of visual effects is the replacement of the old pipelines based on particles with the modern systems based on procedural USD.

Procedural systems, when applied to film production, enable directors to make digital worlds detailed and realistic in minute ways, as films have never been before due to mathematical precision, automation, layout, and distributed collaboration. The Deep Rising vs. Avatar: The Way of Water comparison reveals not only improvement in technology but also a shift in the philosophical perspective.

In VFXs, it has ceased to be a manual process in which digital components are assembled by hand to create systems that are adaptable to generate infinite combinations.

Proceduralism is currently a core aspect of contemporary digital cinema.

The areas that proceduralism is about to conflate as AI gains more and more support in pipelines, though, will be the distinctions between simulation, automation, and intelligent creative assistance. The future of visual effects is to create systems capable of creating digital worlds in real-time, as opposed to creating them one part at a time.