

RC Plane with Seeding System

Sudhanshu S. Kaneri, Ankit R. Dubey, Kaustubh R. Vanmali, Mrs. Shilpa Katre

*Students, Department of Electronics and Telecommunication Engineering St. John College of Engineering and Management, Palghar, Maharashtra, India
Affiliated to University of Mumbai*

Abstract - The increasing need for large-scale plantation and efficient agricultural practices has encouraged the development of automated seeding technologies. Traditional seed sowing methods require significant manual labor and time, particularly in large or difficult terrains such as hills, forests, and disaster-affected areas. This research presents the design and development of a remote-controlled (RC) aircraft integrated with a seed dispensing mechanism for aerial seeding. The system consists of a lightweight RC plane equipped with a seed storage container and a servo-based release mechanism that allows controlled seed distribution during flight. The aircraft is operated using a radio transmitter and receiver system, enabling the user to control both the flight and the seed release process remotely. The proposed system aims to provide a cost-effective and efficient solution for spreading seeds over wide areas in a shorter time compared to traditional methods. The use of aerial seeding technology can significantly improve plantation efforts, reduce human labor, and enhance accessibility to regions where manual sowing is difficult. The experimental concept demonstrates the feasibility of using RC aircraft as a practical tool for agricultural and environmental applications, particularly in reforestation and land restoration programs.

Key Words: *RC Aircraft, Aerial Seeding, Seed Dispersion System, Agriculture Technology, Remote Control System.*

I. INTRODUCTION

Agriculture and environmental conservation require efficient methods for planting seeds over large areas of land. Traditional seed sowing techniques mainly depend on manual labour or ground-based machinery, which can be time-consuming and

difficult to implement in areas such as forests, hills, or regions affected by natural disasters. In such situations, reaching every part of the land for plantation becomes challenging, which reduces the overall effectiveness of reforestation and agricultural activities.

With the advancement of technology, aerial systems have started playing an important role in modern agriculture. Unmanned aerial vehicles and remote-controlled aircraft provide a new approach for performing tasks such as monitoring crops, spraying fertilizers, and distributing seeds. Aerial seeding allows seeds to be spread across a wide region within a short period of time, making it a practical solution for large-scale plantation and land restoration projects.

This research focuses on the design and development of a remote-controlled aircraft integrated with a seed dispensing mechanism. The system uses a lightweight RC plane equipped with a seed container and a controlled release mechanism operated by a servo motor. The aircraft can be controlled using a radio transmitter and receiver, allowing the operator to manage both the flight movement and the seed release process. By flying over the target area and releasing seeds gradually, the system enables effective seed distribution without requiring extensive human effort on the ground.

The objective of this project is to develop a cost-effective and simple aerial seeding system that can assist in plantation activities and improve efficiency compared to traditional methods. The proposed system demonstrates how RC aircraft technology can be applied in agriculture and environmental management, particularly for applications such as reforestation, large-scale

plantation, and restoration of degraded land.

II. BACKGROUND AND MOTIVATION

Rapid population growth and environmental degradation have increased the demand for efficient methods of large-scale plantation and land restoration. Traditional seed sowing methods rely heavily on manual labour or ground-based machinery. While these methods are effective for small areas, they become inefficient and time-consuming when applied to large agricultural fields, forest regions, or geographically difficult terrains such as hills and remote land areas. In many cases, physical access to such areas is limited, making conventional planting methods challenging and costly.

In recent years, aerial technologies have emerged as a promising solution for improving agricultural efficiency. Remote-controlled aircraft and unmanned aerial systems can cover large areas quickly and reach locations that are difficult for humans or machines to access. These systems are already being used for applications such as crop monitoring, pesticide spraying, and environmental observation. Extending this concept to aerial seeding provides an opportunity to improve plantation efficiency while reducing the time and manpower required for the task.

The motivation behind this project is to develop a simple and cost-effective aerial seeding system using a remote-controlled aircraft. By integrating a seed storage unit and a controlled dispensing mechanism into an RC plane, seeds can be distributed across a target area during flight. This approach can help accelerate plantation activities, support reforestation programs, and assist agricultural practices in areas where traditional methods are difficult to implement.

Furthermore, developing such a system as an engineering project demonstrates the practical application of aeronautics, electronics, and control systems in solving real-world agricultural and environmental challenges. The project aims to explore how RC aircraft technology can be adapted for seed distribution and how it can contribute to more efficient and sustainable plantation practices.

III. OBJECTIVES AND CONTRIBUTIONS

The primary objective of this research is to design and develop a remote-controlled aircraft capable

of performing aerial seed distribution for agricultural and environmental applications. The proposed system focuses on creating a lightweight RC aircraft platform that can carry a small quantity of seeds and release them effectively over a selected area during flight. The project aims to integrate a seed storage container with a controlled dispensing mechanism that can be operated using a servo motor. This mechanism allows the operator to release seeds at specific locations while controlling the aircraft remotely through a radio transmitter and receiver system. The objective is to demonstrate how aerial platforms can be used to improve the efficiency of plantation processes by covering large areas within a shorter period of time.

Another important objective of this work is to develop a cost-effective and practical alternative to traditional seed sowing methods. Conventional plantation techniques often require significant manual effort and are difficult to implement in locations such as forests, hilly terrain, and remote land areas.

The contribution of this research lies in the development of a prototype aerial seeding system that combines aeronautical design, electronic control systems, and mechanical seed dispensing technology. The study demonstrates how a remote-controlled aircraft can be modified to carry and release seeds in a controlled manner during flight.

Furthermore, this research provides insight into how low-cost RC aircraft technology can be utilized for practical applications beyond recreational flying. The proposed system presents a simple and efficient approach that can assist in large-scale plantation efforts, particularly in areas where manual sowing is time-consuming or difficult to perform. The work also establishes a foundation for future improvements, such as increasing payload capacity, enhancing seed distribution accuracy, and incorporating advanced automation technologies. Overall, the project contributes to the exploration of aerial solutions for agriculture and environmental management while demonstrating the feasibility of using RC aircraft for seed dispersion applications.

Key contributions of this work may be summed up as follows:

- Design and development of a lightweight RC aircraft platform capable of carrying a small seed payload for aerial distribution.
- Implementation of a servo-based seed dispensing mechanism that enables controlled release of seeds during flight.
- Integration of essential electronic components including a radio transmitter, receiver, battery, and control system for reliable remote operation.
- Demonstration of a cost-effective aerial seeding approach that can cover larger areas in less time compared to traditional manual sowing methods.
- Presentation of a prototype system for agricultural and reforestation applications, highlighting the potential of small aerial platforms for environmental and plantation activities.

IV. LITERATURE SURVEY

The latest developments in the technology of Unmanned Aerial Vehicles (UAVs) have created a considerable amount of enthusiasm in the drone-based logistics, especially regarding the final-mile delivery and health services. Data on artificial intelligence (AI) integration, autonomous navigation, swarm coordination, payload optimization, and service-based architectures have been investigated by researchers to enhance efficiency and scalability. Although this has made great strides, real life application issues of affordability, simplicity of the system, real-life validation, and localized healthcare implementation are still areas of research.

A final variant of autonomous mobility-based drone delivery model proposed by:

Sharma et al. [1] investigated the use of unmanned aerial vehicles for agricultural seed distribution by developing a drone-based seeding system equipped with a gravity-fed release mechanism. Their study demonstrated improved coverage efficiency and reduced manual labour through experimental field testing. However, the system required advanced stabilization and higher power consumption, making it less suitable for low-cost implementations.

Reddy et al. [2] proposed a lightweight aerial platform integrated with a servo-controlled seed dispensing unit for plantation purposes. The design focused on achieving controlled seed release and maintaining flight stability with varying payloads. Although the results showed effective seed distribution, the study was limited

by low payload capacity and lack of adaptability for different seed types.

Kumar et al. [3] explored the development of a remote-controlled aircraft for multi-purpose agricultural applications, including seed spreading and spraying. Their system emphasized simplicity in design and low-cost components, making it accessible for small-scale farmers. Despite its affordability, the system lacked automation features and precision in seed placement.

Singh et al. [4] designed an automated aerial seeding mechanism using a motor-driven rotating dispenser to ensure uniform seed scattering. The research highlighted improved distribution patterns and better utilization of seeds. However, the complexity of the mechanical design increased maintenance requirements and overall system weight.

Patel et al. [5] implemented a GPS-assisted drone system for precision agriculture, enabling targeted seed placement and monitoring through real-time data transmission. The study demonstrated high accuracy and efficiency in plantation activities. Nevertheless, the integration of GPS and IoT technologies increased system cost and complexity, limiting its use in low-budget applications.

Verma et al. [6] analysed the performance of different seed release mechanisms in aerial platforms, comparing gravity-based and controlled dispensing systems. Their findings showed that servo-based mechanisms provide better control over seed flow and distribution. However, the study mainly focused on mechanism performance and did not address the integration with complete aerial systems.

Research Gap - Although significant research has been carried out in the field of aerial seeding using drones and unmanned aerial vehicles, several limitations still exist in terms of cost, complexity, and practical implementation. Most existing systems are based on advanced drone technology integrated with GPS, IoT, and automated navigation systems, which increases the overall cost and makes them less accessible for small-scale or low-budget applications. Additionally, many studies focus on high-precision seed placement and automation, but they often overlook the need for simple and affordable solutions that can be easily implemented and maintained.

Furthermore, some research has concentrated primarily on the seed dispensing mechanism without considering the complete integration of the system with a stable and efficient aerial platform. In other cases, systems are designed with complex mechanical structures that increase weight and reduce flight efficiency. There is also limited work on utilizing remote-controlled aircraft as an alternative to drones for aerial seeding, especially in terms of achieving a balance between cost, performance, and ease of operation.

Therefore, there exists a research gap in developing a low-cost, simple, and efficient RC aircraft-based aerial seeding system that integrates a reliable seed dispensing mechanism with stable flight control. The proposed work aims to address this gap by designing a practical prototype that reduces system complexity while maintaining effective seed distribution capabilities, making it more suitable for real-world agricultural and environmental applications.

V. PROBLEM DEFINITION

Large-scale plantation and reforestation activities require efficient methods for distributing seeds over wide and often inaccessible areas. Traditional seed sowing techniques, which rely on manual labour or ground-based machinery, are time-consuming, labour-intensive, and difficult to implement in terrains such as forests, hilly regions, and disaster-affected land. These limitations reduce the speed and effectiveness of plantation efforts and increase overall operational costs.

Although modern aerial solutions using drones have been introduced to address these challenges, they are often expensive and involve complex technologies such as GPS navigation, sensors, and automated control systems. This makes them less suitable for low-cost applications and limits their accessibility for small-scale use. Additionally, many existing systems either focus on advanced automation or on individual components like seed dispensing mechanisms, without providing a simple and integrated solution.

Therefore, the problem addressed in this research is the need to develop a cost-effective, simple, and efficient aerial seeding system that can distribute seeds over a large area with minimal human effort. The system should be easy to operate, require fewer resources, and be capable of functioning effectively in different environmental conditions while

maintaining reliable seed dispersion during flight.

VI. SYSTEM ARCHITECTURE

The proposed system consists of a lightweight remote-controlled aircraft integrated with a seed dispensing unit for aerial seeding applications. The architecture includes an RC plane as the main platform, powered by a battery and controlled using a transmitter-receiver system. A seed container is mounted on the aircraft, connected to a servo motor that controls the release mechanism. The receiver processes input signals from the transmitter and actuates the servo to dispense seeds during flight.




Figure .1. Block Diagram of Proposed RC Aircraft Seeding System

The proposed system consists of an RC transmitter, receiver, power supply, propulsion system, and seed dispensing mechanism integrated into the aircraft. The transmitter is used by the operator to control the movement of the RC plane and activate the seed release mechanism. The receiver receives these signals and distributes them to the required components. The receiver sends commands to the ESC, which controls the speed of the brushless motor responsible for the propulsion of the aircraft. It also controls the servo motor connected to the seed container.

The entire system is powered by a Li-Po battery, which supplies electrical energy to the motor, receiver, ESC, and servo motor. All these components work together to provide stable flight and controlled seed distribution.

VI. WORKING

The working of the proposed RC aircraft with a seeding system begins with powering the entire setup using a Li-Po battery, which supplies electrical energy to all onboard components including the receiver, electronic speed controller (ESC), brushless motor, and servo motor. The operator uses a remote transmitter to control the aircraft. The signals sent from the transmitter are received by the receiver mounted on the aircraft, which acts as the central control unit for processing all commands.

Based on the received signals, the receiver controls the speed of the brushless motor through the ESC, allowing the aircraft to take off, gain altitude, and maintain stable flight. The control surfaces of the aircraft, such as the rudder and elevator, are also operated through the receiver to ensure proper दिशा (direction) and balance during flight. The seed dispensing mechanism remains closed during normal flight to prevent unintended seed loss.

When the aircraft reaches the desired area for seed distribution, the operator sends a command through the transmitter to activate the servo motor. The receiver processes this signal and actuates the servo, which is mechanically connected to the seed container. The movement of the servo opens the release mechanism, allowing seeds to fall from the container and spread over the target area due to gravity and airflow.

The operator can control the duration and frequency of seed release by managing the input from the transmitter, enabling either continuous or interval-based seed dispersion. After the required number of seeds has been distributed, the servo motor returns to its original position, closing the container and stopping further seed flow. The aircraft can then continue flying to cover additional areas or return to the starting point.

This working mechanism ensures efficient and controlled seed distribution over large areas in a shorter time. By combining remote-controlled flight with a simple dispensing system, the proposed model provides an effective solution for aerial seeding, especially in regions where traditional planting methods are difficult to implement.

1. METHODOLOGY

The methodology of the proposed system involves the systematic design, development, and testing of a remote-controlled aircraft integrated with a seed dispensing mechanism. The process begins with the selection and design of a suitable RC aircraft platform capable of carrying the required payload, including the seed container and electronic components. A lightweight structure is preferred to ensure stable flight and efficient power utilization.

In the next stage, the seed storage and dispensing mechanism is designed. A container is mounted on the aircraft to hold the seeds, and a servo motor is used to control the opening and closing of the release mechanism. The design focuses on achieving smooth and controlled seed flow during flight while maintaining the balance of the aircraft.

Following this, the electronic system integration is carried out. Components such as the receiver, electronic speed controller (ESC), brushless motor, servo motor, and Li-Po battery are connected and configured. The transmitter is used to send control signals, which are received and processed by the receiver to manage both flight control and seed release operations.

After integration, the system undergoes testing and calibration. Initial ground tests are performed to verify the functioning of individual components, especially the seed dispensing mechanism. This is followed by flight testing to evaluate stability, control response, and effectiveness of seed distribution. Adjustments are made to improve performance, such as optimizing the release rate and ensuring proper weight distribution.

Finally, the performance of the system is analysed based on factors such as coverage area, seed distribution efficiency, flight stability, and operational cost. The methodology ensures that the developed system is practical, efficient, and suitable for aerial seeding applications in agricultural and environmental fields.




Figure .2. Ai generated image showing the dropping mechanism

The figure illustrates the block-level design of the RC aircraft integrated with a seed dropping mechanism. It shows the main components of the system, including the remote transmitter, Li-Po battery, servo motor, and seed container. The transmitter sends control signals to the aircraft, which are received and processed to control both flight and seed release operations.

The seed container is mounted beneath the aircraft and is connected to a trapdoor mechanism controlled by a servo motor. When activated, the servo opens the trapdoor, allowing seeds to fall and disperse over the target area. The diagram clearly represents how electrical and mechanical components work together to achieve controlled aerial seed distribution.

2. FEASIBILITY ANALYSIS

The proposed RC aircraft with a seeding system is analysed in terms of technical, economic, and operational feasibility to determine its practicality for real-world applications. From a technical perspective, the system is feasible as it utilizes readily available components such as a brushless motor, electronic speed controller (ESC), Li-Po battery, servo motor, and radio control system. These components are easy to integrate and widely used in RC aircraft, ensuring reliable performance and ease of implementation. The seed dispensing mechanism is simple in design and can be effectively operated using a servo motor, making the overall system technically achievable. From an economic point of view, the system is cost-effective compared to advanced drone-based solutions. The use of standard RC components reduces the overall cost of development and maintenance. This makes the system more accessible for small-scale

applications, educational purposes, and low- budget agricultural use. Additionally, the simplicity of the design minimizes repair and replacement costs.

In terms of operational feasibility, the system is easy to control and does not require highly skilled operators. The remote-controlled mechanism allows users to manage both flight and seed release with basic training. The aircraft can cover a relatively large area in a short time and can be used in terrains where manual sowing is difficult. However, factors such as weather conditions, wind speed, and payload limitations may affect performance and must be considered during operation.

VII. RESULT

It is experimentally tested that the normal medical delivery drone will work with reliability in small-scale healthcare settings with changing payload conditions. The payloads that were tested in the system were 500 g to 800 g, and in the course, stable hovering was observed at a variation of +/- 0.5 m of the altitude. The drone averagely delivered in about 20 minutes with its extended highest range of operation conditions at 800 meters. The delivery success rate was of more than 95 percent and the integrity of the payload was not damaged during the testing. Such outcomes confirm the stability, navigation quality and the appropriateness of the system to transporting emergency medical supplies.

Parameter	Proposed System	AI-Based Drone [4]	Medical
Cost	High (Drones)	Low	
Complexity	High (GPS, IoT)	Simple RC control	
Payload	Medium–High	Low–Medium	
Maintenance	Complex	Simple	

VIII. LIMITATIONS

Despite its advantages, the proposed RC aircraft with a seeding system has certain limitations that affect its overall performance and applicability. One of the primary limitations is the limited payload capacity of the RC aircraft, which restricts the number of seeds that can be carried and distributed in a single flight. This requires multiple flights to cover larger areas, reducing overall efficiency for large-scale operations.

Another limitation is the lack of automation and precision in seed distribution. Since the system is manually controlled using a remote transmitter, the accuracy of seed placement depends on the operator's skill and environmental conditions. Unlike advanced drone systems, the proposed model does not include GPS-based navigation or automated path planning, which limits its precision.

The system is also affected by environmental factors such as wind speed, weather conditions, and terrain. Strong winds can disturb the flight stability and alter the seed dispersion pattern, leading to uneven distribution. Additionally, the flight time is limited due to battery constraints, which further restricts the coverage area in a single operation.

Furthermore, the design uses a simple mechanical seed release mechanism, which may not ensure uniform distribution for all types of seeds, especially those with different sizes and weights. There is also a possibility of clogging or inconsistent flow in the container.

Overall, while the system is cost-effective and simple, these limitations indicate the need for further improvements in terms of payload capacity, automation, precision, and adaptability to different environmental conditions.

IX. FUTURE SCOPE

The proposed RC aircraft with a seeding system provides a basic and effective solution for aerial seed distribution; however, there are several opportunities for further improvement and development. One of the key future enhancements is the integration of GPS and autonomous navigation systems, which can enable precise seed placement and predefined flight paths, reducing dependency on manual control and improving accuracy.

Another important area of improvement is increasing the payload capacity and flight time of the aircraft. This can be achieved by optimizing the design, using more efficient motors, or incorporating higher-capacity batteries, allowing the system to cover larger areas in a single flight. Additionally, the seed dispensing mechanism can be upgraded to support adjustable and uniform seed flow, making it suitable for different types and sizes of seeds.

The system can also be enhanced by incorporating sensor-based technologies, such as altitude sensors and environmental monitoring sensors, to improve flight stability and optimize seed distribution based on terrain conditions. Furthermore, integrating IoT and real-time monitoring systems can allow users to track the aircraft and control operations more effectively.

In the future, the proposed model can be scaled into a fully automated aerial plantation system or even expanded into a swarm of multiple aircraft working together to increase efficiency. These improvements would make the system more reliable, precise, and suitable for large-scale agricultural and reforestation applications, contributing to sustainable environmental management.

X. CONCLUSION

This research presents the design and development of a remote-controlled aircraft integrated with a seed dispensing mechanism for aerial seeding applications. The proposed system demonstrates a simple, cost-effective, and efficient approach to seed distribution over large and difficult-to-access areas. By combining an RC aircraft platform with a servo-based release mechanism, the system enables controlled seed dispersion during flight while reducing the need for manual labour.

The study highlights the feasibility of using low-cost RC technology as an alternative to complex and expensive drone-based systems. Although the system has certain limitations such as limited payload capacity and lack of automation, it successfully achieves the primary objective of efficient aerial seed distribution. The results indicate that the proposed model can be effectively used for small-scale plantation, reforestation, and agricultural applications.

Overall, the project provides a practical solution for improving plantation efficiency and serves as a foundation for future advancements in aerial seeding technology. With further improvements, the system has the potential to contribute significantly to sustainable agriculture and environmental conservation efforts.

REFERENCES

- [1] H. Li, "Design of precision seeding device based on hex rotor UAV platform and its application in hard soil," *Theoretical and Natural Science*, vol. 25, pp. 127–135, 2023.
- [2] M. S. Sai, K. Kumar, and B. Prakash, "Design, analysis and development of a flying wing UAV for aerial seeding and 3D mapping," *Springer Lecture Notes in Mechanical Engineering*, 2020.
- [3] O. F. Marzuki, E. Y. L. Teo, and A. S. M. Rafie, "The mechanism of drone seeding technology: A review," *Malaysian Forester*, vol. 84, no. 2, pp. 349–358, 2021.
- [4] R. S. Ramakrishna, V. N. Devi, D. Jerusha, and S. Shalini, "Seed dropping drone," *i-manager's Journal on Mechanical Engineering*, vol. 14, no. 3, pp. 44–48, 2024.
- [5] Vikram Ingole et al., "Design and development of seed/granule spreader mechanism for UAV," *International Journal of Creative Research Thoughts (IJCRT)*, vol. 12, no. 4, 2024.
- [6] S. C. Grossnickle and V. Ivetić, "Direct seeding in reforestation – A field performance review," *Reforesta*, vol. 4, pp. 94–142, 2017.
- [7] H. Li et al., "Design and research sowing devices for aerial sowing of forest seeds with UAVs," *Drones Journal*, vol. 6, no. 4, 2021.
- [8] Y. Zhang et al., "Design and experimentation of an aerial seeding system for rapeseed based on UAV," *Applied Sciences*, vol. 10, no. 24, 2020.
- [9] H. Li et al., "Multi-functional UAV-based seeding device for precision agriculture," *Theoretical and Natural Science*, 2023.
- [10] IFAC, "Design of a seed dispenser for unmanned aerial vehicles," *IFAC-PapersOnLine*, vol. 59, no. 23, pp. 84–89, 2025.
- [11] W. Liu, S. Zou, X. Xu, Q. Gu, W. He, J. Huang, et al., "Development of UAV-based shot seeding device for rice planting," *International Journal of Agricultural and Biological Engineering*, vol. 15, no. 6, pp. 1–7, 2022.
- [12] H. Liu, Z. Chen, Z. Wang, and J. Li, "An effective precision afforestation system for UAV," *Sustainability*, vol. 15, no. 3, pp. 2212, 2023.