International Journal of Scientific Research in Engineering and Management (IJSREM)
Volume: 10 Issue: 11 | Nov - 2026 SJIF Rating: 8.659 ISSN: 2582-3930

Real-Time Solar Panel Fault Detection and Recommendations Using Deep Learning

Dr. Rani M. Khandare[2], Prof. Monika S. Shirbhate[2], Ms. Astha G. Sarkate[1], Mr. Pratik V. Rathod[1], Ms. Deepshikha R. Rathod[1], Mr. Jamir J. Shah[1]

[1] B.E. (Information Technology), Department of Information Technology,
Prof. Ram Meghe College of Engineering & Management, Badnera–Amravati, Maharashtra, India
[2] Project Guides, Department of Information Technology,
Prof. Ram Meghe College of Engineering & Management, Badnera–Amravati, Maharashtra, India

---

Abstract

Solar photovoltaic (PV) installations are increasingly deployed across residential, commercial and utility-scale environments. However, panel surfaces are continuously exposed to dust accumulation, shading, cracks and impact-related physical damage, all of which can reduce effective energy generation and increase maintenance requirements. Conventional inspection relies heavily on periodic visual checks and electrical testing, which can be labour-intensive and difficult to scale across large installations. This paper presents a proposed real-time, image-based solar-panel fault detection and maintenance recommendation framework using deep learning. The approach accepts RGB images captured by an inspector, camera or drone; applies image preprocessing; and uses convolutional neural-network transfer-learning architectures, particularly VGG16 and MobileNetV2, to classify visible panel conditions. The predicted class is passed to a severity-assessment and rule-based recommendation module that maps conditions such as dust, shading, cracks and physical damage to practical maintenance actions. A React-based web interface is proposed to display the analyzed image, predicted category, confidence score, severity level, recommendation and scan history. The paper reviews related AI-based PV diagnosis research, identifies gaps in real-time multi-fault detection and diagnosis-to-action integration, and describes the proposed system architecture, workflow, technologies, benefits, limitations and future enhancements. As the work is presented as a proposed framework, model performance metrics are reserved for implementation and validation rather than reported as completed experimental results.

Keywords: Solar photovoltaic (PV), fault detection, computer vision, convolutional neural network, transfer learning, VGG16, MobileNetV2, severity assessment, predictive maintenance.

1. INTRODUCTION

Solar photovoltaic technology has become an important component of the transition toward renewable and low-carbon energy. PV installations are now used on residential rooftops, commercial buildings and large solar farms. The performance of these systems depends not only on the electrical characteristics of the cells and modules but also on the condition of their exposed surfaces and the operating environment. A panel that is dirty, shaded or physically damaged may not deliver its expected output, and defects that remain undetected can contribute to prolonged energy losses and increased maintenance costs.

PV modules operate outdoors and are therefore exposed to dust, airborne particles, bird droppings, moisture, temperature variation, nearby vegetation, buildings and accidental impacts. Dust and soiling reduce the amount of sunlight reaching the cells. Shading caused by trees or structures can create uneven illumination. Cracks and impact damage may indicate structural deterioration and can require a qualified technical inspection. These conditions differ in appearance and severity, making consistent inspection an important part of PV operation and maintenance.

1.1 Need for Automated Inspection

Manual visual inspection remains useful, but it can become inefficient when a site contains hundreds or thousands of modules. Inspectors must travel between panel rows, examine surfaces, record observations and decide which faults require immediate attention. Subtle cracks or partial shading may be overlooked, especially when lighting and weather conditions vary. An image-based inspection workflow can support more consistent screening by processing captured images and presenting the likely condition in a standardized format.

1.2 Motivation and Scope

The motivation for the proposed work is to connect automated fault recognition with practical maintenance guidance. A classifier that only returns a label still leaves the operator to decide what action should follow. The proposed framework therefore combines image classification, a severity-assessment stage and a recommendation module. The scope of the current design is limited primarily to visible surface conditions represented in RGB images: healthy/normal panels, dust accumulation, cracks, physical damage and shading. Internal electrical faults and thermal anomalies that do not produce visible surface evidence require additional sensing modalities and are treated as future extensions.

2. PROBLEM STATEMENT

Solar PV panels are vulnerable to environmental and physical conditions that can reduce energy generation and compromise long-term reliability. Existing inspection practices depend on periodic manual observation and, in some cases, separate electrical testing. These methods may require substantial time and labour, and they do not always provide immediate, consistent maintenance guidance. For large installations, continuous manual examination of every module is difficult to maintain. As a result, visible defects may remain undetected until they cause measurable performance degradation or require more extensive intervention.

The problem addressed in this paper is the absence of a unified, accessible workflow that can analyze panel images, identify multiple visible fault categories, communicate the confidence of the prediction, estimate the urgency of the condition and suggest an appropriate next action. The proposed framework aims to reduce the gap between fault identification and maintenance decision-making through a deep-learning-based classification pipeline integrated with a user-facing web interface.

3. LITERATURE REVIEW

Recent studies have investigated machine learning, deep learning and computer vision for PV module inspection. CNN-based methods learn visual patterns directly from images, while transfer learning reuses features learned by models trained on large image datasets. The seminar review identifies VGG16, MobileNetV2, ResNet-based models, ensemble methods and hybrid approaches as relevant techniques. It also highlights a shift from isolated fault classification toward predictive maintenance and actionable recommendations.

3.1 Image Classification and Transfer Learning

Gokulan S. et al. [1] examine VGG16-based transfer learning for automated solar-panel fault classification, providing a relevant multi-class image-classification direction. Geetha R. [6] focuses on a MobileNetV2-based architecture, emphasizing the value of a comparatively lightweight model for efficient inference. Tetarwal [3] considers an ensemble-learning framework for image-based classification, while Barhoi et al. [10] discuss machine-learning approaches to image-based panel fault detection. These studies support evaluating both classification capability and computational cost when selecting a model.

3.2 Predictive Maintenance and Integrated Diagnosis

Chatterjee et al. [2] describe a hybrid monitoring and predictive-maintenance approach using Bayesian optimization and XGBoost. Saravana et al. [8] combine time-series analysis with CNN-based methods, illustrating the potential value of combining image information with operating data. Haputhanthri et al. [9] explore generative-AI agents for predictive maintenance of solar-energy systems. These directions indicate that diagnosis can be made more useful when it is connected to maintenance planning rather than treated as a standalone classification task.

3.3 Broader AI-Based PV Diagnosis

The reviewed work also covers computer-vision surveys, hotspot detection, dust identification and autonomous inspection. Windriasari et al. [4] review deep-learning approaches for solar-panel fault detection. Rostami et al. [5] examine CNN-based hotspot detection, while Hossain et al. [19] address dust detection using a VGG-CNN approach. Ishak et al. [20] discuss image-processing perspectives for hotspot detection. Other studies consider EfficientNetB0 [7], PV defect detection [13], [14], UAV-assisted inspection [16], web-based defect classification [17] and predictive-maintenance paradigms [18].

3.4 Literature Synthesis

The literature suggests three complementary requirements: (i) reliable visual classification across multiple fault categories, (ii) efficient inference suitable for practical inspection workflows, and (iii) translation of the diagnosis into an understandable maintenance action. VGG16 offers a deep feature-extraction baseline, whereas MobileNetV2 is relevant where computational efficiency is important. Ensemble and hybrid methods may improve robustness or incorporate operational data, but their complexity must be balanced against deployment needs. The proposed framework focuses on an integrated and interpretable workflow that connects image-based classification to severity and recommendations.

Research direction	Representative work	Relevance to proposed framework
Transfer learning	Gokulan et al. [1]; Geetha [6]	Candidate CNN architectures for multi-class image classification and efficient inference.
Ensemble / hybrid models	Tetarwal [3]; Chatterjee et al. [2]	Highlights robustness and the possible integration of predictive-maintenance logic.
Image + operational data	Saravana et al. [8]; Limpaporn and Khomfoi [18]	Indicates potential value of combining visual diagnosis with system-performance information.
Dust / hotspot / defect analysis	Hossain et al. [19]; Rostami et al. [5]; Ishak et al. [20]	Supports the importance of condition-specific datasets and complementary sensing.
Autonomous / web-based systems	Ezzeddini et al. [15]; Huang et al. [16]; Vallampalli et al. [17]	Motivates practical inspection interfaces and future automated deployment.

4. RESEARCH GAPS

The review indicates that several practical issues remain important when moving from experimental image classification to a usable maintenance-support system. The gaps below are drawn from the project report's analysis and are addressed as design objectives rather than as claims that the proposed system has already solved them.

Identified gap	Observed limitation	Proposed direction
Real-time response	Some approaches emphasize offline image analysis or computationally demanding models.	Evaluate an optimized image-processing and inference pipeline for timely output.
Multi-fault coverage	Studies may focus on a limited fault type or a particular imaging modality.	Use a unified set of visible classes: normal, dust, crack, physical damage and shading.
Actionable output	A predicted class may not explain what maintenance action should follow.	Map fault class and assessed severity to clear, fault-specific recommendations.
Model efficiency	High-capacity networks may be costly for edge or field deployment.	Compare VGG16 and MobileNetV2 on classification quality and inference time.
System integration	Image diagnosis, severity assessment and user communication may be separate functions.	Present diagnosis, confidence, severity and recommendations in a single interface.

5. AIM AND OBJECTIVES

Aim: To design a real-time, image-based solar-panel fault detection and recommendation framework using deep learning, with the goal of identifying visible panel conditions and presenting practical maintenance guidance.

- Review existing research on PV fault diagnosis, CNN architectures, transfer learning and predictive maintenance.
- Collect and organize RGB images representing normal panels and visible fault conditions, including dust, cracks, physical damage and shading.
- Preprocess images through resizing, normalization and augmentation to prepare consistent model inputs.
- Develop and evaluate transfer-learning models, particularly VGG16 and MobileNetV2, for multi-class fault classification.
- Generate a predicted fault category and confidence information for each analyzed image.
- Assess the severity of the detected condition and map it to a relevant maintenance recommendation.
- Develop a responsive web interface to display analysis results, alerts and inspection history.

6. PROPOSED SYSTEM AND METHODOLOGY

The proposed methodology is organized as a sequential processing pipeline, beginning with image acquisition and ending with a user-readable diagnostic result. Each stage has a defined role so that the image model, decision logic and interface can be developed and validated independently.

6.1 Image Acquisition and Dataset Preparation

The project report describes a curated dataset of high-resolution RGB solar-panel images collected from publicly available repositories, including Kaggle, together with real-world captures. Images are organized into condition classes representing healthy/normal panels, dust accumulation, cracks, physical damage and shading. Dataset quality is essential: images should represent different camera angles, distances, illumination conditions, panel types and environmental backgrounds. Duplicate or incorrectly labelled images should be identified before training. The report does not provide a verified final image count or a completed train/validation/test split; these details should be recorded when the dataset is finalized.

6.2 Image Preprocessing

Preprocessing standardizes images so that the selected network receives inputs in a consistent format. The proposed steps include:

- Resizing: convert images to the input dimensions required by the selected architecture; the report gives 224 × 224 pixels as an example for VGG16.
- Normalization: scale pixel intensities to a consistent numerical range, such as 0–1, to support stable model training.
- Augmentation: apply controlled transformations such as rotation, horizontal/vertical flipping, zoom and brightness adjustment to improve variation and reduce overfitting.
- Quality screening: identify blurred, severely underexposed, obstructed or incorrectly labelled images that could weaken training and evaluation.

6.3 Feature Extraction

CNNs learn hierarchical image representations through convolutional filters. Early layers typically respond to low-level visual information such as edges, lines, textures and colour gradients. Deeper layers learn more complex patterns that may help distinguish the jagged appearance of a crack, the distributed texture of dust or the boundary and contrast associated with a shadow. Transfer learning allows the model to reuse learned visual features and adapt them to the solar-panel image classes.

6.4 Deep-Learning Models

The project considers VGG16 and MobileNetV2 as candidate transfer-learning architectures. VGG16 is a deeper convolutional network known for its sequential convolutional structure and feature extraction capability. MobileNetV2 is designed to reduce computational cost through efficient building blocks, making it a candidate for environments where response time and processing resources matter. The final model should be selected only after both architectures have been trained and evaluated on the same prepared dataset and evaluation protocol.

6.5 Fault Detection and Classification

During inference, a new panel image is preprocessed using the same operations applied during training. The trained model produces class scores or probabilities for the supported categories. The class with the highest predicted score is selected as the model's output, and the associated confidence value is displayed to the user. The intended categories are Normal, Dust, Crack, Physical Damage and Shading. A confidence score represents the model's output distribution; it should not be interpreted as a guarantee that the prediction is correct.

6.6 Severity Assessment

Fault classification identifies the likely condition, while severity assessment helps determine the urgency of follow-up. The report proposes distinguishing lower-severity conditions, such as limited dust accumulation, from higher-severity conditions, such as major cracks or significant physical damage. Severity can be assigned using a documented rule set that considers the predicted category and, where available, the visible extent of the affected area. Thresholds and class-specific rules must be calibrated and validated against expert-labelled examples before operational use.

6.7 Recommendation Engine

The recommendation module translates the classification and severity output into a practical next step. The current design uses rule-based mapping so that the recommendation remains understandable and traceable. Example mappings are provided below. Recommendations concerning cracks or impact damage should direct users to qualified personnel rather than encouraging untrained repair.

Detected condition	Example recommendation
Dust accumulation	Arrange appropriate cleaning of the panel surface, following manufacturer and site safety guidance.
Shading	Inspect the source of shading; remove or manage obstructions where safe and permitted.
Crack / physical damage	Prioritize inspection by a qualified solar technician; assess electrical safety and repair or replacement requirements.
Normal / healthy	No visible surface fault identified in the image; continue routine monitoring and scheduled inspection.

6.8 Output and Web Interface

The output module combines the analyzed image, predicted class, confidence score, severity level and recommended action. The project report describes a React.js-based interface supported by HTML and CSS. The dashboard is intended to provide an overview of the panels scanned, the distribution of detected conditions and the status of recent inspections. The image-analysis screen supports image submission, while the result screen presents the predicted category and confidence. A recommendation view communicates the next maintenance action. Historical records can help users review earlier scans and monitor recurring issues.

6.9 Evaluation Plan

Model performance should be evaluated using a held-out test set that is not used for training or model selection. Suitable measures include accuracy, precision, recall, F1-score and a confusion matrix for class-wise error analysis. Because the framework targets timely inspection, inference time per image should also be measured on the intended deployment hardware. Results should be reported only after the implementation has been tested; no numerical accuracy or performance result is claimed in this paper.

7. SYSTEM ARCHITECTURE

The architecture separates data preparation, model inference, decision logic and user presentation. This separation supports maintainability: the image model can be updated without redesigning the dashboard, and the recommendation rules can be revised as maintenance guidance is refined.




Figure 1. Proposed processing workflow for image-based fault detection and maintenance recommendations.

8. KEY FUNCTIONAL FEATURES

- Image-based panel condition screening using RGB images.
- Multi-class classification of normal panels, dust, cracks, physical damage and shading.
- Confidence display to communicate the model's predicted class score.
- Severity assessment to help prioritize follow-up inspection.
- Fault-specific maintenance recommendations linked to the detected condition.
- Dashboard view of inspection summaries and fault distribution.
- Image-analysis result screen with fault category and supporting diagnostic information.
- Scan-history support for reviewing previously analyzed panels.

9. TECHNOLOGIES USED

Technology	Role in the proposed system
Python	Backend programming and AI/ML development.
TensorFlow / Keras	Building, training and deploying deep-learning models and transfer-learning workflows.
VGG16	Candidate CNN architecture for deep visual feature extraction and classification.
MobileNetV2	Lightweight candidate architecture for efficient image inference.
OpenCV	Image reading, resizing, normalization and preprocessing operations.
React.js	Frontend dashboard and interactive image-analysis interface.
HTML and CSS	Structure, layout and responsive styling of the web interface.

10. TARGET USERS AND APPLICATIONS

- Residential solar-panel owners seeking to screen rooftop installations and identify visible faults.
- Solar-farm operators responsible for inspection planning across large numbers of PV modules.
- Solar-energy companies seeking to organize maintenance workflows and reduce manual screening effort.
- Field technicians and inspectors who need a structured diagnostic aid during site visits.
- Commercial and industrial facilities that depend on rooftop or ground-mounted PV systems.
- Solar installation and service companies performing post-installation checks and periodic maintenance.

11. ADVANTAGES, LIMITATIONS AND FUTURE SCOPE

11.1 Advantages

The proposed framework can standardize the first stage of visual inspection and reduce the effort required to manually review every panel image. Multi-class classification can help users distinguish among common visible conditions, while the severity and

recommendation stages provide a more actionable output than a fault label alone. A web dashboard can centralize scan results and help operators review inspection history. The modular architecture also allows the model, decision rules and user interface to be improved separately.

11.2 Limitations

The reliability of image classification depends on dataset size, class balance, annotation quality and variation in real-world image conditions. A model trained on a narrow dataset may not generalize to unfamiliar panel types, camera angles or weather conditions. Glare, rain, low light, blur and occlusion may reduce image quality. RGB imagery cannot reliably identify internal electrical faults or thermal hotspots that do not have visible surface symptoms. Severity rules also require expert validation, and recommendations should not replace electrical safety procedures or professional inspection.

11.3 Future Scope

Future work may expand the dataset across geographical regions, panel technologies and seasonal conditions, and add classes such as delamination, snail trails and bird-dropping contamination. Infrared thermography and electrical measurements, including I–V characteristics, could be integrated with RGB images to support detection of thermal and electrical anomalies. Lightweight models may be evaluated for deployment on edge devices or drones. Geolocation and panel identification could support defect localization across large solar farms. Time-series monitoring could be added to identify recurring faults and support predictive maintenance, provided that sufficient longitudinal operating data are available.

12. DISCUSSION

The proposed approach is intended to combine three layers of value: visual recognition, maintenance prioritization and understandable communication. Transfer-learning models provide a practical starting point for learning image features, but the final architecture must be selected through controlled evaluation rather than assumed in advance. Likewise, a confidence score can support interpretation but should be considered alongside image quality and validation results. The rule-based recommendation stage makes the system output transparent, while expert review remains necessary for high-risk conditions. These considerations are important if the framework is to move from a prototype into a dependable field-support tool.

13. CONCLUSION

This paper presents a detailed design for a deep-learning-based solar-panel fault detection and recommendation framework. The proposed workflow processes RGB panel images, applies preprocessing and CNN-based feature extraction, and uses VGG16 or MobileNetV2 transfer learning to classify visible conditions such as normal, dust, cracks, physical damage and shading. A subsequent severity-assessment stage and rule-based recommendation engine translate the predicted condition into a practical maintenance action. A React-based web interface is proposed to display the image, class prediction, confidence, severity and recommendation. The approach responds to identified gaps in multi-fault image classification, efficient inference and integration of diagnosis with maintenance guidance. Future implementation should validate the dataset, model performance, severity rules and field usability before making quantitative performance claims or deploying the system operationally.

ACKNOWLEDGEMENT s

The authors express their sincere gratitude to their project guides, Dr. R. M. Khandare and Prof. Monika S. Shirbhate, for their guidance, encouragement and valuable suggestions. The authors also acknowledge the Head of the Department of Information Technology, Dr. Priti A. Khodke, and the teaching and non-teaching staff of Prof. Ram Meghe College of Engineering & Management, Badnera, for their support and cooperation during the preparation of this work.

REFERENCES

[1] Gokulan S., Rajan C., Lalith Kishore V. S., and Suthi G., “Automated Solar Panel Fault Classification Using VGG16-Based Transfer Learning,” IEEE ICISS, 2026.

[2] Aditi Chatterjee, Sudhanshu Prakash, Subham Sharma, Debasish Panda, and Nabadeep Patra, “A Hybrid Machine Learning Model for Smart Monitoring and Predictive Maintenance of Solar Panels,” IEEE ICEESI, 2026.

[3] Vivek Tetarwal, “A Hybrid Ensemble Learning Framework for Image-Based Solar Panel Classification,” IEEE GCON, June 2025.

[4] Indri Windriasari, Aradea, Rianto, and Rina Mardiati, “Computer Vision for Smart Energy Systems: A Review on Deep Learning Approaches for Solar Panel Fault Detection,” IEEE, 2025.

[5] Sarmad Rostami et al., “Convolutional Neural Networks for Hotspot Detection in Photovoltaic Systems,” IEEE ICECET, July 2025.

[6] Geetha R., “Efficient Fault Detection in Solar Panels Using MobileNetV2-Based Deep Learning Architecture,” IEEE ICECA, 2025.

[7] Salaki Reynaldo Joshua, Sanguk Park, and Kihyeon Kwon, “EfficientNetB0 for AI-Powered Solar Panel Maintenance: Advanced Fault Detection,” IEEE ICTC, October 2024.

[8] Rohit Saravana, Sanjay Aaditya, and Nikkath Bushra, “Fault Detection in Solar Panels Using Time Series Analysis and CNN,” IEEE ICoACT, 2025.

[9] Dilantha Haputhanthri et al., “Generative AI Agents for Hyper Predictive Maintenance of Solar Energy Systems,” 2025.

[10] Pompy Barhoi, Himanshu Ladhiya, and Rajib Malik, “Image-Based Fault Detection System for Solar Panels Using Machine Learning,” November 2025.

[11] Ali Thakfan and Yasser Bin Salamah, “Recent Advances in Artificial Intelligence for Defects and Faults Detection in Solar Systems,” Energies, 2024.

[12] Hannes Peter Wasser, George Suciu, Christoph Wenge, Cristian Beceanu, and Farzaneh Bagheri, “Review of AI Methods for Fault Diagnosis and Predictive Maintenance in Solar Panels,” 2025.

[13] Priyanka S., Vishnu Priya K. R., Sharvari H. M., and Sanjana Murthy, “Solar Panel Defect Detection Using CNN,” 2025.

[14] D. Suriyakala et al., “Solar Panel Defect Detection Using Deep Learning to Enhance Photovoltaic System Reliability,” 2025.

[15] Lotfi Ezzeddini, Tarek Frikha, and Jalel Ktari, “Toward Autonomous Solar Farms: A Deep Learning Framework for Real-Time Fault Detection and Predictive Maintenance,” IEEE ADACIS, November 2025.

[16] Yo-Ping Huang et al., “UAV-Based Automatic Detection, Localization, and Cleaning of Bird Excrement on Solar Panels,” 2025.

[17] Nischay Reddy Vallampalli et al., “Web-Based Interface for Detecting and Classifying the Solar PV Panel Defects Using CNN Model,” IEEE CICT, December 2025.

[18] Poompat Limpaporn and Surin Khomfoi, “Fault Detection and Predictive Maintenance Paradigm for Solar PV Systems,” 2024.

[19] Md. Ismail Hossain et al., “Solar Panel Dust Detection for Optimizing Energy Performance by Visual Geometry Group Convolutional Neural Network (VGG-CNN),” IEEE ICCIT, December 2024.

[20] Nurul Huda Ishak et al., “Hotspot Detection of Solar Photovoltaic System: A Perspective from Image Processing,” 2023.