

# Review on Improving Traffic Anomaly Detection Techniques

Swati Sharma (0225CS20MT20)

(Department of CSE, Global Nature Care Sangathan's Group of Institutions, Jabalpur)

\*\*\*

## Abstract –

Any intelligent traffic monitoring system must be able to detect anomalies such as traffic accidents in real time. In this paper, we propose a Decision-Tree-enabled approach powered by Deep Learning for extracting anomalies from traffic cameras while accurately estimating the start and end time of the anomalous event. Our approach included creating a detection model, followed by anomaly detection and analysis. YOLOv5 served as the foundation for our detection model. The anomaly detection and analysis step entail traffic scene background estimation, road mask extraction, and adaptive thresholding. Candidate anomalies were passed through a decision tree to detect and analyze final anomalies.

**Key Words:** Traffic sign, detection, recognition, object detection, Yolo algorithm

## 1. INTRODUCTION

The object detection method aims to point out all objective objects in the target image and decide the classification and location data gain computer vision insight. Many proposals have been presented to decode the problem, but subsist perspectives still be found lacking in the recognition of little and opaque objects, and ineffective to recognize targets with arbitrary dimensional transfigure. Most subsist traffic sign recognition systems use color or contours statistics, although the technique stays bounded about recognition and segmenting traffic signs from a complicated framework.

In the modernized era, cars have flattered a conducive phraseology of transportation for each and every family which in a way form the traffic conditions increasingly knotty. Humankind looks forward to having a vision-assisted smart APP that can bring forth operators with traffic sign data, adjust operator's operation, or help control the machine to corroborate drive security. This mainly involves the usage of machine cameras to catch real-time road images and then determine and spot

traffic signs on the road, yielding veracious data to the guidance system.

Traffic signs hold considerable helpful data, making drivers react correctly to real-time road condition information, greatly reducing the number of traffic accidents, and improving driving safety. Therefore, studying a fast and accurate traffic sign recognition system under real conditions has significant practical merits and a spacious scope of application scenarios.

Today's ultra-modern image observant is stationed on a two-step proposition-oriented mechanism. As popularized in the R CNN framework, the first step initiates a scarce set of contender object positions. The second step classifies each candidate position into one of the foregrounds or background classes using a convolutional neural network. Thanks to a succession of advances, this two-story structure consistently achieves the highest precision in the demanding COCO benchmark. Contemporary efforts on single-stage recognition such as YOLO and SSD show auspicious consequences, producing speedy recognition with 10- 40% precision than ultra-modern two-stage methods.

The detection algorithm aims to resolve where objects are localized in a provided image called object location and what category each object be linked to, also called object classification.




Fig-1: Algorithms for Object detection till today are shown in the image given above [9]

### 1.1 The list of the best technique for object detection and recognition are given below:

#### 1. Fast R-CNN- Fast Region-Based Convolutional Network Network:

The Fast Region-Based Convolutional Network or Fast R-CNN method is a learning technique for object detection and recognition. The technique settles the drawbacks of R-CNN and SPPnet while improving their speed and accuracy. It has higher detection quality (mAP) than R-CNN, SPPnet, and tutoring and testing are done in one step using multitasking loss. Tutoring can refurbish every network layer and no disk space is required for resource accumulation.

#### 2. Faster R-CNN- Faster Region-Based Convolutional Network Network:

Faster R-CNN is object detection and recognition technique indistinguishable from R-CNN. The technique makes use of the Regional Proposition Network (RPN) which splits convolutional functions with the detection network at a lower cost than R-CNN and Fast R-CNN. A region proposal network is a complete convolution network that concomitantly forecasts object boundaries and objectivity scores at each object position and is tutored back-to-back to bring out exclusive region proposals, which are then utilized by Fast R-CNN for object detection and recognition.

#### 3. HOG- Histogram of Oriented Gradients:

The Histogram of Oriented Gradients (HOG) is essentially an attribute dedicator used to determine objects in image processing techniques. The oriented gradient histogram dedicator algorithm involves the occurrence of gradient orientation in localized parts of an image, such as the detection window, region of interest (ROI), among others. One of the advantages of HOG-like features is their simplicity and the information they contain is easier to acknowledge.

#### 4. R-CNN- Region-based Convolutional Neural Networks:

The Region-Based Convolutional Networks (RCNN) approach is an amalgamation of region proposals with Convolutional Neural Networks (CNNs). R-CNN assists to locate profound network objects and train an adequate representation with only a little amount of commenting sensing information. It accomplishes magnificent object detection and recognition precision by using Deep ConvNet to categorize object manifesto. R-CNN can scale to thousands of object categories without retreating to challenging techniques, including hashing.

#### 5. R-FCN- Region-based Fully Convolutional Network:

The Region-based Fully Convolutional Networks or R-FCN is a region-based recognizer for target recognition and classification. Contrary to other region-based detectors that pertain to expensive sub-netting per region, such as Fast R-CNN or Faster R-CNN, this region-based detector is absolute convolutional with nearly all calculations split across the whole image. R-FCN comprises an absolute convolutional shared framework such as FCN, which is known to produce preferable results than Faster R-CNN. In this technique, all detectable significance layers are convolutional and delineate to categorize ROIs into target and background categories.

#### 6. SSD- Single Shot Detector:

SSD or Single Shot Detector is a methodology of recognizing targets in images by manipulating an unaccompanied intense neural network. The SSD perspective differentiates the output space of the bounding boxes in a standard frameset by different proportions. After discretization, the method scales based on the position of the characteristic map. The SSD obliterates proposition origination and lateral pixel or resource retesting steps and recapitulates all calculations on a one-stage network. It is easy to tutor and simple to consolidate into systems that require a recognition constituent.

#### 7. SPP-net- Spatial Pyramid Pooling:

SPP-net or Spatial pyramid pooling is a network framework that can engender a fixed-range characterization nevertheless of image size or scale. Pyramidal clustering is considered resistant to target deformation and SPP-net enhances all CNN-stationed image collocation approaches. With SPP-net, analysts can evaluate characteristic maps of the whole image once, then cluster characteristics into random regions (sub-images) to cause fixed-range characterization to train detectors. This approach circumvents figuring the convolutional attribute frequently.

#### 8. YOLO- You Only Look Once:

YOLO or You Only Look Once is a solitary admired object detection technique used by analysts encompassing the world. Chording to analysts at Facebook AI Research, YOLO's integrated framework is immensely hastily. The entry-level YOLO processes identity in real-time at 45 frames per second, while the smallest class of the network, Fast YOLO, summons 155 frames per second and achieves twice the mAP of supplemental real-time detectors. The technique surmounts further detection

processes, including DPM and R-CNN, by conception intrinsic images in different areas, such as illustrations.

## 1.2 Literature Review \_

The previous studies associated with Traffic-Sign detection and anomaly are discussed as follows:

Haiyan Guan et al. (2019) has put forward a contemporary two-step methodology to ascertain and recognize traffic signs in point clouds and Light Detection and Ranging (LiDAR) in motion digital images. Traffic signs are recognized from mobile LiDAR point cloud pieces of information based on their geometric and spectral assets. Traffic sign eyespots are achieved by bulging the determined points on the recorded digital images. A convoluted capsule network is applied to traffic patch eyespot to categorize them into a distinct category to enhance traffic sign recognition recital. Mobile laser scanning or mobile LiDAR mechanization offers an optimistic solution for transportation concomitant research. Today's mobile LiDAR system is an assimilation of numerous sensors, together with laser scanners and digital cameras, whereby point clouds impart precise geometric data, while digital images comprehensive affluent spectral data, helping to detect and recognize characters with precision traffic [1].

JINGHAO CAO et al. (2021) came up with improvements in Sparse R- CNN, a neural network replica stimulated by Transformer. The analysis and evaluation in this notepaper have shown that the achievement of the Sparse-R-CNN replica is preferable to further subsist prevalent target detection replicas. An enhanced Sparse R- CNN replica based on the eccentric Sparse R- CNN incentive is presented here. Other improvements were made to the existing ResNest backbone and improved multi-scale rendering. Now it is necessary to elevate the forfeiture outcome or additional upgrade the ROI head to comprehend the self-awareness contraption of the technique. The new proposed backbone exhibit preferable achievement aside from inaugurating imprudent arithmetic evaluation into the replica. In inclusion, surveillance contraption is again a productive way to enhance traffic sign recognition. Therefore, established a branching network for adaptive recalibration of the channel function retaliation through the Global Average Pooling (GAP) effectiveness and an absolute associated layer [2].

LANMEI WANG et al. (2021) proposed a replica stationed on the YOLOv4-Tiny technique framework, which locates the attribution of the dataset for traffic signs and the drawbacks of the eccentric YOLOv4-Tiny innovation in detecting signs three achievable

melioration program are put forward: ameliorate means a clustering innovation to engender the correct anchor box for the traffic sign dataset, a wide-ranging development characteristic mapping generalship, and an ameliorate soft-NMS technique to gauze the prognosticate box targeting NMS algorithm drawbacks in the post-model proclamation step, to improve detection accuracy starting from real-time recognition of traffic signs. The comprehensive detection achievement and additional estimation benchmark of the upgraded YOLOv4-Tiny, YOLOv3-Tiny, and YOLOv4-Tiny algorithms are collated [3].

CHRISTINE DEWI et al. (2021) proposed to combine fictitious identity with eccentric identity to upgrade datasets and verify the efficiency of synthetic datasets. They had used distinct aggregate and dimensions of identity for tutoring. The analyst explores and examines CNN target recognition patterns in conjunction with various back-end frameworks and mining attributes, including YOLO V3 and YOLO V4. The scrutiny examines key detector features, such as precision, detection time, counter dimensions, and BFLOP aggregate. In the meantime, develop a CNN-based road sign assortment solution and extend the CNN tutoring suite with fictitious information gathered to upgrade orderly arrangement and identification results. YOLOV4 is mainly spare precise than other replicas which use eccentric identity and fictitious identity initiated by LSGAN. Analysis exhibit that tutoring with a mix of eccentric and fictitious v upgrades road sign recognition [4].

ZHUANG-ZHUANG WANG et al. (2021) An innovation specifically designed for small target detection for application in varsity auditorium. Images apprehended from videos were initiated into the data network and SR identity proclamation was performed operating on the FTT replica. This proceeding even eliminates noise in the data identity. For the attribute extraction of the spine part of the network, abandoned the CSP part in CSPDarknet53 and swapped the linkage mode allying each block from left to block density, reducing the network specification and calculation and upgrading the precision of the attribute prying. Finally, on the headers prediction side, the balance functions, cloth, and background loss in YOLOv4 work in three parts: to increase the front image weight and to weaken the background image influence on the detector [5].

TSUNG-YI-LIN et al. (2018) proposed work providing focal loss that applies a notion of modulation to transverse-entropy privation to base tuition on challenging contradiction illustrations. The salute is straightforward and extremely worthwhile in demonstrating its effectiveness by developing an absolute folded single-stage detector and presenting a far-reaching experiential examination exhibiting that it achieves ultra-

modern accuracy and speed. The central cause is the excessive contrast linking the forefront and back front category encountered when tuition dense detectors. The proposed method addresses the category contrast by refactoring the caliber transverse-entropy privation to reduce the privation associated with well- classed examples. The new focus privation focuses tuition on a sparse set of challenging samples and obstructs a large aggregate of single contradictory from staggering the detector throughout training. To assess the privation efficiency, they designed and trained an elementary dense detector called Retina-Net. The consequences exhibit that when trained with out-of- focus, Retina-Net can achieve the pace of the last single- stage detectors and surpass the precision of all latest- generation two-stage detectors [6].

YI-YANG et al. (2015) proposed a method that aims to address real-time traffic sign detection and recognition, i.e. determine what paradigm of traffic sign emerges in which region of an input identity within a time of apace proclamation. The determination integral part is stationed on the pry and assortment of traffic sign overture based on a color prospect replica and a color HOG. It is harvested from a convolutional neural network to supplemental categorize the determined signs into their subgroup inside each meta-class. Preliminary consequences on German and Chinese highways exhibit that detection and orderly arrangement procedure accomplish performance proportionate to more advanced methods, with significantly improved computational efficiency [7].

Bin Tian, et al. proposed a method that Detecting anomaly with typical aberration in vehicle scene entities remains an important subdomain of traffic behavior modeling .

Due to the accessibility to traffic video scenes, there has been an upsurge of research in the areas of video analysis and anomaly detection [9-13].

Li et al. in [15] proposed a multi-granularity vehicle tracking technique with modularized elements, where it uses Faster R-CNN, a deep learning framework to build its object detection module.

Zhao et al. in [14] proposed an unsupervised anomaly detection framework through information gained from vehicle trajectories. Their method obtained superior results deploying a multi-object tracker to mitigate the effects of false detections caused by the detector.

Mandal et al. in [23] used a pre-trained YOLO network and feature tracker to detect traffic anomalies such as stopped

vehicles and roadside accidents.

Bai et al. in [26] proposed an anomaly detection system consisting of the spatial temporal matrix discriminating module along with the background modeler and perspective detection module.

## 2. METHODOLOGY

Object identification, recognition, and localization have undergone a quick comprehensive substitute in the field of image processing. Its collaboration in combining object identification, recognition, and localization forms it to be one of the eleventhly demanding topics in image processing. Simply put, the purpose of this identification, recognition, and localization technique is too resolute where objects are track-down in a specific image and the category to which each object is a part. YOLO is a technique that uses Neural-Networks to provide real- time object identification, recognition, and localization. The technique is in trend for its speed and accuracy. It has been used in various applications to detect traffic signs, people, parking meters, and animals. YOLO is an abbreviation for the term "You only look once", the technique for the detection and recognizes different objects in an image (in real-time). The object recognition in YOLO is performed as a regression problem and provides the class probabilities of the recognized images. The YOLO algorithm uses Convolutional Neural Networks (CNN) to detect objects in real-time.

### Datasets:

Datasets play a pivotal role as future technologies take shape. Learn how to start with purchasing data right, and the best way to master this area is to get your hands on the basic datasets.

There are distinct sets of information used for task detection. A few notes are explained below:

ILSVRC2012: Image Subdivision Net large data that is hand-tagged together with which contains 1.2 million images with 1,000 distinct types of objects.

PASCAL VOC: The Pascal VOC challenge is one of the most sophisticated datasets for assembling and evaluating images classification, object detection, and detection algorithms. It contains many ".jpg" images with information.

IMAGENET: Images database is coordinated as per WordNet classification. Every node is represented by images in integers up to hundreds and thousands.

COCO: Dataset contains detecting objects, segmentation, together with a caption. It contains 1.5 million articles and



80 distinct types of articles.

GOOGLE'S OPENIMAGEV4: This is a dataset containing various images together with a combination of various themes along with multiple objects (average 8.4 per image). Printing images for viewing labeled stamps, boxes over objects, local narratives, observable reports, and object segmentation.

BLOOD CELL COUNT SCREENING: This dataset is comprised of 12,500 augmented (JPEG) images of blood cells with marked types of cells (CSV). It has 4 distinct cell variants in 4 distinct files (depending on the type of cells) for which you have individual images.

### 3. CONCLUSION

As one of the most important functions, traffic sign detection and recognition has become a trending research direction for domestic and foreign researchers. R CNN, Fast R CNN, and YOLO are nowadays, the most common techniques used for object detection and recognition. RCNN and Fast RCNN are slower than YOLO but can detect small objects. YOLO is better in retrogression than in ranking. YOLO has trouble sorting miniature objects. RCNN and Fast RCNN cannot perform real-time detection, but YOLO can achieve real-time classification and localization with good speed. The choice of the type of object classification algorithm used depends on the type of dataset, the type of images, the training-testing time, and the application that requires the detection and recognition of the object and the type of object.

#### Abbreviations –

CNN: Convolutional Neural Networks

YOLO: You Only Look Once

R-CNN: Region-based Convolutional Neural Networks

COCO: Common Objects in Context

SSD: Single Shot Multi-box Detection

SPP: Spatial Pyramid Pooling

HOG: Histogram Of Oriented Gradient

GAP: Global Average Pooling

LiDAR: Light Detection and Ranging

mAP: Mean Average Precision

FPS: Frames Per Second

FPN: Feature Pyramid Network

ROI: Region Of Interest

IOU: Intersection Over Union

mAP: Mean Average Precision

DPM : Deformable Part Model

### REFERENCES

- [1] Haiyan Guan, Senior Member, IEEE, Yongtao Yu, Member, IEEE, Daifeng Peng, Yufu Zang , Jianyong Lu, Aixia Li, and Jonathan Li, Senior Member, IEEE, "A Convolutional Capsule Network for Traffic-Sign Recognition Using Mobile LiDAR Data With Digital Images", Manuscript received May 9, 2019; revised July 21, 2019, and August 29, 2019; accepted August 31, 2019.
- [2] Jinghao Cao, Junju Zhang, And Xin Jin, "A Traffic-Sign Detection Algorithm Based on Improved Sparse R-CNN ", Received August 17, 2021, accepted August 30, 2021, date of publication September 1, 2021, date of current version September 13, 2021.
- [3] Lanmei Wang, Kun Zhou, Anliang Chu, Guibao Wang, and Lizhe Wang, "An Improved Light-Weight Traffic Sign Recognition Algorithm Based on YOLOv4-Tiny", Received August 13, 2021, accepted August 25, 2021, date of publication September 1, 2021, date of current version September 15, 2021.
- [4] Christine Dewi, Rung-Ching Chen (Member, Ieee), Yan-Ting Liu, Xiaoyi Jiang (Senior Member, Ieee), and Kristoko Dwi Hartomo, " YOLO V4 For Advanced Traffic Sign Recognition With Synthetic Training Data Generated By Various GAN", Received June 7, 2021, accepted June 26, 2021, date of publication July 2, 2021, date of current version July 14, 2021.
- [5] Zhuang-Zhuang Wang, Kai Xie, Xin-Yu Zhang, Hua-Quan Chen, Chang Wen, and Jian-Biao He, "Small-Object Detection Based on YOLO and Dense Block via Image Super-Resolution", Received March 14, 2021, accepted April 5, 2021, date of publication April 9, 2021, date of current version April 19, 2021.
- [6] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollar, "Focal loss for dense object detection," IEEE Trans. Pattern Anal. Mach. Intell., vol. 42, no. 2, pp. 318–327, Feb. 2020, DOI: 10.1109/TPAMI.2018.2858826.
- [7] Xue Yuan, Member, IEEE, Jiaqi Guo, Xiaoli Hao, and Houjin Chen, "Traffic Sign Detection via Graph-Based Ranking and Segmentation Algorithms", IEEE Transactions on Systems, Man, And Cybernetics: Systems, Vol. 45, No. 12, December 2015.
- [8] Yi Yang, Hengliang Luo, Huarong Xu, and Fuchao Wu, "Towards Real-Time Traffic Sign Detection and Classification", Manuscript received March 4, 2015;

revised June 9, 2015; accepted June 17, 2015.

- [9] [https://github.com/hoya012/deep\\_learning\\_object\\_detection/blob/master/assets/deep\\_learning\\_object](https://github.com/hoya012/deep_learning_object_detection/blob/master/assets/deep_learning_object)
- [10] T. Y. Lin, M. Maire, S. Belongie, J. Hays, P. Perona, D. Ramanan, P. Dollár, and C. L. Zitnick, Microsoft COCO: Common Objects in Context, vol. 8693. Cham, Switzerland: Springer, 2014,
- [11] Bin Tian, et al. "Hierarchical and networked vehicle surveillance in ITS: a survey." *IEEE transactions on intelligent transportation systems* 16.2 (2014): 557-580.
- [12] Amira Ben Mabrouk, and Ezzeddine Zagrouba. "Abnormal behavior recognition for intelligent video surveillance systems: A review." *Expert Systems with Applications* 91 (2018): 480-491.
- [13] Kelathodi Kumaran Santhosh, Debi Prosad Dogra, and Partha Pratim Roy. "Anomaly Detection in Road Traffic Using Visual Surveillance: A Survey." *ACM Computing Surveys (CSUR)* 53.6 (2020): 1-26.
- [14] Jianfei Zhao, et al. "Unsupervised Traffic Anomaly Detection Using Trajectories." *CVPR Workshops*. 2019.
- [15] Yingying Li, et al. "Multi-granularity tracking with modularized components for unsupervised vehicles anomaly detection." *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops*. 2020.
- [16] Louis Kratz, and Ko Nishino. "Anomaly detection in extremely crowded scenes using spatio-temporal motion pattern models." *2009 IEEE conference on computer vision and pattern recognition*. IEEE, 2009.
- [17] Timothy Hospedales, Shaogang Gong, and Tao Xiang. "A markov clustering topic model for mining behaviour in video." *2009 IEEE 12th International Conference on Computer Vision*. IEEE, 2009.
- [18] Jaechul Kim, and Kristen Grauman. "Observe locally, infer globally: a space-time MRF for detecting abnormal activities with incremental updates." *2009 IEEE conference on computer vision and pattern recognition*. IEEE, 2009.
- [19] Hajananth Nallaivarothayan, Clinton Fookes, Simon Denman, and Sridha Sridharan. An mrf based abnormal event detection approach using motion and appearance features. In *IEEE International Conference on Advanced Video and Signal Based Surveillance (AVSS)*, pages 343–348. IEEE, 2014.
- [20] Weixin Luo, Wen Liu, and Shenghua Gao. A revisit of sparse coding based anomaly detection in stacked rnn framework. In *Proceedings of the IEEE International Conference on Computer Vision*, pages 341–349, 2017.
- [21] Yang Cong, Junsong Yuan, and Ji Liu. Sparse reconstruction cost for abnormal event detection. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 3449–3456. IEEE, 2011.
- [22] Bin Zhao, Li Fei-Fei, and Eric P Xing. Online detection of unusual events in videos via dynamic sparse coding. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 3313–3320. IEEE, 2011.
- [23] Vishal Mandal, et al. "Artificial Intelligence-Enabled Traffic Monitoring System." *Sustainability* 12.21 (2020): 9177.