International Journal of Scientific Research in Engineering and Management (IJSREM)
Volume: 10 Issue: 10 | Oct - 2026 SJIF Rating: 8.659 ISSN: 2582-3930

Smart EV Water Detection System

Prajakta Bhosale Student, E&TC Dept.
Sneha Guntagule Student, E&TC Dept.
Rutuja Temgire Student, E&TC Dept.
Diksha Sartape Student, E&TC Dept.
M.N. Waghmode Guide, E&TC Dept.

Department of Electronics & Telecommunication,
Bhivrabai Sawant Polytechnic, Wagholi, Pune, Maharashtra, India

Abstract-

1. Smart EV Water Detection System

The Smart EV Water Detection System is an intelligent safety and monitoring system designed to detect water leakage or water accumulation in critical areas of an Electric Vehicle (EV). Electric vehicles use high-voltage battery packs and electrical components that may be affected by water intrusion, potentially causing short circuits, electrical failures, battery damage, and safety hazards.

The proposed system uses water detection sensors to identify the presence of water in sensitive areas of the electric vehicle, particularly near the battery compartment and other electrical sections. An Arduino microcontroller continuously monitors the sensor signals and processes the collected data. When water is detected, the system activates an alert mechanism, such as a buzzer and LED indicator, to notify the driver or user about the potential danger. The system can also be designed to send notifications through a wireless communication module.

The main objective of this project is to improve the safety, reliability, and protection of electric vehicles by providing an early warning system against water leakage. It is designed to be cost-effective, compact, energy-efficient, and easy to install. The proposed system helps reduce the risk of electrical damage, improves vehicle safety, and supports the development of smart EV protection technologies.

Keywords: Electric Vehicle (EV), Water Detection Sensor, Arduino, Battery Protection, Leakage Detection, Smart Monitoring System, Safety Alert.

2.INTRODUCTION

Electric Vehicles (EVs) are becoming increasingly popular in the modern transportation sector due to their eco-friendly operation, reduced fuel consumption, low maintenance requirements, and contribution to reducing air pollution. Electric vehicles operate using rechargeable battery packs, electric motors, power electronic converters, and various electronic control systems. These components require proper protection to ensure safe and reliable vehicle operation.

Water leakage or water accumulation inside an electric vehicle can create serious problems, particularly when it reaches sensitive electrical components such as the battery pack, wiring connections, motor controller, and electronic circuits. Water intrusion may cause short circuits, corrosion, insulation failure, electrical faults, and damage to expensive vehicle components. In severe cases, it may also create safety risks for passengers and vehicle operators.

To overcome these problems, the Smart EV Water Detection System is proposed. This system is designed to

detect the presence of water in critical areas of an electric vehicle and provide an early warning to the driver or user.

The proposed system uses a water detection sensor connected to an Arduino microcontroller. The sensor continuously monitors the surrounding area for the presence of water. When water is detected, the sensor sends a signal to the Arduino, which processes the information and activates an alert system using a buzzer and LED indicator. An optional wireless communication module can also be integrated to send notifications to the user.

This system provides a simple, economical, and effective method for detecting water leakage at an early stage. It helps the driver take immediate action and reduces the possibility of electrical damage to important EV components.

1.2 Background of the Project

The development of electric vehicles has increased the demand for advanced safety and monitoring technologies. Modern EVs contain high-voltage battery systems and sensitive electronic components that require protection from environmental conditions such as rainwater, flooding, and accidental water leakage.

Although EV manufacturers provide protective enclosures and insulation, water intrusion can still occur due to damaged seals, improper maintenance, flooding, or mechanical damage.

Therefore, an additional water detection mechanism can improve the monitoring and protection of electric vehicles.

1.3 Need for the Project

The Smart EV Water Detection System is developed to address the following requirements:

1. To detect water leakage in critical areas of electric vehicles.
2. Providing early warning before water causes electrical damage.
3. To improve the safety and reliability of electric vehicles.
4. To reduce the possibility of short circuits and component failures.
5. To provide a low-cost and easy-to-install monitoring solution.
6. To alert the driver immediately when water is detected.

1.4 Objectives of the Project

The main objectives are:

- To design a smart water detection system for electric vehicles.
- To detect water accumulation using a water sensor.
- To use an Arduino microcontroller for data processing.
- To activate a buzzer and LED when water is detected.
- To provide an early warning to the vehicle operator.
- To develop a cost-effective and reliable safety system.
- To create an expandable system for future IoT-based monitoring.

1.5 Scope of the Project

The project focuses on developing a prototype capable of detecting water presence in selected areas of an electric vehicle. The system can be installed or tested near:

- EV battery compartment (using an appropriately isolated sensor arrangement).
- Electrical wiring compartments.
- Motor controller enclosure.
- Vehicle floor and lower body sections.
- Other areas where water leakage may occur.


The prototype can be further developed by integrating GSM, Wi-Fi, GPS, or IoT technology for remote monitoring.

Important safety note: This prototype is an additional water-warning system, not a replacement for certified EV battery protection, insulation monitoring, or battery management systems. Any installation near high-voltage components must use suitable isolation and be performed by qualified personnel.

1.6 Organization of the Project


This project report is divided into different chapters to explain the complete development of the Smart EV Water Detection System, including the literature survey, problem definition, methodology, block diagram, circuit diagram, hardware components, software implementation, advantages, applications, cost estimation, results, conclusion, and future scope.

5.SYSTEM ARCHITECTURE



The Smart EV Water Detection System is designed to detect water leakage or water accumulation near critical electrical components of an Electric Vehicle (EV). The system uses an Arduino Uno microcontroller to monitor water sensors and activate an alert system whenever water is detected.

IV. DIAGRAMS



3.PROBLEM STATEMENT

Electric Vehicles (EVs) contain high-voltage batteries and sensitive electrical components that can be damaged due to water leakage or water accumulation. Water entering these areas may cause short circuits, corrosion, electrical failures, and safety hazards.

In existing systems, water leakage may not be detected immediately, which can increase the risk of damage.

The main problem is to develop a Smart EV Water Detection System that can automatically detect water leakage using a water sensor and Arduino microcontroller. When water is detected, the system activates a buzzer and LED to provide an immediate warning to the user.

Objective: To improve EV safety by providing a low-cost, reliable, and automatic water leakage detection and alert system.

4.OBJECTIVES

To design and develop an Arduino Uno-based Smart EV Water Detection System that detects water ingress and provides immediate alerts to improve electric vehicle safety and protectio

6.HARDWARE COMPONENTS

The Smart EV Water Detection System uses different electronic components to detect water leakage and generate an alert. The main components and their functions are explained below.

1. List of Components

Sr. No.	Component	Quantity
1	Arduino UNO	1
2	Water Detection Sensor	1
3	Buzzer	1
4	LED (Red)	1
5	220Ω Resistor	1
6	Connecting Wires	As required
7	Breadboard	1
8	5V DC Power Supply	1

2. Component Functions

1. Arduino UNO: Controls the complete system and processes sensor signals.

2. Water Sensor: Detects water leakage or water accumulation.

3. Buzzer: Produces sound when water is detected.

4. LED: Indicates water detection through a visual signal.

5. 220Ω Resistor: Protects the LED from excessive current.

6. Power Supply: Provides the required 5V DC voltage.

7. Breadboard and Wires: Help connect all electronic components.

3. Component Diagram

The following image shows all major components used in the project.



7.Working Principle

The Smart EV Water Detection System works on the principle of water sensing, signal processing and automatic alert generation. The system uses a water detection sensor and Arduino Uno microcontroller to identify water leakage or water accumulation near sensitive electrical components of an Electric Vehicle (EV).

1. Water Detection: The water sensor continuously monitors the presence of water or moisture near critical EV components.

2. Signal Generation: When water comes into contact with the sensor, its electrical output changes according to the water level or conductivity.

3. Signal Processing: The sensor sends an input signal to the Arduino Uno microcontroller.

4. Decision Making: Arduino processes the received signal and compares it with the programmed threshold value.

5. Alert Generation: If water is detected, Arduino activates the buzzer and LED indicator.

6. Display Notification: The LCD displays the warning message, such as "WATER DETECTED".

7. Normal Condition: When no water is detected, the system remains in monitoring mode and displays "SYSTEM NORMAL".

Start the System

Initialize Arduino and Sensor

Read Water Sensor Data

Is Water Detected?


NO

System Normal

Continue monitoring

YES

Activate Buzzer & LED



8.IMPLEMENTATION METHODOLOGY

2. The implementation methodology describes the step-by-step process used to design, develop, assemble and test the Smart EV Water Detection System. The proposed system uses an Arduino Uno microcontroller, water detection sensor and alert devices to detect water leakage near sensitive electrical components of an Electric Vehicle (EV).TESTING AND EVALUATION

Testing and evaluation is an important stage in the development of an Air Pollution Monitoring System. It is performed to verify that the hardware components, sensors, microcontroller, display unit, alert system, and optional IoT connectivity work correctly.

9.ADVANTAGES

1. Early Water Detection: Detects water leakage at an early stage.
2. Improved Safety: Helps reduce the risk of short electrical circuits.
3. Battery Protection: Helps prevent water-related damage to EV battery compartments.
4. Automatic Monitoring: Continuously monitors the presence of water.
5. Low Cost: Uses affordable and easily available components.
6. Quick Alert: Provides immediate warning through a buzzer and LED.
7. Easy Installation: Simple circuit design and easy maintenance.
8. Energy Efficient: Requires very low power for operation.
9. Remote Monitoring: Wireless alerts can be added using GSM or Wi-Fi.
10. Reliable Operation: Helps improve monitoring of sensitive electrical components.

10.LIMITATIONS AND FUTURE SCOPE

The future scope of the Smart EV Water Detection **System** is very promising. This project can be improved by adding advanced technologies to increase the safety and reliability of electric vehicles.
Mobile Notifications: Add GSM or Wi-Fi modules to send water leakage alerts directly to mobile phones.

IoT-Based Monitoring: Monitor water leakage remotely through an IoT platform.

Automatic Power Cut-Off: Integrate a properly designed safety circuit to isolate affected electrical systems when water is detected.

Multiple Sensors: Install multiple water sensors near the battery, motor, and electrical compartments.

GPS Tracking: Provide vehicle location information during emergency conditions.

Smart Dashboard: Display water detection status and alerts on the EV dashboard.

Advanced Sensors: Use humidity and moisture sensors for more accurate monitoring.

AI-Based Detection: Implement intelligent monitoring to identify leakage patterns and predict potential problems.

11.APPLICATION

The Smart EV Water Detection System has the following applications:
Electric Vehicles: Detects water leakage in sensitive areas of electric vehicles.

EV Battery Protection: Monitors water accumulation near the battery compartment.

Charging Stations: Helps detect water leakage near EV charging equipment.

Electrical Components: Detects water near wiring, connectors, and electronic circuits.

Automotive Industries: Can be used for vehicle safety testing and monitoring.

Water Leakage Monitoring: Provides early warnings in areas where water accumulation may occur.

Industrial Applications: Can be used in electrical panels and control cabinets.

Smart Monitoring: Can be integrated with Wi-Fi or GSM to send alerts to mobile phones.

12.CONCLUSION

The Smart EV Water Detection System is designed to detect water leakage or water accumulation in sensitive areas of an Electric Vehicle. The system uses a water detection sensor, Arduino UNO, buzzer, and LED indicator to provide an early warning whenever water is detected.

This project helps reduce the risk of electrical damage, short circuits, and other problems caused by water entering sensitive EV components. It is simple, economical, reliable, and easy to implement.

Overall, this project demonstrates how sensor technology and microcontrollers can improve electric vehicle safety through automatic water detection and warning systems. It can be further developed with wireless communication and advanced monitoring features.

13.REFERENCES

Project Title: Smart EV Water Detection System
1. ISO 20653:2023, Road Vehicles – Degrees of Protection (IP Code) – Protection Against Water and Dust.
ISO 20653:2023
2. SAE International (2021), New Leak Detection Methodology to Protect against Water Ingress in Battery Packs.
Technical Paper
3. Ministry of Road Transport and Highways, Government of India, AIS-038 (Rev. 2) – Electric Vehicle Battery Safety Standards.
Ministry of Road Transport & Highways
4. Amphenol Advanced Sensors, EV Battery Pack Water Detection Sensor.
Thermometrics Sensor Assemblies+1
5. Renesas Electronics, Smart Water Leak Sensor – Design and Monitoring Technology.
Renesas
6. Arduino, Arduino UNO Technical Documentation. Official Arduino Documentation.
7. International Electrotechnical Commission, IEC 60529 – Degrees of Protection Provided by Enclosures (IP Code).

8. SAE International, Water and Coolant Leak Detection Technologies for Electric Vehicle Battery Packs.
Digi Key
9. Project component datasheets and manufacturer documentation for water sensors, buzzers, LEDs, resistors, and power supplies.
10. Reference websites:

- Arduino Official Website
- ISO Official Website
- SAE International
- Amphenol Sensors

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to our respected Principal and project guide for providing me with the opportunity to complete my micro-project on “Smart EV Water Detection System

I am thankful to my project guide for their valuable guidance, support, and encouragement throughout the project. Their suggestions helped me understand the working principle, components, and implementation of the system.

.

BIOGRAPHIES

	Ms. Prajakta Bhosale student of department of electronics and telecommunication engineering at Bhivrabai Sawant Polytechnic, Wagholi, Pune
	Ms. Senha Guntagule student of department of electronics and telecommunication engineering at Bhivrabai Sawant Polytechnic, Wagholi, Pune
	Ms. Rutuja Temgire student of department of electronics and telecommunication engineering at Bhivrabai Sawant Polytechnic, Wagholi, Pune
	Ms. Diksha Sartape student of department of electronics and telecommunication engineering at Bhivrabai Sawant Polytechnic, Wagholi, Pune
	Mr. Waghmode.M. N Lecturer of department of electronics and telecommunication engineering at Bhivrabai Sawant Polytechnic, Wagholi, Pune