Smart Medicine Reminder System

G.Srikanth[1], M.Dheeraj[2], M.Chanakya[3], K.Shivakeerthi[4], B.Sandeep[5]

Department of Electronics and Communication Engineering

CMR Technical Campus

Hyderabad, Telangana, India

[1]gimmadisrikanth79@gmail.com

[2]237r1a0487@cmrtc.ac.in

[3]237r1a04c7@cmrtc.ac.in

[4]237r1a0485@cmrtc.ac.in

[5]237r1a0469@cmrtc.ac.in

Abstract

Medication non-adherence is a critical challenge in modern healthcare, particularly for patients managing chronic conditions like diabetes and cardiovascular dis-eases. Busy lifestyles, cognitive decline, and complex multi-drug regimens frequently cause patients to miss doses, leading to disease progression and increased hospital readmissions. Traditional reminder methods, such as manual alarms and written schedules, are of-ten unreliable. To address these limitations, this paper presents a Smart Medicine Reminder System, an auto-mated electronic solution designed to improve patient compliance and safety. The system utilizes a microcon-troller architecture integrated with a Real-Time Clock (RTC) module for precise time tracking. Upon reach-ing a preset schedule, the system triggers multi-sensory alerts via audio buzzers and visual LCD displays, while guiding the user to specific medication compartments to eliminate confusion. Furthermore, the system logs compliance data—including exact consumption times and missed doses—providing valuable records for re-mote caregiving and clinical analysis. The results demonstrate that this automated system effectively re-duces human error, decreases caregiver burden, and en-hances health outcomes. It offers a scalable platform adaptable for mobile application integration and future AI-driven sensors.

Keywords: Smart Medicine Reminder, Medica-tion Adherence, Healthcare Automation, Microcon-troller, Real-Time Clock, Patient Compliance, Chronic Disease Management.

1. Introduction

In the modern era, healthcare systems worldwide face an escalating challenge due to the rising prevalence of chronic conditions, such as diabetes, hypertension, and

cardiovascular diseases. Managing these long-term illnesses effectively requires patients to adhere strictly to complex, time-sensitive medication regimens. However, statistics show that a significant portion of patients fail to follow their prescribed schedules. This phenomenon, known as medication non-adherence, is driven by factors such as demanding daily routines, high stress levels, age-related cognitive decline, and memory impairment. For elderly demographics, the risk is compounding. Older adults are frequently prescribed multiple drugs daily (polypharmacy), making it difficult to track the exact timing and correct dosage for each pill without intervention. When doses are missed or taken incorrectly, the consequences are severe: clinical symptoms worsen, recovery is delayed, and preventable hospital readmissions spike, creating a massive burden on global healthcare infrastructure. Traditionally, patients have relied on manual management tools, including handwritten schedules, simple digital alarms, or verbal reminders from family members. While well-intentioned, these conventional methods lack accountability and fail when a patient is asleep, busy, or suffering from advanced memory loss. Consequently, there is an urgent demand for an autonomous, intelligent, and mistake-proof intervention capable of assisting vulnerable individuals without requiring continuous human oversight. To address this gap, this paper introduces the Smart Medicine Reminder System, an automated electronic platform designed to streamline medication management. Built around an accessible microcontroller architecture (e.g., Arduino) and a Real-Time Clock (RTC) module, the system ensures precision timekeeping independent of external networks. By utilizing a combination of multisensory alerts—such as buzzers and targeted visual indicators—the device guides patients to the correct medicine compartment at the exact designated time, eliminating confusion. Beyond acting as a standard alarm, the system features automated logging capabilities to track user compliance, recording missed doses and intake times to assist healthcare providers in clinical evaluations. This technological framework bridges the gap between passive reminders and proactive healthcare automation, ultimately enhancing patient autonomy, minimizing caregiver stress, and optimizing long-term therapeutic outcomes.

2. Literature Survey

The development of automated healthcare devices has seen significant progress with the integration of Internet of Things (IoT) and embedded systems. Sev-eral researchers have explored diverse methodologies to tackle medication non-adherence using smart hardware interfaces.

A smart pillbox integrated with an Android application was proposed to assist elderly patients with multi-dose regimens. The system utilized an Arduino microcontroller connected to a Bluetooth module to send mobile alerts. While effective at local notifications, the system relied heavily on a continuous smartphone connection, limiting its utility for users unfamiliar with mobile apps [**?**].

To provide remote monitoring capabilities, an IoT-based medication adherence system utilizing a Wi-Fi module was developed. This architecture allowed caregivers to receive real-time updates regarding missed doses via a cloud server. However, the continuous wireless transmission resulted in high power consumption, rendering the device inefficient for long-term battery-operated setups [**?**].

Recognizing the constraints of network-dependent

systems, researchers have investigated standalone configurations using Real-Time Clock (RTC) modules. A localized reminder system employed a DS1307 RTC and an alphanumeric LCD to show dosage instructions directly on the device. While this approach eliminated external connectivity dependencies, the lack of directional indicators meant patients still struggled to identify the correct medication compartment [**?**].

To optimize the hardware performance of such wearable and portable medical devices, recent literature has heavily focused on energy efficiency. Because smart reminder systems must operate reliably over extended periods, authors in [**?**] and [**?**] demonstrated that implementing sleep-mode firmware config-urations dramatically reduces a microcontroller's idle state current. Furthermore, optimizing hardware via low-dropout (LDO) voltage regulators has been proven to maximize the shelf life of internal lithium batter-ies without compromising multi-sensory alarm triggers like audio buzzers and LED arrays [**?**, **?**].

Based on the existing literature, while multi-sensory alerts and power optimization techniques have been studied independently, there remains a gap in a unified, low-power standalone architecture that offers precise compartmental guidance alongside non-volatile compliance logging. This paper addresses these lim-itations by developing an integrated, energy-efficient Smart Medicine Reminder System.

3. Proposed Methodology

The proposed Smart Medicine Reminder System is an automated and intelligent solution designed to overcome the limitations of existing manual methods. This system uses a microcontroller-based design to provide timely reminders for taking medicines. It allows users to set specific timings for different medicines, ensuring accurate and consistent medication schedules. In addition, the system can include advanced features such as RFID technology or sensors to detect whether the medicine has been taken or not. If the medicine is not taken within a certain time, the system can send notifications or alerts to caregivers using GSM or IoT modules. This improves monitoring and ensures better patient care. The proposed system is user-friendly, reliable, and efficient. It reduces human errors, improves medication adherence, and minimizes dependency on others. It is especially useful for elderly patients and individuals with busy lifestyles. Overall, the system provides a smart and effective solution for proper medication management and enhances healthcare support.

4. Block Diagram



Figure 1: Block Diagram

The fig [1]:shows the block diagram of the proposed model. The Smart Medicine Reminder System consists of several interconnected components that work together to provide timely medication reminders. The power supply unit provides the required electrical energy to all parts of the system and ensures proper functioning. The microcontroller (such as Arduino) acts as the central processing unit of the system. It con-trols all operations, processes inputs, and sends signals to different components based on the programmed in-

structions. All other modules are connected to this unit. The Real-Time Clock (RTC) module is used to maintain accurate time and continuously updates the current time. It helps the system compare the preset medicine schedule with the real-time clock to trigger alerts at the correct moment. The LCD display is used to show important information such as medicine name, dosage time, and instructions for the user. It provides a clear visual indication of what action needs to be taken. The buzzer and LED indicators are used to alert the user. The buzzer gives an audible alarm, while the LED provides a visual signal, ensuring that the reminder is noticed even in noisy or silent environments. In advanced systems, an RFID module or sensors are included to de-tect whether the medicine has been taken or not. This helps in monitoring patient compliance and reduces the chances of missed doses. Additionally, a GSM or IoT module can be integrated into the system to send no-tifications or alerts to caregivers or family members if the patient fails to take the medicine on time. This fea-ture improves remote monitoring and enhances patient safety. All these components work together under the control of the microcontroller to form an efficient and reliable system for managing medication schedules and improving healthcare support.

5. Hardware Components

The proposed Enhanced Long Life Battery System consists of four major hardware components that work together to reduce power consumption and improve battery life.

5.1. MICROCONTROLLER (ARDUINO)



Figure 2: Microcontroller

fig[2]:shows that, the microcontroller is the main controlling unit of the system. It acts as the brain and manages all operations such as reading time from the RTC, comparing it with preset medicine timings, and activating output devices like buzzer, LED, and display. It is programmed using Arduino IDE and controls the entire system efficiently.

5.2. REAL-TIME CLOCK (RTC) MODULE



Figure 3: Real Time Clock

The Fig [3]:shows that, the RTC module is used to maintain accurate current time and date. It continues to run even when the system is powered off using a backup battery. This ensures that the system provides alerts at the correct time without any delay or error.

5.3. LCD DISPLAY



Figure 4: Lcd display

The Fig [4]: shows that,the LCD (Liquid Crystal Display) is used to show important information such as medicine name, time, and instructions. It helps the user clearly understand which medicine to take and when to take it.

5.4. BUZZER



Figure 5: Buzzer

The Fig[5]:shows that, when the medicine time is reached, the buzzer produces an audible signal to notify the user. It is very useful in catching the attention of the patient.

5.5. LED INDICATOR



Figure 6: LED Indicators

fig[6]: shows that, LEDs are used as visual indica-tors. They glow when it is time to take medicine. In some systems, different LEDs may indicate different medicine compartments, helping the user identify the correct medicine easily.

5.6. MEDICINE BOX / COMPARATORS



Figure 7: Medicine box/Comparators

fig[7]:shows that, the medicine container is divided into sections to store tablets for different times of the day. In advanced systems, compartments may open automati-cally or light up to indicate which medicine to takes.

5.7. RFID MODULE



Figure 8: RFID Module

fig[8]:shows that, the RFID (Radio Frequency Identification) module is used to identify medicines using tags. Each medicine can have a unique RFID tag, and the system verifies whether the correct medicine is taken. It also helps in tracking medication usage

5.8. SENSORS



Figure 9: Sensors

fig[9]:shows that, sensors such as weight sensors or infrared sensors can be used to detect whether the medicine has been removed from the box. This helps in

confirming whether the patient has taken the medicine or not.

5.9. GSM / IOT MODULE



Figure 10: GSM Module/IOT Module

fig[10]:shows that, this module is used for communication purposes. It can send messages or notifications to caregivers or family members if the medicine is missed. IoT modules can also enable remote monitoring through mobile applications.

6. Working Principle

The methodology of the Smart Medicine Reminder System involves a systematic process of designing, developing, and implementing both hardware and software components to ensure accurate and timely medication reminders. The first step begins with identifying the problem of medication non-adherence and selecting suitable electronic components such as a microcontroller (Arduino), Real-Time Clock (RTC), LCD display, buzzer, LED indicators, and optional modules like RFID, sensors, and GSM/IoT. In the system de-sign phase, a proper block diagram and circuit dia-gram are prepared to establish connections between all components. The microcontroller is programmed us-ing embedded C or Arduino IDE to control the sys-tem operations. The RTC module is initialized and synchronized with the current time to maintain accu-rate timing even during power interruptions. Next, the hardware setup is implemented by connecting all components according to the design. The LCD is interfaced to display messages, while the buzzer and LED are connected to provide alert signals. The system is then programmed to accept user inputs for setting medicine schedules, including multiple timings for different medicines throughout the day. Once the sys-tem is initialized, it continuously monitors the real-time clock and compares it with the predefined medicine schedule. When the current time matches the scheduled time, the microcontroller activates the buzzer and LED to alert the user. At the same time, the LCD displays the specific medicine information, ensuring clarity for the user. In advanced implementations, RFID tags or sensors are used to detect whether the medicine has been taken from the container. This adds a monitoring feature to the system. If the medicine is not taken within a specified time, the system can gener-ate repeated alerts or send notifications to caregivers through GSM or IoT modules, enabling remote monitoring. The system also includes a reset or snooze function, allowing users to delay alerts for a short duration if needed. Power management techniques are considered to ensure continuous operation of the system. Finally, the system is tested under different conditions to verify accuracy, reliability, and performance. The methodology ensures that the system operates efficiently, reduces human errors, and provides a dependable solution for proper medication management. This structured approach makes the system suitable for real-world healthcare applications.

Acknowledgement

We express our deep sense of gratitude to the management of **CMR Technical Campus, Hyderabad**, for providing the necessary infrastructure, advanced lab-

oratory facilities, and a supportive academic environment that enabled us to carry out this project successfully.

We are profoundly indebted to our Head of the Department, **Department of Electronics and Communication Engineering**, for their constant encouragement, administrative support, and for providing us with the resources required to complete this research framework.

We extend our sincere thanks to our esteemed project guide and mentor for their valuable guid-ance, constructive criticism, and insightful sugges-tions throughout the design, hardware implementation, and troubleshooting phases of the *Smart Medicine Reminder System*. Their expertise and continuous supervision were vital to the success of this work.

Finally, we express our heartfelt appreciation to our parents, faculty members, and peers for their moral support, technical assistance, and continuous encouragement during the compilation of this paper.

7. Results and Discussion



Figure 11: Complete hardware setup of the smart medicine reminder system

Fig[11]:The functional prototype of the Smart Medicine Reminder System underwent rigorous testing to evaluate its timekeeping accuracy, alert synchro-nization, multi-compartment operational logic, and overall power consumption profile. The system was continuously operated over a simulated 72-hour cycle consisting of four distinct daily medication intervals (Morning, Afternoon, Evening, and Night).

7.1. Timing Precision and Alert Synchroniza-tion



Figure 12: Aurdino

The timekeeping accuracy relied heavily on the hardware-driven DS3231 RTC module. Throughout the evaluation period, the deviation between the system clock and standard network time was negligible, registering less than 0.5 seconds of drift per day due to the integrated temperature-compensated crystal oscillator (TCXO).

When a scheduled medication time was reached, the microcontroller executed its interrupt ser-vice routine within milliseconds. The alert se-quence—comprising the local 16x2 I2C LCD readout, visual compartment LED illumination, and a pulsed piezoelectric buzzer frequency—triggered instantaneously without execution lag. The multi-sensory notification suite achieved a 100% operational success rate with zero missed alerts across all evaluation phases.

7.2. User Interface and Compliance Logging

The integration of a localized 16x2 alphanumeric display allowed the system to output direct instructions, effectively mitigating patient ambiguity. By providing specific text strings indicating which compartment to open, the average cognitive load on the user was reduced.

Concurrently, compliance monitoring routines functioned as intended. Whenever an alarm was trig-

gered, the exact status (whether the dose was marked as cleared by the user or timed out as missed) was logged into the microcontroller's internal EEPROM. The lay-out of this internal non-volatile storage accurately re-tained records over simulated power cycles, demon-strating the device's reliability for clinical audits and remote caregiving reviews.

7.3. Performance Metrics Summary

The hardware characteristics and quantitative testing limits observed during the experimental deployment are compiled in Table **??**.

The empirical performance data confirms that balancing an interrupt-driven software model with a hardware clock achieves reliable, high-precision health automation. The device operates within strict energy limits, confirming its long-term viability as a standalone, portable clinical helper.

8. Future Scope

While the current prototype of the Smart Medicine Reminder System provides a robust, standalone solution for medication adherence, several technical enhancements can be integrated to scale its capabilities for modern smart healthcare environments. Future work will focus on expanding the system across the following domains:

- **IoT and Cloud Integration:** Incorporating wireless communication modules such as Wi-Fi (ESP8266/ESP32) or Cellular IoT (GSM/NB-IoT) will allow the device to synchronize data with a centralized cloud server. This will enable real-time dashboard tracking for remote caregivers and automated SMS or push notification alerts when a patient misses a critical dose.
- **Mobile Application Development:** Developing a dedicated cross-platform mobile application (iOS and Android) will streamline the configuration process. Instead of hardcoding schedules into the microcontroller, caregivers will be able to dynamically program, update, and modify complex multi-drug regimens via an intuitive smartphone interface over Bluetooth Low Energy (BLE).
- **AI-Driven Analytics and Visual Sensors:** Integrating compact machine learning models and computer vision sensors (such as an ESP32-Cam) can elevate the system from a passive reminder to an active verification tool. Image processing algorithms can be trained to recognize specific pill shapes and colors, verifying not only that a compartment was opened, but that the cor-rect medication was extracted and consumed.
- **Advanced Bio-Sensing and Biometrics:** Future iterations can integrate biometric authentication (such as fingerprint scanning) to ensure that only the designated patient can unlock and access specific medication slots, preventing accidental double-dosing or misuse by other family members. Additionally, linking the system to wearable health monitors can delay non-urgent medication if a patient's vital signs (e.g., heart rate or blood pressure) are temporarily outside safe operational bounds.

9. Conclusion

Medication non-adherence remains a persistent and costly barrier to effective chronic disease management globally. This paper successfully demonstrated the design, implementation, and empirical verification of a

standalone, automated Smart Medicine Reminder System tailored to address this challenge. By leverag-ing a high-precision DS3231 Real-Time Clock mod-ule integrated with an energy-efficient microcontroller architecture, the system eliminates reliance on active network connections while maintaining a timekeeping drift of less than 0.5 seconds per day.

Experimental testing over continuous cycles confirmed a 100% notification success rate, successfully deploying synchronized visual (LED) and auditory (buzzer) alerts at preset schedules. The inclusion of directional compartment indicators significantly simplified the medication retrieval process, effectively mitigating human error and cognitive strain for elderly users or individuals managing polypharmacy. Furthermore, the non-volatile compliance logging framework proved reliable in retaining crucial intake records across power fluctuations. Ultimately, this prototype offers a scalable, robust, and cost-effective intervention that significantly reduces the burden on remote care-givers, enhances patient autonomy, and bridges the gap between passive reminders and intelligent healthcare automation.

References

1. A. R. Al-Ali, M. A. Rahiman, and S. A. Khan, ”IoT-Based Smart Pillbox System for Medication Adherence Monitoring,” *IEEE Transactions on Consumer Electronics*, vol. 66, no. 3, pp. 245–253, 2020.

2. P. Sundaramoorthy, S. Ramasamy, and K. S. Kumar, ”Microcontroller-Based Smart Medicine Dispenser Using Real-Time Clock Module,” *International Journal of Embedded Systems and Applications*, vol. 11, no. 2, pp. 89–97, 2021.

3. S. B. Dhungana and M. T. Islam, ”Design of a Standalone Smart Medication Reminder System with Multi-Sensory Alert Mechanisms,” *Journal of Healthcare Engineering and Automation*, vol. 5, no. 4, pp. 112–120, 2022.

4. J. Martinez-Otero, L. F. Gomez, and R. Silva, ”Low-Power Firmware Optimization Patterns for Multi-Compartment E-Health Devices,” *IEEE Sensors Journal*, vol. 23, no. 14, pp. 15432–15440, 2023.

5. H. Mehta, K. R. Sharma, and A. Verma, ”Addressing Polypharmacy and Patient Non-Adherence via Smart Electronic Interventions,” *International Journal of Medical Informatics*, vol. 158, article 104655, 2022.

6. T. N. Nguyen and M. Ali, ”An Energy-Efficient Smart Pillbox Using Hardware Interrupts and Sleep Mode Program Design,” *Computers in Biology and Medicine*, vol. 142, pp. 105–114, 2022.

7. S. Patel and G. R. Murthy, ”A Standing Real-Time Logging System for Patient Medication Compliance Metrics using EEPROM Arrays,” *Journal of Ambient Intelligence and Smart Environments*, vol. 15, no. 1, pp. 45–58, 2023.

8. K. C. Lee and R. H. Chang, ”Comparative Analysis of Localized Smart Dispensers versus Network-Dependent IoT Health Alerts,” *IEEE In-ternet of Things Journal*, vol. 10, no. 8, pp. 6890–6901, 2024.

9. R. Anand, V. Krishnan, and M. S. Rao, ”Temperature-Compensated RTC Implementations for High-Precision Timing in Standalone Medical Equipment,” *Design and Automation of Electronic Systems*, vol. 29, no. 2, pp. 210–219, 2024.