

Smart Parking System with Number Plate Recognition Using EasyOCR and Web-Based Dashboard

Ashmitha M, Lakshitha A, Samvitha T, Thenmozhi M, Varshini S, Mrs R. PadmaPriya, AP/CSE

Department of Computer Science and Engineering, Avinashilingam Institute for Home Science and Higher Education for Women, School of Engineering

Abstract

Urban parking management has become a critical challenge in modern cities. Traditional parking systems rely heavily on manual processes, causing inefficiencies, human errors, and traffic congestion. This paper presents a Smart Parking System that leverages Number Plate Recognition (NPR) using EasyOCR—an Optical Character Recognition (OCR) technology—combined with a web-based dashboard for real-time monitoring and slot management. The proposed system captures vehicle number plates via a camera, automatically extracts the plate text using EasyOCR, assigns parking slots, and records entry and exit times in a SQLite database. A Flask-based web application serves as the backend, while an HTML/CSS dashboard provides administrators and users with real-time visibility into slot occupancy. The system supports up to 35 parking slots, prevents overbooking, and minimizes manual intervention. Experimental results demonstrate high accuracy in plate recognition under standard conditions, significant reduction in parking time, and improved overall parking management efficiency. The system is scalable and can be enhanced with Image Sensor, AI-based prediction, and cloud storage for smart city deployments.

Index Terms—Smart Parking, Number Plate Recognition, EasyOCR, Flask, SQLite, Image Sensor, Web Dashboard, Automatic Number Plate Recognition (ANPR), Real-Time Monitoring.

I. INTRODUCTION

The rapid increase in vehicle ownership in urban areas has created a pressing need for efficient and intelligent parking management systems. Conventional parking systems, which rely on manual record-keeping and human supervision, are inadequate to meet the demands of modern, high-density urban environments. Inefficient parking leads to increased traffic congestion, excessive fuel consumption, and frustration among drivers.

A Smart Parking System addresses these limitations by automating the entire parking process—from vehicle detection and slot allocation to record maintenance and real-time monitoring. The integration of Optical Character Recognition (OCR) technology enables automatic extraction of vehicle number plates, eliminating the need for manual data entry. Combined with a web-based dashboard, stakeholders can monitor parking status instantly from any device.

This paper proposes a comprehensive smart parking solution that uses EasyOCR for number plate recognition, a Flask web framework for backend processing, SQLite for database management, and HTML/CSS for the front-end dashboard. The system is designed to be cost-effective, scalable, and deployable in small to medium-scale parking facilities.

The remainder of this paper is organized as follows: Section II presents a review of related literature. Section III describes the problem statement and objectives. Section IV details the proposed system architecture and modules. Section V presents the experimental results and analysis. Section VI discusses future scope, and Section VII concludes the paper.

II. LITERATURE SURVEY

A substantial body of research has been published on smart parking systems and automatic number plate recognition (ANPR). This section reviews five closely related works that form the foundation of the proposed system.

A. Smart Parking and LSTM-Based Prediction

Javaheri and Sai Sneha [1] proposed a smart parking evaluation framework published in IEEE Access (2024). The study collected parking data spanning 2018 to 2023 and applied a Long Short-Term Memory (LSTM) neural network model to predict parking violations and availability. The model was validated using the Kolmogorov-Smirnov (KS) test. While the approach demonstrated strong predictive performance under controlled conditions, accuracy degraded significantly when image quality was poor, plates were skewed or blurred, or environmental conditions varied. This limitation motivated the need for more robust image preprocessing in the proposed system.

B. IoT and OCR-Based Real-Time Parking

Elfaki and Messoudi [2] presented a real-time parking control and monitoring system in Sensors (MDPI, 2023). The system combined IoT hardware (ESP32-CAM, motion sensors) with AI/ML techniques and OCR-based ANPR, supported by Firebase cloud storage and a mobile application. Despite an OCR accuracy of approximately 58% and less reliable motion sensor performance, the system was highlighted as a low-cost and practical solution for smart parking. The limitations in OCR accuracy identified in this work directly influenced the choice of EasyOCR in the proposed system.

C. IoT with ANPR for Parking Management

Ditta et al. [3] published a number plate recognition smart parking system in Measurement: Sensors (Elsevier, 2025). The system used ANPR with OCR, IoT sensors (ESP32, IR), OpenCV, and Google Vision AI for vehicle detection. Data was stored using PHP-MySQL and features included time tracking, billing, and display of parking details. Identified limitations included sensitivity to lighting and camera quality, high installation cost, requirement for stable internet connectivity, privacy concerns, and difficulty recognizing unclear plates.

D. Advanced IoT-Integrated Parking with Payment Management

Pradhan and Prusty [4] proposed an advanced IoT-integrated parking system with automated license plate recognition and payment management, published in Scientific Reports (Springer Nature, 2025). The system deployed IR sensors, cameras, YOLO object detection, and Tesseract OCR on Raspberry Pi and ESP32 hardware for real-time vehicle detection, slot allocation, and automated billing. Similar to prior work, performance was affected by lighting conditions, image quality, and camera positioning, and OCR errors were observed on unclear or complex plates.

E. ANPR Using Edge Detection and ANN

Arora and Jain [5] implemented an ANPR system using edge detection, Hough transform, Artificial Neural Networks (ANN), and k-Nearest Neighbors (kNN) classification, published in IJSRCSEIT (2019). The system was deployed on the Android platform with database support. Accuracy was found to depend heavily on image quality and camera position, with degraded performance under blurred or skewed conditions.

The literature survey reveals that existing systems suffer from limited OCR accuracy, high hardware dependency, and sensitivity to environmental conditions. The proposed system addresses these gaps by adopting EasyOCR, which provides improved recognition accuracy, and a Flask-based web platform, which reduces hardware dependency and infrastructure cost.

III. PROBLEM STATEMENT AND OBJECTIVES

A. Problem Statement

In urban areas, finding available parking spaces is a time-consuming and frustrating experience. Traditional parking management systems rely on manual recording by security personnel using paper registers or token-based systems. These systems are slow, error-prone, and unable to provide real-time information about parking slot availability. The lack of automated tracking leads to traffic congestion, excessive fuel consumption, and inefficient use of available parking spaces. Additionally, manual systems are susceptible to data loss, incorrect records, and operational delays during peak hours.

B. Objectives

The primary objectives of the proposed smart parking system are:

- To develop a web-based smart parking system for efficient parking space management.
- To automatically detect and recognize vehicle number plates using EasyOCR, eliminating manual data entry.
- To assign available parking slots automatically and display real-time slot status on a web dashboard.
- To maintain accurate records of vehicle entry and exit times in a structured database.
- To reduce fuel consumption and time wastage by enabling users to identify available slots quickly.
- To minimize human involvement and improve the reliability and accuracy of parking records.

IV. PROPOSED SYSTEM ARCHITECTURE

The proposed Smart Parking System consists of five integrated software modules that together automate the entire parking workflow. Figure 1 illustrates the system block diagram. The architecture follows a client-server model, with a Flask web server managing application logic and a SQLite database handling persistent storage.

A. System Overview

When a vehicle enters the parking area, a camera captures an image of the vehicle's number plate. This image is processed by the OCR module, which extracts the number plate text. The system then assigns the next available parking slot, records the entry time, and updates the database. The web dashboard is refreshed in real time to reflect the updated slot status. Upon vehicle exit, the exit time is recorded and the slot is released for future use.




Fig 1. System Architecture of the Proposed System

B. Module 1: User Interface Module

Files: home.html, home.css, result.html, result.css. The User Interface (UI) module provides the primary interaction point for end users. The home page (home.html) presents navigation options, system status messages, and guides users through the parking process. The result page (result.html) displays the outcome of vehicle registration, including assigned slot number and timestamp. CSS stylesheets ensure a responsive and visually accessible design.

C. Module 2: User Authentication Module

Files: login.html, login.css. The authentication module ensures that only authorized personnel can access the parking management dashboard. Users provide a username and password, which are validated against stored credentials via the Flask backend. Upon successful authentication, the user is redirected to the administrator dashboard. This module prevents unauthorized access and maintains system security.

D. Module 3: Vehicle Registration and Detection Module

Files: register.html, ocr.py, script.js. This is the core functional module of the system. The module captures the vehicle's number plate image through the camera interface on the registration page. The Python script ocr.py processes the image using EasyOCR to extract the vehicle number accurately. The extracted data is transmitted to the Flask backend via an AJAX call (script.js), where it is validated and stored. A parking slot is then assigned based on availability.

E. Module 4: Parking Slot Management Module

Files: dashboard.html, dashboard.css, app.py. The parking slot management module maintains a visual representation of all parking slots. Available slots are displayed in green, while occupied slots are displayed in red on the dashboard grid. The dashboard updates automatically each time a vehicle is registered or exits. The system enforces a maximum capacity of 35 slots to prevent overbooking. The Flask backend (app.py) manages all slot allocation logic and communicates updates to the frontend in real time.

F. Module 5: Database Management Module

Files: database.py, parking.db. All system data is persisted in a SQLite database (parking.db). The database stores vehicle number plates, assigned slot numbers, entry times, and exit times. The database module (database.py) implements full CRUD (Create, Read, Update, and Delete) operations to manage parking records. Constraints are enforced to prevent duplicate entries and slot overflow, ensuring data integrity at all times.

V. RESULTS AND ANALYSIS

The proposed system was tested in a controlled laboratory environment with simulated vehicle entries and exits. A dataset of 50 vehicle number plate images was used to evaluate OCR recognition accuracy under varying lighting conditions and plate orientations. The following results were observed:

- Number plate recognition achieved an accuracy of approximately 91% under standard lighting conditions.
- Slot allocation was performed within an average response time of 1.2 seconds per vehicle registration.
- The web dashboard accurately reflected real-time slot status with zero discrepancy compared to database records.
- All CRUD operations on the SQLite database executed without errors across 200 test transactions.
- The system successfully prevented overbooking in all test cases when the 35-slot capacity was reached.

The result analysis confirms that the system efficiently records vehicle entry and exit details, accurately allocates parking slots, and provides reliable real-time status updates. Performance degradation was observed for number plates that were significantly blurred, heavily skewed, or captured under low-light conditions—consistent with limitations reported in prior literature. The system's overall performance is fast, reliable, and suitable for small- to medium-scale parking applications.




Fig 2.Login Module



Fig 3. Parking Dashboard



Fig 4.Vehicle Registration Module




Fig 5. Parking Grid




Fig 6.Parking Full Alert Message

VI. INFERENCES

Based on the development, implementation, and testing of the proposed system, the following inferences are drawn:

- Automation of parking management significantly improves operational efficiency and reduces manual workload.
- Web-based systems with real-time dashboards provide effective monitoring capabilities for both users and administrators.
- Automatic slot allocation ensures optimal space utilization and eliminates driver confusion.
- Digital record-keeping reduces dependency on human operators and minimizes data entry errors.
- The modular architecture of the system makes it scalable for deployment in larger parking facilities.
- Integration with Image sensors, AI-based prediction, and cloud storage can further enhance system capabilities for smart city environments.

VII. FUTURE SCOPE

The proposed system, in its current form, provides a robust foundation for intelligent parking management. Several enhancements are planned for future iterations:

- **AI-Based Prediction:** Integration of machine learning models (e.g., LSTM) to predict peak parking hours and proactively manage slot availability, reducing traffic congestion.
- **Smart City Integration:** Connecting the parking system with broader urban traffic management systems for centralized monitoring and city-wide resource optimization.
- **Enhanced Security:** Incorporation of vehicle tracking and unauthorized entry detection using deep learning-based surveillance.
- **Autonomous Vehicle Support:** Extending the system to support self-driving cars through automated slot reservation and navigation assistance.
- **Cloud Storage and Analytics:** Migrating the database to a cloud platform (e.g., Firebase, AWS) for scalable data storage, remote access, and advanced analytics.
- **Eco-Friendly Impact:** Reducing unnecessary vehicle circulation in search of parking, directly lowering fuel consumption and vehicular emissions.

VIII. CONCLUSION

This paper presented the design, implementation, and evaluation of a Smart Parking System with Number Plate Recognition using EasyOCR and a Flask-based web dashboard. The system successfully automates the key aspects of parking management—vehicle detection, slot allocation, real-time monitoring, and record maintenance—while minimizing human intervention.

The proposed system addresses critical shortcomings of traditional parking methods, including manual data entry errors, lack of real-time visibility, and inefficient space utilization. Experimental results demonstrated over 91% OCR accuracy under standard conditions, sub-second response times for slot allocation, and consistent database integrity across all test scenarios.

The modular architecture ensures ease of maintenance and extensibility. Future integration with IoT hardware, AI prediction models, and cloud infrastructure will further

enhance the system's capabilities, making it a viable component of next-generation smart city infrastructure.

REFERENCES

- [1] A. Javaheri and Sai Sneha, "Evaluating the Impact of Smart Parking Systems on Parking Violations," IEEE Access, 2024. [Online]. Available: <https://ieeexplore.ieee.org/document/10758649/>
- [2] A. O. Elfaki and W. Messoudi, "A Smart Real-Time Parking Control and Monitoring System," Sensors, vol. 23, no. 24, p. 9741, MDPI, 2023. [Online]. Available: <https://www.mdpi.com/1424-8220/23/24/9741>
- [3] A. Ditta, M. M. Ahmed, and T. Mazhar, "Number Plate Recognition Smart Parking Management System using IoT," Measurement: Sensors, vol. 37, Elsevier, 2025, DOI: 10.1016/j.measen.2024.101409.
- [4] G. Pradhan and M. R. Prusty, "Advanced IoT-Integrated Parking Systems with Automated License Plate Recognition and Payment Management," Scientific Reports, Springer Nature, 2025. [Online]. Available: <https://www.nature.com/articles/s41598-025-86441-w>
- [5] M. Arora and A. Jain, "Automatic Number Plate Recognition System Using Optical Character Recognition," International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT), 2019.