

Speed Control of Induction Motors using Neuro Fuzzy Expert Systems

Shaloo Vijaykar¹, Prof. Vikas Tiwari²

¹Department of Electrical and Electronics Engineering, Oriental University, Indore, India.

²Department of Electrical and Electronics Engineering, Oriental University, Indore, India.

Abstract - Induction motors and their speed control is critical aspect in several real life applications. Often, the proportional integral derivative (PID) controlling mechanism is found in several applications in industries where speed of motors or induction motors is to be controlled. The PID controller is specifically useful since it tries to minimize the steady state error as well as increase the response or speed of the system, thereby incorporating the benefits of proportional derivative and proportional integral control. However, the real time operation of PID controllers is challenging due to its tuning. The controlling mechanism is critically important for the application of the PID. Previously, manual tuning was used which needed experts and was also prone to errors. With the advent of sophisticated optimization tools, automatic tuning has gained momentum. In this work, a combination of neural networks and fuzzy logic often called neuro fuzzy expert systems has been proposed for the speed control of induction motors. It has been shown that proposed system is capable to attain better results compared to conventional techniques. The system has been designed on Matlab/Simulink.

Key Words: Induction Motors, Speed Control, PID Controllers, Fuzzy Logic, Neuro Fuzzy Expert Systems.

1.INTRODUCTION

Controllers are used in the industry for a wide spectrum of applications. The major aspects which a controller tries to control are:

- Error
- Speed

The proportional integral derivative (PID) controlling mechanism is useful since it minimizes the steady state error given by:

$$\lim_{t \rightarrow \infty} e_{ss}(t) = R_s - Y_s \quad (1)$$

Here,
 $e_{ss}(t)$ represents the steady state error
 $R(s)$ is the reference input
 Y_s is the output

The error is often viewed as the overshoot above the reference value. Lesser values of overshoot render lesser steady state errors. Practically, the time to compute the steady state error is not actually infinite time but rather 6-10 time constants of the system. Another critical aspect of the system is the speed of the time response of the system. In this case the rise time is critical to be analyzed. The rise time is defined as the time needed for the output to attain 0% to 100% of its output (for an under-damped system). It is considered as the time needed

for the output to reach form 10% to 90% of the output for an over-damped system. Mathematically,

$$t_{rise} = t_{Y=100\%} - t_{Y=0\%}; \text{underdamped systems} \quad (2)$$

And

$$t_{rise} = t_{Y=90\%} - t_{Y=10\%}; \text{over - damped systems} \quad (3)$$

The most common technique is the V/f control. Implementing the V/f control can be implemented using several artificial intelligence based optimization techniques.

The Neuro Fuzzy (ANFIS) Expert System Control

Fuzzy rule based approaches are generally needed in optimization problems that do not possess a clear boundary. The any system that follows the following aspects are needed for IDS are the following:

- Parallel data processing architecture.
- Learning from updating the parameters of the IDS library.
- Capability for the system to detect fuzziness in the taking decisions.

The major reason for the need of fuzzification in automatic tuning is the fact that often it may be critically important to take decisions which do not have a clear boundary of decision making and hence a crisp output needs to be rendered. Fuzzy logic can render crisp values as the output subsequent to Fuzzification. Fuzzy rule based learning generally utilizes the uncertainty in the outcomes the PID parameters which generally tend to exhibit a non-linear idiosyncratic nature or pattern. Membership functions allow you to quantify linguistic term and represent a fuzzy set graphically. A membership function for set A can be defined as the super-set of discourse X as:

$$\mu_A: X \rightarrow [0,1] \quad (4)$$

Here, all the elements of the superset X is mapped between values of possible yes or no termed as 0 and 1. Often the term coined for the above function is called the membership value or degree of membership. It helps in the quantification of the set value in the discourse of A into the crisp values as:

- x axis denotes the entire range of the random discourse or variable.
- y axis denotes the value of the probability in the interval of [0, 1].

A physical illustration is given below:




Fig.2 Case representation in fuzzy logic with membership value

The Fuzzy Logic Controller

The fuzzy logic controller can be considered as the fuzzy controlling mechanism that converts non-fuzzy values to fuzzy values and vice versa.




Fig.3 Block Diagram of Fuzzy Logic Controller

Neuro Fuzzy Expert Systems

Neuro Fuzzy Systems can be seen as an amalgamation of :

The V/f control of PID Controller-Based Speed Control Model

In present work in order to trace the reference speed curve the first technique utilizes is closed loop controller comprises of V/f control method along with PID controller. The V/f control is used here to generate the i/p signal for inverter is feed by PID controller after calculating error signal and limiting slip value.




Fig.5 The V/f controlling mechanism

The signal will guide inverter to generate respective supply so as to keep motor speed constant as required with the variation in load. The work is done on MATLAB/SIMULINK software. The signal is feed to Voltage Source Inverter (VSI) which is further connected to IM to supply 3 ϕ power. On simulating the above model following results are obtained.




Fig.6 Flowchart of Proposed System

3. EXPERIMENTAL RESULTS

The results have been simulated on Matlab/Simulink. The various parameters which are computed are:

- 1) Stator Voltage
- 2) Stator Current
- 3) Speed versus time
- 4) Torque versus time

The different parameters have been computed and plotted as a function of time. The comparative analysis of the parameters with and without the proposed system has also been provided.





Fig.7 Simulink model for PID control for V/f control method






Fig.9 Stator current of a 3 phase IM motor for PID control by V/f control method




Fig.12 Torque vs time plot using Fuzzy controller




Fig.10 Load torque and Speed vs. Time of a PID control for V/f control method




Fig.11 Speed vs. Time plot using Fuzzy controller




Fig.13 Block diagram of Fuzzy Logic based Speed controller




Fig.14 Stator Current vs time plot using Fuzzy controller

CONCLUSION

It can be concluded from the previous discussions that automatic tuning of PID controllers is a complex task and evolutionary optimization techniques are being used for the same. In this paper, work a comparative analysis of a conventional (PID) controller and PID controller with neuro fuzzy expert systems has been done for the effective controlling and tuning. It can be observed from the results that the proposed system outperforms the conventional techniques in term of steady state error and response.

REFERENCES

- [1] S. Savarapu, M. Qutubuddin and Y. Narri, "Modified Brain Emotional Controller-Based Ripple Minimization for SVM-DTC of Sensorless Induction Motor Drive," in *IEEE Access*, 2022, vol. 10, pp. 40872-40887.
- [2] M. Stender, O. Wallscheid and J. Böcker, "Accurate Torque Estimation for Induction Motors by Utilizing a Hybrid Machine Learning Approach," 2021 IEEE 19th International Power Electronics and Motion Control Conference (PEMC), Gliwice, Poland, 2021, pp. 390-397.
- [3] S. Verma, N. Henwood, M. Castella, A. K. Jebai and J. -C. Pesquet, "Neural Networks based Speed-Torque Estimators for Induction Motors and Performance Metrics," *IECON 2020 The 46th Annual Conference of the IEEE Industrial Electronics Society*, Singapore, 2020, pp. 495-500.
- [4] M. Z. Ali, M. N. S. K. Shabbir, X. Liang, Y. Zhang and T. Hu, "Machine Learning-Based Fault Diagnosis for Single- and Multi-Faults in Induction Motors Using Measured Stator Currents and Vibration Signals," in *IEEE Transactions on Industry Applications*, 2019, vol. 55, no. 3, pp. 2378-2391.
- [5] Jakub Talla ; Viet Quoc Leu ; Václav Šmídl ; Zdeněk Peroutka, "Adaptive Speed Control of Induction Motor Drive With Inaccurate Model", *IEEE Transactions on Industrial Electronics*, Volume: 65 , Issue: 11 , pp 8532 – 8542, 2018.
- [6] Zhen Guoa,b, Jiasheng Zhang, Zhenchuan Sun, Changming Zheng, "Indirect Field Oriented Control of Three-Phase Induction Motor Based on Current-Source Inverter", 13th Global Congress on Manufacturing and Management, GCM 2016, Procedia Engineering 174, pp 588 – 594, 2017.
- [7] Morawiec, Zbigniew Krzeminski and Arkadiusz Lewicki, "Voltage multi scalar control of induction machine supplied by current source converter," *IEEE*, pp. 3119-3124, 2010.
- [8] Shoeb Hussain, Mohammad Abid Bazaz, "Neural Network Observer Design for Sensor less Control of Induction Motor Drive", *IFAC 49-1*, pp 106–111, 2016.
- [9] Abolfazl Halvaei Niasar and Hossein Rahimi Khoei, "Sensor less Direct Power Control of Induction Motor Drive Using Artificial Neural Network", *Hindawi Publishing Corporation Advances in Artificial Neural Systems Volume*, 2015.

- [18] J. Yu, Y. Ma, H. Yu, Ch. Lin, "Adaptive fuzzy surface control for PID controllers with iron losses in electric vehicle drive systems via backstepping", *Inf. Sci.*, vol. 376, no. 1, pp. 172-189, Jan. 2017.
- [19] N. Singh, V. Agarwal, "Delta-Modulated AC-AC Converter for PM WECS", *IEEE Transactions on Industrial Informatics*, vol. 11, no. 6, pp. 1422-1434, Dec. 2015.
- [20] C. M. F. S. Reza, M. D. Islam, and S. Mekhilef, "A review of reliable and energy efficient direct torque-controlled induction motor drives," *Renew. Sustain. Energy Rev.*, vol. 37, pp. 919-932, Sep. 2014.
- [21] P. Agarwal, P. Sonkar, V. Agarwal, "Single Phase to three phase cyclo-inverter with Space Vector PWM controller", 2012 IEEE International Conference on Power Electronics Drives and Energy Systems (PEDES), pp. 1-5, 2012
- [22] S. Golabi, E. Babaei, M. B. Bannae Sharifian, Z. Golabi, "Application of speed rotor flux electromagnetic load torque observers and diagnostic system in a vector controlled high-power traction motor drive", *Arabian Journal for Science and Engineering (AJSE)*, vol. 39, no. 4, pp. 2979-2996, April 2014.
- [23] F. Wang, Z. Zhang, X. Mei, J. Rodríguez, and R. Kennel, "Advanced Control Strategies of Induction Machine: Field Oriented Control, Direct Torque Control and Model Predictive Control," *Energies*, vol. 11, no. 1, p. 120, 2018
- [24] S.-M. Lu, "A review of high-efficiency motors: Specification, policy, and technology," *Renew. Sustain. Energy Rev.*, vol. 59, pp. 1-12, Jun. 2016.