

Supply Chain Forecasting Employing ANFIS and DWT

Jyoti Malviya¹ Prof. Pankaj Raghuwanshi²

Abstract: Off late, the demand for pharmaceutical products and drugs has ramped up significantly due to the ongoing COVID-19 scenario. Several instances have been reported where large scarcity of drugs have led to fatalities in patients. Hence, the necessity for a holistic approach for demand forecasting for the pharmaceutical supply chain has become imperative. Recently, soft computing techniques are being used widely for demand forecasting due to relatively higher accuracy compared to conventional statistical techniques. This work proposes a wavelet transform-adaptive neuro fuzzy inference system (DWT-ANFIS) hybrid to forecast pharmaceutical products. The DWT has been used as a data cleaning and optimization tool whereas the ANFIS has been used for forecasting. The evaluation of the proposed work has been done based on the mean absolute percentage error, regression and iterations of the system. It has been shown that the proposed system outperforms the existing system in terms of the MAPE.

Keywords: Demand Forecasting, Pharmaceutical Supply Chain, Soft Computing, Adaptive Neuro Fuzzy Inference Systems (ANFIS), Discrete Wavelet Transform, Mean Absolute Percentage Error (MAPE).

I. INTRODUCTION

Due to the ongoing COVID-19 scenario, the pharmaceutical industry has witnessed extreme pressure in terms of delivering pharmaceutical products. Several instances have been encountered where life saving drugs and amenities fell short of demand causing -

extreme fatalities. Hence, it became evident that demand forecasting for the pharmaceutical supply chain was mandatory [1]. The pharmaceutical market is an important area of the country's economy, which must be given special attention due to the fact that it is one of the necessary factors for the timely provision of human health. Today, there are a large number of pharmaceutical products (medicines and equipment), which are mass-market goods by terms, the use of which can be divided into durable goods (for example, sanitation, hygiene, medical devices) and short-term use (medicines, medicine plant materials, medical cosmetics) [2]. The management became extremely hard-pressed in times of the pandemics due to the large variations and sudden up-surge in the demand for pharmaceutical products. The demand forecasting can actually be modelled as a time series given by:

Demand = f(time, assocauted attributes)

(1) Here, f denotes a function of.

The dependence of pharmaceutical demand over time makes it somewhat predictable under similar other conditions of global influencing variables. However, even the slightest of changes can derail the prediction completely.

II. NEED FOR SOFT COMPUTING FOR DEMAND FOREASTING

Primarily, soft computing based techniques are used where the data to be analyzed is extremely large and complex to be analyzed by conventional computational or statistical techniques. There are various soft computing based approaches used for time series prediction or fitting applications out of which neural networks and fuzzy logic have gained substantial prominence. With the advent of deep learning, the computational capability of algorithms



have also risen allowing us to find trends in highly non-linear and uncorrelated data [3]. The following section briefly explains the fundamentals of neural networks and fuzzy systems and their application to stock market prediction.

2.1 Artificial Neural Networks (ANN)

Artificial Neural Networks try to copy or emulate the thinking process of the human brain to predict data. The fundamental properties are:

- 1) Parallel data processing capability
- 2) Learning and Adapting capability
- 3) Self-Organization

The mathematical model of ANN is shown below:




Fig.1 Mathematical Model of Neural Network

The output of the neural network is given by:

$$\sum_{i=1}^{n} XiWi + \Theta$$
 (2) here,

Xi represents the signals arriving through various paths,

Wi represents the weight corresponding to the various paths and

 Θ is the bias.

The essence of neural networks lies in the fact that neural networks can find a relation among variables which may seem highly uncorrelated. Moreover, as the data keeps changing, the neural network structure keeps adapting in terms of the weights so as to optimize the model and reduce the errors in the output [4]. Fundamentally, the learning is sub categorized as under:

- 1) Computational Intelligence
- 2) Artificial Intelligence
- 3) Machine Learning
- 4) Deep Learning

A set theoretic relationship among the above can be seen to be depicted by figure 2




Fig.2 Relationship between machine learning paradigms

Moreover, neural network architectures are also categorized as:

Feedforward Networks: Feed forward networks consist of only the feed forward path for data to travel from input layer towards output layer

Recurrent Networks: Recurrent networks have at least one closed data path loop.

Back Propagation: Back Propagation feeds back the error at the output as an input

The diagrammatic representations are given below:






Fig.3 Single Layer Feed Forward Network




Fig.4 Multi-Layer Feed Forward Network




Fig.5 Recurrent Network




Fig.6 Network with back propagation

Out of the empirical neural network architectures, back propagation has gained significance due to its accuracy in prediction of time series applications. However the performance for different training algorithms vary considerably in terms of errors and number of iterations [5]

2.2 Fuzzy Logic

Another tool that proves to be effective in several prediction problems is fuzzy logic. It is often termed as expert view systems. It is useful for systems where there is no clear boundary among multiple variable groups. The relationship among the inputs and outputs are often expressed as membership functions expressed as [6]:

A membership function for a fuzzy set A on the universe of discourse (Input) X is defined as:

$$\mu A: X \to [0, 1] \tag{3}$$
 Here,

each element of X is mapped to a value between 0 and 1. It quantifies the degree of membership of the element in X to the fuzzy set A.




Fig.7 Graphical Representation of Membership Functions

Here,

x axis represents the universe of discourse (Input). y axis represents the degrees of membership in the [0, 1] interval.

The final category is neuro fuzzy expert systems which governs the defining range of the membership functions.

2.3 Adaptive Neuro Fuzzy Inference Systems (ANFIS)

The ANFIS can be thought of as a combination of neural networks and fuzzy logic. In this mechanism, the neural network module decides the membership functions of the fuzzy module. The ANFIS structure is depicted in figure 8.






Fig.8 Block Diagram of Neuro-Fuzzy Expert Systems

III. DATA CLEANING

One of the most complex tasks related to demand forecasting is the analysis of extremely random and volatile data. Thus the proposed approach employs data cleaning techniques such as the wavelet transform.

The mathematical formulation for the wavelet transform is given by the scaling and shifting approach of the wavelet function [7].

The scaling, shifting dependence can be defined as:

$$W\varphi(Sc, Sh) = \#[\mathbf{x}, \mathbf{t}] \tag{4}$$

Here,

x is the space variable t is the time variable ₩ is the transform sc is the scaling factor sh is the shifting factor

The wavelet transform is an effective tool for removal of local disturbances. Pharmaceutical demands show extremely random behavior and local disturbances. Hence conventional Fourier methods do not render good results for highly fluctuating data sets. The major advantage of the wavelet transform is the fact that it is capable of handling fluctuating natured data and also local disturbances. The DWT can be defined as [8]:

W
$$\Phi$$
 (Jo, k) = $\frac{1}{\sqrt{M}} \sum_{n} S(n) \cdot \Phi(n)_{jo'k}$ (5)

IV. PROPOSED APPRAOCH

The proposed approach employs the data claeaning followed by the back propagation based training rule for neural network weight updates.

$$w_{k+1} = w_k - (J_k J_k^T + \mu I)^{-1} (J_k^T e_k) \quad (6)$$

Here,

 w_{k+1} is weight of next iteration,

 w_k is weight of present iteration

 J_k is the Jacobian Matrix


 J_k^T is Transpose of Jacobian Matrix

 e_k is error of Present Iteration

 μ is step size

I is an identity matrix.

The next step is the design of a fuzy system whose membership functions are to be updated using the neural networks output [9]. Some fundamentals of the membership function for the fuzzy model are given below:



The membership functions for the fuzzy set varies in magnitude based on two major factors:

1) Input variables



Volume: 08 Issue: 06 | June - 2024

2) Type of membership function.

The most commonly used membership function type is the triangular membership function given by:

$$\mu_{traingle} = max\left(min\left(\frac{x-a}{b-a},\frac{c-x}{c-b}\right),\mathbf{0}\right) \quad (7)$$

Here,

 $\mu_{traingle}$ denotes the trangular membership depicted in figure 10.




Fig.10 The Triangular Membership Function

Finally, the prediction is done based on the output of the ANFIS and the perfrmance indices computed are [10]:

Mean Square Error:

It is mathematically defined as:

$$mse = \frac{1}{n} \sum_{I=1}^{N} (X - X')^2$$
 (8)

Here,

X is the predicted value and X' is the actual value and n is the number of samples.

Mean Absolute Percentage Error (MAPE)

It is mathematically defined as:

$$MAPE = \frac{100}{M} \sum_{t=1}^{N} \frac{E - E_t}{E_t}$$
(8)

Here,

 E_t and $E_t^{\scriptscriptstyle \sim}$ stand for the predicted and actual values respectively.

Iterations:

SJIF Rating: 8.448

The iterations denote the number of cycles of training needed to reach convergence.

ISSN: 2582-3930

V. EXPERIMENTAL RESULTS

The experimental results obtained in the study are presented in this section. The system has been designed on Matlab. The data set used is extracted from Kaggle [1]. The parameters used are:

- 1) Date
- 2) Month
- 3) Generic Name
- 4) Brand Name
- 5) Medical Use
- 6) Shipped to Country
- 7) Sold in
- 8) Delivery Plant
- 9) External Agent Assigned/Not-Assigned
- 10) Price
- 11) Revenue
- 12) Commission
- 13) Demand/Sales

The data set parameters are depicted in figure 11.

			Sold-to							
	Company	ship to	party	Delivery	External	Sales	Price TC		External	Months
Disease Medical Use		country	Country Full	Plant	Agent	quantity	/Kg	Revenue	commission	
			Name 💌						s v	
Psychosis; depression	5704	Mexico	Mexico	8370	lot assigne	450	\$ 204.0	\$ 91,800.0	\$ -	Nov
Pain	5704	Thailand	Thailand	8370	lot assigne	374	\$ 472.0	\$1,76,528.0	ş -	Jun
Pain	5704	Vietnam	Japan	8370	Assigned	138	\$ 472.0	\$ 65,136.0	\$ 4,186.0	Dec
Pain	5704	Australia	Australia	8370	lot assigne	227	\$ 472.0	\$1,07,144.0	\$ -	May
Pain	5704	Singapore	Singapore	8370	lot assigne	394	\$ 472.0	\$1,85,968.0	\$ -	Jul
Pain	5704	Singapore	Singapore	8370	lot assigne	261	\$ 472.0	\$1,23,192.0	\$ -	Feb
Pain	5704	Thailand	Thailand	8370	Assigned	129	\$ 472.0	\$ 60,888.0	\$ 817.0	Apr
Pain	5704	Thailand	Thailand	8370	Assigned	310	\$ 472.0	\$1,46,320.0	\$ 5,063.3	Mar
Pain	5704	Thailand	Thailand	8370	Assigned	111	\$ 472.0	\$ 52,392.0	\$ 1,184.0	Feb
Pain	5704	Egypt	Egypt	8370	lot assigne	109	\$ 472.0	\$ 51,448.0	\$ -	Apr
Neuropathic pain	5887	India	India	8095	lot assigne	46	\$ 500.0	\$ 23,000.0	\$-	Nov
Neuropathic pain	5887	India	India	8095	lot assigne	376	\$ 500.0	\$1,88,000.0	\$ -	Sep
Neuropathic pain	5887	India	India	8095	lot assigne	135	\$ 500.0	\$ 67,500.0	\$ -	Jul
Neuropathic pain	5887	India	India	8095	lot assigne	379	\$ 500.0	\$1,89,500.0	\$-	Jul
Neuropathic pain	5887	India	India	8095	lot assigne	104	\$ 500.0	\$ 52,000.0	\$-	Oct
Neuropathic pain	5887	India	India	8095	Assigned	468	\$ 500.0	\$2,34,000.0	\$ 10,296.0	Feb
Neuropathic pain	5887	Thailand	Thailand	8095	lot assigne	365	\$ 500.0	\$1,82,500.0	\$ -	May
Neuropathic pain	5887	Thailand	Thailand	8095	lot assigne	119	\$ 500.0	\$ 59,500.0	\$-	Jun
Neuropathic pain	5887	Thailand	Thailand	8095	lot assigne	127	\$ 500.0	\$ 63,500.0	\$-	May
Neuropathic pain	5887	India	India	8095	lot assigne	254	\$ 500.0	\$1,27,000.0	\$-	Jul
Neuropathic pain	5887	India	India	8095	lot assigne	171	\$ 500.0	\$ 85,500.0	\$ -	Dec
Neuropathic pain	5887	outh Africa	outh Africa	8095	Assigned	250	\$ 500.0	\$1,25,000.0	\$ 7,833.3	Feb
Neuropathic pain	5887	India	India	8095	lot assigne	240	\$ 500.0	\$1,20,000.0	\$-	Jul

Fig.11 Used Data Set Parameters

The next step becomes importing the data to the MATLAB workspace so that the training and target data can be split. The split ratio used in this work has bene chosen as 70:30 as a standard thumb rule.

USREM e-Journal

International Journal of Scientific Research in Engineering and Management (IJSREM)

SJIF Rating: 8.448

Volume: 08 Issue: 06 | June - 2024

	MPORT	VEW														
		11327 -	Output Type:		Replace		• unimp	ortable cells	with * NaN	= + î	~					
			Harneric h	natrix 💌												
***	tile Names Row	1 0	@Text Option								Selector v					
			RPO47ED D				UNFOR	TABLE CELLS			MPORT					
	Business datas	etaisa 🛛														
	A	8	C	D	E	F	G	н	1	J	K	L	м	N	0	
								8	sinessdatase							
1	Order ID		Brand Name	Company N	Disease Me.		ompany c	ship to cou	Sold-to par	Delivery Pla.	External Ag.	Sales quant	Price TC /Kg	Revenue	External co	Month
2	FY-2015-001	Aripiprazole	Ability	Generic	Psychosis; d.		5704	Mexico	Mexico	8371	Not assigned	450	204	91800		Nov.
3	IN-2015-002		OryContin	Generic	Pain			Thailand	Theiland		0 Not assigned	374	471			Jun
4	IN-2015-003		OryContin	Generic	Pain			Vietnam	Japan		0 Assigned	138	477		4186	
5	IN-2015-004		OryContin	Generic	Pain			Australia	Australia		0 Not assigned	227	472			May
6	IN-2015-005	Oxycodone	OryContin	Generic	Pain			Singapore	Singapore		0 Not assigned	394	477			h.
7	IN-2015-006	Oxycodone	OxyContin	Generic	Pain		5704	Singapore	Singapore	8371	0 Not assigned	261	473			Feb
8	IN-2015-007	Oxycodone	OryContin	Generic	Pain		5704	Thailand	Thailand	8371	0 Assigned	129	472	60888	817	Apr
9	IN-2015-008	Oxycodone	OxyContin	Generic	Pain			Thailand	Thailand	8371	0 Assigned	310	477		5.0633e+03	Mar
10	IN-2015-009	Oxycodone	OxyContin	Generic	Pain			Thailand	Thailand	8371	0 Assigned	111	472	52392	1184	Feb
1	IN-2015-010	Oxycodone	OxyContin	Generic	Pain		5704	Egypt	Egypt	8371	Not assigned	109	477	51448		Apr
12	CA-2015-011	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	SNot assigned	46	500	23000		Nov
13	CA-2015-012	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	5 Not assigned	376	500	188000		Sep
4	CA-2015-013	Pregabalin	Lyrica	Pfizer	Neuropathi_		5887	India	India	8095	5 Not assigned	135	500	67500		hi
15	CA-2015-014	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	5 Not assigned	379	500	189500		Jul .
16	CA-2015-015	Pregabalin	Lyrica	Pfizer	Neuropath_		5887	India	India	8295	Not assigned	104	500	52000		Oct
17	CA-2015-016	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	5 Assigned	468	500	234000	10296	Feb
8	CA-2015-017	Pregabalin	Lyrica	Pfizer	Neuropath_		5887	Thailand	Thailand	8095	Not assigned	365	500	182500		May
19	CA-2015-018	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	Thailand	Theiland	8095	Not assigned	119	500	59500	0) Ann
0	CA-2015-019	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	Theiland	Thailand	8095	S Not assigned	127	500	63500		May
1	CA-2015-020	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	Not assigned	254	500	127000	0	h.t
2	CA-2015-021	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	5 Not assigned	171	500	85500	0	Dec
3	CA-2015-022	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	South Africa	South Africa	8095	5 Assigned	250	500	125000	7.8333e+03	Feb
4	CA-2015-023	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	5 Not assigned	240	500	120000		M
5	CA-2015-024	Pregabalin	Lyrica	Pfizer	Neuropathi_		5887	India	India	8095	S Not assigned	365	500	182500		Nov
6	CA-2015-025	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	Nepal	Nepal	8095	S Assigned	88	500	44000	1760	Feb
7	CA-2015-026	Pregabalin	Lyrica	Pfizer	Neuropathi_		5887	India	India	8095	S Not assigned	416	500	208000		Apr
8	CA-2015-027	Pregabalin	Lyrica	Pfizer	Neuropathi		5887	India	India	8095	S Not assigned	227	500	113500	0	h.
5		Presabalin	Lurica	Pfizer	Neuropathi		5007	Necal	Negal	0104	S Assigned	18	501	9000		Sep

Fig.12 Data Imported to Workspace

The continuous wavelt 1-D using the symlet has been used.




Fig.12 Symlet Wavelet Function

The decomposition has been shown in figure 13.




Fig.13 Symlet Decomposition of Data

The decomposition cleans the data which is then applied to the ANFIS.

🔺 Neural Network Training (nntraintool) – 🛛 🗙								
Algorithms Data Division: Random (dividerand) Training: Levenberg-Marquardt (trainlm) Performance: Mean Squared Error (mse) Calculations: MEX								
Progress								
Epoch: 0) 24 iterati	ons	1000					
Time:	0:00:00)						
Performance: 193	0.0020	3	0.00					
Gradient: 3.33e+03			1.00e-07					
Mu: 0.00100	0.00010	0	1.00e+10					
Validation Checks: 0) 6		6					
Plots								
Performance (plotperform)								
Training State (plottrai	nstate)							
Fit (plotfit)								
Regression (plotregression)								
Plot Interval:								
Opening Performance Plot Stop Training Cancel								

ISSN: 2582-3930

Fig.14 Designed Neural Network

The properties of the neural network have been shown in figure 14




Fig.15 Iterations for convergence of Neural Network

The training epochs to convergence is depicted in figure 15.






Fig.16 Membership Functions of Fuzzy System

The membership functions for the Fuzzy System are depicted in figure 16. A three tier membership is used which are:

- 1) Low
- 2) Moderate
- 3) 3 High

The range is chosen based on the variation in the parameter values of the demand.




Fig.17 Modelled and Actual Prediction: MAPE Value

The MAPE obtained in the proposed work is 8.61%. Thus the accuracy can be computed as:

Accuracy =
$$100 - MAPE \%$$

The accuracy is thus 91.39%

Summary of Results

A summary of results of the proposed system based on the values obtained is tabulated in table 1.

Table 1. Parameter Values						
S.No.	Parameter	Value				
1.	Dataset	Kaggle				
2.	Splitting Ratio	70:30				
3.	Pre-Processing	DWT				
4.	DWT Family	Symlet				
5.	ANFIS Hidden	4				
	Layers					
6.	Membership	Triangular				
	Function					
7.	Levels	Low,				
		Moderate,				
		High				
8.	Iterations	24				
9.	MAPE (Proposed)	8.61%				
10.	MAPE (Previous)	14%				
11.	Accuracy (Previous)	86%				
12.	Accuracy (Proposed)	91.39%				

Table 1. Parameter Values

CONCLUSION

The proposed work puts forth an ANFIS based technique for demand forecasting of pharmaceutical data. The technique used is a combination of the wavelet transform and adaptive neuro fuzzy inference system (DWT-ANFIS) hybrid to forecast pharmaceutical products. The DWT has been used as a data cleaning and optimization tool whereas the ANFIS has been used for forecasting. The evaluation of the proposed work has been done based on the mean absolute percentage error, regression and iterations of the system. The proposed system attains a MAPE of 8.61% compared to 14% of previous work. The training iterations needed are 24. Thus the proposed system is an improvement over the existing work in terms of accuracy of forecasting.



International Journal of Scientific Research in Engineering and Management (IJSREM)Volume: 08 Issue: 06 | June - 2024SJIF Rating: 8.448ISSN: 2582-3930

References

- Oglu A.R.B., Kizi I.I.T. (2021) A Method for Forecasting the Demand for Pharmaceutical Products in a Distributed Pharmacy Network Based on an Integrated Approach Using Fuzzy Logic and Neural Networks. In: Kahraman C., Cevik Onar S., Oztaysi B., Sari I., Cebi S., Tolga A. (eds) Intelligent and Fuzzy Techniques: Smart and Innovative Solutions. INFUS 2020. Advances in Intelligent Systems and Computing, vol 1197. Springer.
- Amalnick, M.S., Habibifar, N., Hamid, M. et al (2019) An intelligent algorithm for final product demand forecasting in pharmaceutical units. Int J Syst Assur Eng Manag 11, 481–493 Springer.
- 3. Zadeh, Lotfi A. (1994):Fuzzy Logic, Neural Networks, and Soft Computing», Communications of the ACM, vol. 37, 77-84.
- Aliev R.A., Bijan Fazlollahi, Aliev R.R. (2004): Soft Computing and its Applications in Business and Economics, Springer-Verlag, Berlin Heidelberg.
- How to Use ABC Analysis for Inventory Management (and the Added Value of XYZ Analysis). https://www.eazystock.com/blog/howto-use-abc-analysis-for-inventory-management, last accessed on 26.03.2020.
- 6. Takagi T., Sugeno M. (1985) Fuzzy identification of systems and its applications to modeling and control. IEEE Transactions on Systems, Man and Cybernetics(15), pp.116—132.
- Beale M.H., Hagan M.T., Demuth H.B.: Neural Network Toolbox. User's Guide, Natick: Math Works, Inc.(2014).
- Balashirin A.R., Akbar I.K. (2019) Neural Network Modeling and Estimation of the Effectiveness of the Financing Policy Impact on the Socio-Economic Development of the SocioEducational System. In: Aliev R., Kacprzyk J., Pedrycz W., Jamshidi M., Sadikoglu F. (eds) 13th International Conference on Theory and Application of Fuzzy Systems and Soft Computing,ICAFS-2018,Advances in Intelligent Systems and Computing, vol. 896, pp. 754-759, Springer, Cham.
- Balashirin A.R., Tarlan I.I. (2018), Application of Neural Networks for Segmentation of Catering Services Market Within the Overall System of Consumer Market on the Model of Restaurant Business with the Aim to Advance the Efficiency

of Marketing Policy. In: Aliev R., Kacprzyk J., Pedrycz W., Jamshidi M., Sadikoglu F. (eds) 13th International Conference on Theory and Application of Fuzzy Systems and Soft Computing,ICAFS-2018,Advances in Intelligent Systems and Computing, vol. 896, pp. 905-913, Springer, Cham.

 Fildes R, Goodwin G, (2021) Stability in the inefficient use of forecasting systems: A case study in a supply chain company, International Journal of Forecasting, Elsevier Volume 37, issue 2, 2021, pp. 1031-1046,