

The Changing face of the Web: A Review of Technological Advancements

Abhishek Jha

*Sharda School of Engineering and
Technology
Sharda University
Greater Noida, India
jhaji13220@gmail.com*

Ashish kumar Jha

*Sharda School of Engineering and technology
Sharda University
Greater Noida,
India
aj3871137@gmail.com*

Raheel hassan

*Sharda School of Engineering and technology Sharda University
Greater Noida, India
Hassanraheel53@gmail.com*

Abstract—The evolution of web technologies can be seen most optimally as a co-evolutionary process driven by technological innovation and adaptation, economic gains and commoditization of the internet, and social engagement and contribution. Within this review, we follow the progression from static, documentcentric Web 1.0 (“read-only”) to Web 2.0 collaborative (“readwrite”), to smart and semantic Web 3.0. We critique the methods employed in doing this work, such as large-scale web crawls, qualitative surveys, and software re-engineering. One is the transition from centralized, page-based paradigms to decentralized, serviceoriented paradigms that potentially facilitate continuous growth but are impactful for security, privacy, and instability. Finally, we mention some of the visions of internet evolution such as the Symbiotic Web (Web 4.0) and even more speculatively the Independent Existence of self-aware intelligence (Web 6.0).

Index Terms—The Internet of Things (IoT), Artificial Intelligence (AI), Communication between machines (M2M), Content created by users (UGC), Web-Based Services, Re-engineering, Analytics of Data

I. INTRODUCTION

One of the most significant features of the twenty-first century is the World Wide Web (WWW), an information environment that is globally accessible. Although they are often used interchangeably, the names “Internet” and “World Wide Web” describe two related but different concepts. The WWW is a way of accessing information

through web pages that are rendered in a browser, whereas the Internet is a global network of networks that offers the underlying infrastructure for communication.

Tim Berners-Lee, a scientist from Britain who was employed at CERN in 1989, invented the Web as a means to make information automatically shared among scientists at universities and other organizations across the globe. The creation of the Web has not been straight or predictable. Instead, its evolution is best understood as a complex, coevolutionary process shaped by a constant feedback loop between technological progress and human activity. The “tectonic forces” metaphor is often used to characterize this force, whereby the Web has become what it has as a result of irresistible forces such as commercialization, regulation, and technical progress. This perspective recontextualizes the evolution of the Web as an unstoppable, quasi-geological phenomenon instead of a project planning.

This essay employs the conceptual framework of web “generations” (Web 1.0, 2.0, 3.0, and beyond) to provide a structured framework for analysis. It is important to keep in mind that these are overlapping and sometimes contentious concepts and not discrete, definitive stages that provide a lens through which to see the dramatic shifts in functionality, user engagement, and underlying technology.

A. Applications: A Spectrum of Digital Interactions

The changing interaction between the Web and those who use it is mirrored by changing web applications.

Basic, static, and providing a one-way conduit for information from a publisher to a passive recipient, early applications were created. These first websites, sometimes referred to as "brochure-ware," existed primarily as electronic document repositories where users could view documents and read the material.

With the introduction of technologies that made two-way communication possible, this model gave rise to a new age of interactive applications. The Web evolved into a platform where users engaged in an active role of content creation, communication, and collective wisdom. Social networks, blogs, wikis, and e-commerce sites all became popular during the period, making the Web a living, user-centered environment.

Data and intelligence drive both the current and future generations of web applications. Connecting structured data in a manner which machines can understand and act upon is more critical than connecting documents and people. Consequently, software that offers semantic search, Web 3D virtual worlds, and multimedia-oriented systems able to process and respond to inputs beyond text have emerged. This development is indicative of a continuing push toward a more sophisticated and highly integrated digital life.

B. Challenges and Drivers: The forces of Change

A number of factors come together to drive the development of web technologies, each of which is a potent catalyst for innovation and transformation. The unrelenting rate of technological advancement in both software and hardware is one of the most important drivers. The rapid development of new protocols and languages like HTML, AJAX, and XML, along with the widespread availability of broadband Internet and smart mobile devices, have all contributed to the ongoing expansion of the Web's capabilities.

Importantly, user demand and behavior also pull in tandem with this technological push. The demand for new tools and services that support content creation, collaboration, and social interaction is being driven by the powerful feedback loop created by the user's transition from a passive reader to an active contributor. The creation of economic models and commercialization are another third major impetus. With firms aiming to generate profits from user interaction and information, the Web has transitioned from a scholarly tool to a marketplace. Among the primary drivers of the evolution of the Web has been the emergence of business models such as portals, e-commerce, and "freemium" services. But this rapid evolution has also introduced a unique set of challenges. The decentralized and open nature of the Web has raised fundamental security and privacy

concerns. The dynamic, interactive character of today's web applications has exposed them to threats such as SQL injection and Cross-Site Scripting (XSS), and the expansion of user data has made data privacy a major issue. From a development perspective, there are ongoing maintenance and evolution issues due to the rapid shifts in standards and technologies and the need for compatibility across a wide range of devices and browsers. Finally, the growth of user-generated content has led to an overwhelming amount of information of mixed quality, and thus effective information discovery and curation is a significant problem.

II. RELATED WORK: A CHRONOLOGICAL AND THEMATIC REVIEW

A chronological and thematic overview of the World Wide Web's next generations will assist us in realizing how it has transformed. From a document-oriented paradigm to a human-oriented paradigm and, finally, to an intelligence- and data-oriented paradigm, each generation represents a radical shift in the basic principles of the Web.

The evolution of the Web can be divided into generations, each distinguished by shifts in user roles and technological advancements. Also known as the "Web of documents," Web 1.0 was typified by static, read-only web pages created by a limited group of producers for a passive readership. It featured minimal interaction and a business model consistent with print publishing. Web 2.0, which arrived in the early 2000s, introduced the "social Web" with users taking an active part in creating websites such as blogs, YouTube, and Facebook. This period, facilitated by broadband and technologies such as AJAX, had a strong focus on network effects, user-generated content, and interaction, leading to an architecture of participation. Web 3.0, or the "semantic web," with technologies such as RDF and OWL, marked a shift towards intelligent, machine-processable data. It changed the Web into a "network of networks" that blended social, technical, and data systems with a focus on personalization, interoperability, and integration with cloud computing, IoT, and mobile.

- Web 1.0 (also known as the "Web of documents"): static, read-only, and minimally interactive; HTML and HTTP-powered websites primarily functioned as online brochures.

- Web 2.0 (also known as the "Social Web"): AJAX and broadband enable the transition to read-write participation with user-generated content; the emergence of social networks, blogs, wikis, and mashups.

- Using standards like RDF and OWL, Web 3.0 (also known as the "Semantic Web") is a data-centric and intelligent phase that emphasizes linked data, personalization, interoperability, the Internet of Things, and cloud computing.
- Web 4.0, also known as the "Symbiotic Web," is envisioned as being extremely intelligent and fusing humans and machines through intelligent agents and machine-to-machine (M2M) communication.
- Web 5.0 ("Emotional Web"): A hypothetical future in which the Web develops emotional intelligence, using neurotechnology to sense and react to human emotions.
- Web 6.0, Philosophical questions are raised by the abstract idea of a self-conscious digital intelligence or the migration of human consciousness into cyberspace ("Independent Existence").

TABLE I
WEB EVOLUTION RESEARCH

Pape r Refe rence	Chall enges	Obje ctive	Methodolog y Used	Resul ts Anal ysis	Future Work
Dwi vedi et al. (2011)	Limit ations of Web 2.0 (lack of intelli gent server s, securi ty, info overl oad)	Conc eptua lize Web techn olog y evolu tion, archi tectu ral direc tion for Web 3.0	Literature review, feature analysis	Ident ified Web 2.0 frame work, sugge sted Web 3.0 soluti ons	Semant ic web, machin e learnin g, integrat ion for Web 3.0
Anto nopo ulos and Vegli s (2013)	Low adopt ion of intera ctive techn ologi es in media sites	Impr ove usabi lity and inter actio n using Web	Empirical analysis, 20 Greek media websites, checklist scoring [cite: 1]	Limit ed adopt ion of advan ced featur es, RSS/ social	Identif y optimal structur e for usabilit y, increas e Web

		2.0- 3.0 featu res		login more com mon	2.0-3.0 integrat ion
Fette rly et al. (2004)	Searc h engin e Index fresh ness, dyna mic page shifts	Anal yze frequ ency and natur e of Web cont ent chan ge	Large-scale web crawling, hash comparison	40% of pages chang e weekl y, com doma ins more dyna mic	Develo p predicti on models, better change detectio n algorith ms
Krol (2020)	Mapp ing syste m intero perab ility, devic e divers ity, intera ction	Trac e mapp ing evolu tion from Web 1.0 to Web 6.0	Website archive analysis, review of services	Shift from static maps to intera ctive and sema ntic maps	Emotio nal mappin g, independ ent existen ce, AI user interfac es
Ibrah im (2021)	Lack of Web 4.0 defini tion, tech integr ation comp lexity	Clari fy chara cteris tics and techn ologi es of Web 4.0	Literature revi ew, tech nical synthesis	Web 4.0 integr ates AI, IoT, AR, M2M com muni catio n	Advanc e seamles s human machin e systems , IoT+AI integrat ion
Kien le and Dista nte (2013)	Chur n of web tech/s tanda rds,	Anal yze evolu tion of web syste ms acros	Literature survey, taxonomy of techniques, case studies	Taxo nomy of refact oring, migra tion, reengi neeri	Better framew orks, migrati on tools, compat ibility

	migration challenges	design layers		challenges	solutions
Nath et al. (2014)	Security vulnerabilities, phishing, malware, privacy	Analyze security challenges through web generations 1.0-3.0	Comparative analysis, literature review	Mapped security evolution, outlined next-gen concerns	Develop robust privacy/security solutions, authentication improvements
Cerf (2004)	Scalability, security, globalization, protocol standards	Character historical and projected Internet evolution	Historical/tech trend analysis, policy impact review	ARP ANE T to commercial web, identified regulatory and tech drivers	Improved protocols, governance, IPv6, security measures
Hall and Tiropanis (2012)	Socio-technical complexity, web science evolution	Examine Web stages and emergence of Web Science	Retrospective/interdisciplinary analysis, network models	Outlined Web 1.0/2.0/3.0, described Web Science rise	Develop Web Observatories, Social Machines, research frameworks

TABLE II
WEB EVOLUTION RESEARCH

Generation	Known As	User Role	Core Technologies	Architectural Model	Key Challenge
------------	----------	-----------	-------------------	---------------------	---------------

Web 1.0	Read-only, Early Web, Web of Documents	Reader/Consumer	HTML, HTTP, basic scripting	Client-pull (one-way), Static sites	Information discovery, slow page loading
Web 2.0	Read-write, Social Web, Post-PC era	Contributor/Collaborator	AJAX, XML, rich internet applications	Service-Oriented Architecture (SOA)	Content overload, data quality
Web 3.0	Semantic Web, Pervasive Web, Intelligent Web	Intelligent User	RDF, OWL, Linked Data, Cloud computing	Web Oriented Architecture (WOA)	Data privacy, interoperability
Web 4.0	Symbiotic Web, Mobile Web, Ultra-intelligent Web	Symbiotic User	AI, M2M, Internet of Things (IoT)	Internet of Things, Intelligent agents	Human-machine ethics, security
Web 5.0	Emotional Web, Sensitive Web	Emotional User	Neurotechnology, emotional algorithms	Highly speculative, human-machine interaction	Ethical use of emotions
Web 6.0	Independent	Digital Consciousness	Cyber-biology, self-	Highly speculative	Nature of consciousness

	existence		aware systems	e, independent entity	ousness, control
--	-----------	--	---------------	-----------------------	------------------

III. METHODOLOGY AND APPROACHES IN WEB EVOLUTION STUDIES

Many different research approaches have been employed in the documents presented here to best understand how the Web has evolved. The heterogeneity of the Web itself—a reality that is both a massive data archive, a social medium, and an advanced software system—is echoed in the variety of strategies and methods employed. Combined, these methods create a complete picture that is unattainable with a single approach.

From case studies and historical analysis to large data mining and network analysis, scholars have adopted both quantitative and qualitative research approaches. While empirical research narrates the impact of user activity, platform dynamics, and market pressures, historical and descriptive methods highlight the timeline of technological innovation and societal shifts. At the same time, scientists are able to discover concealed patterns and relationships between different information systems through the application of computational methods such as big data analytics, ontology design, and semantic modeling. Such methodological pluralism embodies the complexity of the Web, and it also ensures that its evolution is studied from technical, social, cultural, and economic perspectives, leading to a richer and more complex understanding.




Fig. 1. High-Level Overview Flowchart.

A. Research Objective

The research objectives of the papers reviewed vary from macro-level economic and sociological research to micro-level technical analysis. In an effort to cope with issues surrounding the dynamic nature of the Web, one study focused on an extensive, quantitative examination. The researchers sought to know if content is updated continuously or remains static, the rate of change within the Web, and if the extent of change is linked to other attributes of a page. This is a basic, data-oriented way of thinking about the Web as a vast, dynamic data repository. Other research, however, employed a qualitative approach to determine how new web features were utilized in specific contexts. As an example, research that examined Greek media websites utilized a survey-based approach to determine if Web 2.0–3.0 functionalities such as social plugins and live streaming video were implemented on the sites. The aim of this type of research is to chronicle the evolution of the Web within a particular industry at a specific point in time. In addition, defining and situating the broader phenomenon of web evolution is the subject of extremely few papers. They focus on the theoretical models and architectural evolution on which the Web development is based and define it as a “new kind of software” and a changing “socio-technical system.” The complexity of understanding the Web as an intricate, multifaceted phenomenon is facilitated by the diversity of these research questions, from page change quantification to feature adoption analysis to Web definition.




Fig. 2. Classification Flowchart (Types of Research Approaches).




Fig. 3. Process-Oriented Flowchart (Methodology Steps).

B. Methodologies Employed: A cross-Disciplinary Toolkit

As diverse as the questions of research themselves are the methods used in web evolution study. A big-data collection and analysis approach was employed in the quantitative research. In an effort to observe changes over time, ten re-crawls were performed on a weekly basis following the initial breadth-first crawl of 151 million HTML pages. Page checksums, feature vectors using a "shingling" algorithm to estimate similarity, and other metadata were some of the numerous forms of data logged by the researchers. A dataintensive process called "data distillation," where logs were bucketized and sorted so that they could be dealt with by analysis, was required because of the sheer quantity of this data. A special "analyzer harness" was subsequently employed to "data mine" this structured data, performing a number of statistical experiments simultaneously and searching for relationships between variables like top-level domain, page size, and rate of change. A second method, exemplified in a qualitative survey of Greek news website sites, employed a more observational style. The sample of the study included 20 sites selected for their traffic rank, categorized into four types (mass-media, newspapers, portals, and TV stations). The authors applied a set of 13 dichotomous criteria for assessing the occurrence or non-occurrence of certain Web 2.0-3.0 features, like pop-ups for subscription to social media and tags for classifying articles. The assessment was based on direct, "experiential observation" of the sites.




Fig. 4. Comparative Flowchart.

A "reengineering" approach is employed to study web system evolution from a software engineering perspective. This approach views web development as a process of replacing and evolving existing systems, viewing it as a software platform. The two key elements of reengineering are "forward engineering," which constructs a new, improved version of the system from the new knowledge, and "reverse engineering," which reverse-engineers an already existing system to glean higher-level abstractions of its architecture and design. This technique is particularly useful in addressing problems such as migrating legacy applications from older technologies (such as JSP) to newer ones (such as AJAX).




Fig. 5. Layered Flow Diagram.

The presence of these varied research techniques is a result of the web being an ever-changing system. A massive-scale crawl such as the one detailed in captures the evanescence and dynamic nature of web pages, depicting a world where content is perpetually changing. A qualitative survey of media web sites, on the other hand, gives a snapshot of how particular features are taken up in a specific sector, but a different type of insight. Likewise, the reengineering method provides developers with the tools and techniques they require to manage this state of continuous change. Given that no single method can satisfactorily account for the richness of the Web as a data store, social environment, and software system, the combined use of these cross-disciplinary methods is essential to building an exhaustive understanding of the Web.

IV. RESULT ANALYSIS: SYNTHESIS OF KEY FINDINGSS

The integration of findings from the literature under review presents a rational narrative of Web evolution, marked by a radical shift in its underlying dynamics, structure, and intrinsic functionalities. The relationship between users, technologies, and platforms has evolved increasingly with each Web generation, from the document-based, static model of Web 1.0 through participatory and social aspects of Web 2.0 and Web 3.0, respectively. This path illustrates shifts in business models, user expectations, and the broader socio-technical environment within which the Web operates as well as in technology.

But the literature also points out that this growth is not linear but is more of a multi-layered change where newer paradigms still persist along with the older ones. Static content, interactive platforms, semantic technologies, and newly formed intelligent systems are all blended on the Web today. Hence, the most effective way to comprehend its evolution is in the form of an ongoing negotiation between openness and standardization, human requirements and machine possibilities, and innovation and continuity. This process illustrates the way the Web has evolved from a simple tool for information exchange to a complex, dynamic environment that is perpetually shaping and being shaped by the societies in which it is used.

A. The Drivers of Change: A co-evolutionary Dynamic

One of the key and consistent findings is that the evolution of the Web is not merely a successive technology advance but a compelling co-evolutionary dynamic in which technological innovation and human behavior are engaged in an ongoing dynamic of mutual reinforcement. This dynamic is most clearly depicted as a causal cycle: the first technology gives rise to a platform for new purposes, yet it is the behavior and needs of users that propel the platform's record-setting expansion.

For instance, static content may have been posted on the early Web of documents. Early users who began creating their own content spurred the later expansion, demonstrating the value of user-generated content. To manage the increasing volume of information, this in turn created a demand for new tools and technologies, such as better search engines and recommender systems. Because innovation is constantly responding to and shaping human interaction, this constant feedback loop is what accounts for web technology's perpetual state of frenetic churn.

One of the most compelling examples of the business model's influence on technology quality is that of the history of search engines. The reports show that the initial generation of search engines, in their haste for "portalisation" and ecommerce gains, started to abandon their fundamental search functionality. This complacency, however, left a niche that was filled by a "second generation" of companies, led by Google. These new entrants emphasized technological innovation, in the form of links-based analysis, in order to build a better search experience. This implies a trend wherein commercial considerations of a leading business model can cause a lag in fundamental technology, leaving a void for disruptive innovation.

B. A Shift in Architecture: From Static Content to Distributed Services

From static, simple pages to a large collection of distributed and highly connected services, the evolutionary history of the Web is one of increased distribution and complexity. Initially, when the Web began its journey, it was purely composed of static documents such that users would fetch full pages from one server with minimal or no interaction. The lack of flexibility in early web technologies, whose purpose was mostly to facilitate sharing of information more than anything else, was exhibited by this document-centric and centralized approach.

A paradigm-shifting technology was XML (Extensible Markup Language), whose focus was on describing and organizing data without emphasizing visual presentation like HTML. This development formed the basis for the semantic web in which meaning could be integrated with data to enable smarter processing by machines. Following this development was the rise of web services like SOAP (Simple Object Access Protocol) and REST (Representational State Transfer), which allowed applications to publish their functionality over the network. Service orientation was key to the latter era of the Web (Web 2.0), which enabled new integration paradigms such as "mashups," fusing data and services from disparate locations into new applications. The advent of cloud computing, which transformed the Web from a collection of standalone applications to a platform of scalable, hosted services, accelerated the architecture's evolution further. This transition merged boundaries between local operating systems and the Web as well as provided on-demand access to huge computational resources.

A good number of examples include how the Web has transformed itself into a self-contained application environment with capabilities that compete or supplant desktop software such as in software-as-a-service (SaaS) platforms like Google Docs. Some other examples include how all this trend continues to be followed today such as through distributed architectures, microservices, and serverless computing all pointing to how the Web continues to develop itself into a highly adaptive and service-centric ecosystem.

C. The Evolution of Search: From Keyword Matching to Contextual Intelligence

The development of search technology offers one of the best examples of how the Web has matured from a minimalist, technocentric system to a highly sophisticated, human-focused one. At its beginning period, search engines heavily utilized simple keyword matching, which often did not understand the intent of natural queries. The systems had additional limitations due to incomplete and disparate indexes and hence had low precision and recall in results. For the users, this translated to wading through a huge and expanding Web with tools that frequently proved to be less than efficient in bringing up results that were not only inaccurate but also irrelevant.

There was a "second generation" of search technologies that employed more advanced techniques in the late 1990s. These constituted natural language searching, trying to take in the semantic meaning of queries instead

of relying solely on exact keyword matches, and popularity-based analysis, assessing rankings by how many visitors sites attracted. The most radical development was, however, link-based analysis, something Google created through its PageRank algorithm. PageRank utilized the social intelligence inherent in the link structure of the Web to prioritize pages with high-quality inbound links by treating hyperlinks as votes of confidence. This creation produced a self-reinforcing environment in which legitimacy and relevance of content was determined by the structure of the Web itself. This evolution exhibits a radical shift from a technocratic, technology-focused search to one centered on human behavior, where result quality is guided by users' implicit activities, like visiting, linking, or interacting. It also opened the door to subsequent innovations enhancing search experience further, like contextual suggestion, personal search, and natural language processing with artificial intelligence. Through this, search development follows that of the Web as a whole, shifting from static technocratic systems to dynamic environments governed by machine learning, human behavioral activity, and social intelligence.

V. CONCLUSION AND FUTURE SCOPE

A. *Enduring Challenges: Security, Privacy, and Ad-Hoc Development*

The development of the Web has created a number of persistent and intricate problems in addition to previously unheard-of possibilities for cooperation and information access. There have been serious security flaws in the transition from static pages to a more dynamic and interactive Web. Web 2.0 applications became more vulnerable to attacks like SQL Injection, Cross-Site Request Forgery, and Cross-Site Scripting (XSS) as they adopted openness and dynamic content creation. The delicate balance between innovation and security in web systems is highlighted by these threats, which give attackers the ability to compromise sensitive data, alter application behavior, and insert malicious code.

Equally pressing is the persistent tension between data openness and user privacy. The rise of social networks, cloud platforms, and the Web of Data has led to the continuous creation and sharing of vast volumes of both public and private information. However, the lack of robust data standards, clear trust boundaries, and effective safeguards makes this information vulnerable to misuse, manipulation, or unauthorized access. Striking a balance between the benefits of open data—such as innovation, transparency, and collaboration—and the

ethical obligation to protect user privacy remains a central dilemma for the future of the Web.

From the standpoint of software engineering, ad hoc development methods and the quick speed of technological advancement have created a complicated and frequently delicate maintenance environment. Short, iterative cycles that put speed before quality are common in web development, which results in systems with higher technical debt and lower reliability. Additionally, with the proliferation of platforms and user contexts in the post-PC era, maintaining device adaptability and cross-browser compatibility has become a constant burden.

Last but not least, a fascinating finding from one study highlights a sort of "Heisenberg effect" in web evolution, whereby simply viewing or crawling a website can change its behavior. Attempts to measure or analyze the Web may elicit technical, social, or commercial reactions, as evidenced by the later blocking of initially accessible pages. This phenomenon emphasizes how the Web is incredibly socio-technical: seemingly neutral technical actions, like crawling, can have wider repercussions that are influenced by organizational, economic, or human interests.

B. *Future Prospects: The Autonomous and Symbiotic Web*

The future of the web, as described, symbolizes a logical step toward greater integration with the human experience and the physical world. Web 4.0, the next big step, is envisioned as the "ultra-intelligent" or "symbiotic" Web, defined by the smooth fusion of the Internet of Things (IoT), machine-to-machine (M2M) communication, and artificial intelligence (AI). In this imagined future, intelligent agents will not only help but also carry out difficult tasks on their own, reducing the need for human intervention while increasing productivity and efficiency. Direct communication between commonplace gadgets and people will be possible, resulting in an ecosystem of linked agents with the ability to make predictions, learn from mistakes, and provide highly customized responses. A web like this would make it difficult to distinguish between the physical world and digital infrastructure, thereby integrating intelligence into everyday life.

Beyond this, more futuristic scenarios foresee times when technology transcends its practical use and starts to influence human emotion and thought. Web 5.0, sometimes known as the "emotional Web," is defined as a system that uses developments in affective computing, neurotechnology, and brain-computer interfaces to perceive, understand, and react to human emotions. This

could lead to the development of emotionally intelligent applications that customize interactions based on the psychological states and preferences of the user, thereby establishing entirely new forms of human-computer interaction. The most speculative scenario is Web 6.0, a time of "independent existence" where a synthetic, self-aware intelligence might appear in cyberspace. Deep philosophical and ethical issues are brought up by this scenario, including the autonomy of machine intelligence, the migration of human consciousness into digital forms, and the meaning of life itself in a post-biological world.

The Web's growing complexity as it follows this trajectory emphasizes how urgently strong governance, regulation, and ethical oversight are needed. According to the reviewed literature, new social problems will unavoidably arise as a result of the widespread adoption of advanced technologies, especially those pertaining to privacy, accountability, transparency, and digital rights. The very advantages that these technologies promise could be jeopardized in the absence of careful frameworks due to the risks of abuse, inequality, or deterioration of trust. The development of the Web into a socio-technical "system of systems" necessitates an all-encompassing, multidisciplinary strategy that blends technological advancement with knowledge from political science, sociology, philosophy, and law. Humanity can only responsibly influence the Web's future by adopting such integrated viewpoints, guaranteeing that it stands as a basis for just, moral, and sustainable global development in addition to being a platform for technological advancement.

C. Conclusion

To sum up, this review paper has shown that the development of web technologies is a complex, multifaceted, and dynamic process. It is a complex interaction of new economic models, evolving user roles, and technological advancements rather than a straightforward linear progression of innovations. Every Web generation has been characterized by a unique architecture, a prevailing set of technologies, and a rethinking of the role of the user in the system. Web 1.0 portrayed the user as a passive consumer and placed a strong emphasis on static content and information distribution. The emergence of Web 2.0 made the Web more collaborative and participatory, allowing users to participate as co-creators and contributors of content. In turn, Web 3.0 has brought intelligence and semantics, which enable machines to process, interpret, and customize data on a never-before-seen scale. These generational changes reveal a recurrent pattern:

technological advancements are shaped by human behavior, which in turn is reshaped by technological possibilities.

Therefore, the Web is best understood as a co-evolving "network of networks," a socio-technical ecosystem that integrates documents, data, people, and increasingly, devices, rather than as a single application or platform. Over time, its architecture has become more distributed, adaptable, and service-oriented, mirroring broader shifts in computing paradigms like the Internet of Things (IoT), cloud services, and mobile technologies. The Web has become more than just a tool; it is now an infrastructure supporting modern life, blurring the lines between it and other areas of human activity, such as social interaction, education, commerce, and governance. Crucially, the evolution of the Web also highlights the conflict between openness and control: although the majority of its innovation has been fueled by open standards and collaborative models, interoperability, privacy, and security continue to be hampered by the absence of widely recognized frameworks, especially for data governance.

In the future, the Web's trajectory suggests even greater integration with human cognition and the physical world. Web 4.0 envisions a "symbiotic Web," in which ubiquitous connectivity, machine-to-machine communication, and artificial intelligence combine to produce an extremely intelligent and adaptive environment. The many possibilities and philosophical issues surrounding the future of the Web are exemplified by more speculative ideas like Web 5.0—the emotional Web—and Web 6.0—an era of autonomous, self-conscious digital existence. Even though these scenarios are still mostly theoretical, they highlight the necessity of continuing to consider how society will be affected by increasingly independent and sensitive systems.

The need for an all-encompassing and multidisciplinary viewpoint will only increase as the Web develops. Its difficulties are not just technical; they also pertain to governance, ethics, law, and culture. The boundaries of innovation and the equitable distribution of the advantages of future technologies will be established by concerns about privacy, security, data ownership, and digital rights. The Web is not merely changing; it is changing alongside people. Its form will be influenced by decisions made collectively regarding responsibility, sustainability, inclusivity, and openness. Therefore, the development of the Web is ultimately a story about the societies and values that give it purpose and direction as much as it is about technology.

REFERENCES

- 1) Adomavicius, G., & Tuzhilin, A. (2005). Toward the next generation of recommender systems: a survey of the state-of-the-art and possible extensions. *Knowledge and Data Engineering, IEEE Transactions on*, 17(6), 734749. doi:10.1109/TKDE.2005.99
- 2) Aghaei S., Nematbakhsh M.A., Farsani H.K. (2012). Evolution of the world wide web: From Web 1.0 to Web 4.0. *International Journal of Web & Semantic Technology*, 3(1), 1-10.
- 3) Amine, El, S., Bazan, S. B., Saad, S., Etienne, L., Tesfa, A., & Varin, C. H. (2012). Infowar in Syria. *Proceedings of the ACM WebSci12*, June 22-24th, 2012, Evanston, IL: US.
- 4) Bennett, S., Maton, K., & Kervin, L. (2008). The "digital natives" debate: A critical review of the evidence. *British Journal of Educational Technology*, 39(5), 775-786.
- 5) Berners-Lee, T. (1999). *Weaving the Web*. Texere Publishing.
- 6) Berners-Lee, T., Cailliau, R., Luotonen, A., Nielsen, H. F., & Secret, A. (1994). The WorldWide Web. *Communications of the ACM*, 37(8). doi:10.1145/179606.179671
- 7) Berners-Lee, T., Hall, W., Hendler, J. A., O'Hara, K., Shadbolt, N., & (null). (2006a). framework for web science. *Foundations and Trends in Web Science*, 1(1), 1-130.
- 8) Berners-Lee, T., Hall, W., Hendler, J., Shadbolt, N., & Weitzner, D. (2006b). *COMPUTER SCIENCE: Enhanced: Creating a Science of the Web*. Science, 313(5788), 769. doi:10.1126/science.1126902
- 9) Berners-Lee, T., Hendler, J., & Lassila, O. (n.d.). *THE SEMANTIC WEB*. Scientific American, 2001(May).
- 10) Clark, A., & Chalmers, D. (1998). The extended mind. *Analysis*, 58(1), 7-19.
- 11) Clark, D. D., Wroclawski, J., Sollins, K. R., & Braden, R. (2002). Tussle in cyberspace: defining tomorrow's internet. Presented at the SIGCOMM '02: Proceedings of the 2002 conference on Applications, technologies, architectures, and protocols for computer communications, ACM Request Permissions. doi:10.1145/633025.633059
- 12) Hall, W. (2011). The Ever Evolving Web: The Power of Networks. *International Journal of Communication*, 5, 651-664.
- 13) Halpin, H., Clark, A., & Wheeler, M. (2010). Towards a philosophy of the Web: representation, enaction, collective intelligence. *Proceedings of the WebSci10: Extending the Frontiers of Society On-Line*, April 26-27th, 2010, Raleigh, NC: US.
- 14) Hendler, J., Shadbolt, N., Hall, W., Berners-Lee, T., & Weitzner, D. (2008). Web science: an interdisciplinary approach to understanding the web. *Communications of the ACM*, 51(7). doi:10.1145/1364782.1364798
- 15) Karnstedt, M., Rowe, M., Chan, J., Alani, H., & Hayes, C. (2011). The effect of user features on churn in social networks. *Proceedings of the ACM WebSci'11*, June 14-17 2011, Koblenz, Germany.
- 16) Moller, K., Hausenblas, M., Cyganiak, R., & Handschuh, S. (2010). Learning from linked open data usage: patterns & metrics. *Proceedings of the WebSci10: Extending the Frontiers of Society On-Line*, April 26-27th, 2010, Raleigh, NC: US.
- 17) Mustafaraj, E., & Metaxas, P. (2010). From obscurity to prominence in minutes: Political speech and real-time search.
- 18) O'Hara, K., & Shadbolt, N. (2010). Privacy on the data web. *Communications of the ACM*, 53(3), 39. doi:10.1145/1666420.1666437
- 19) O'Reilly, T., & Battelle, J. (2009). Web squared: Web 2.0 five years on. *Web 2.0 Summit*.
- 20) Passant, A., Samwald, M., Breslin, J., & Decker, S. (2009). Federating Distributed Social Data to Build an Interlinked Online Information Society. *IEEE Intelligent Systems*, 24(6), 44-48.
- 21) Powell, A. (2009). Lessons from the Net Neutrality lobby: Balancing openness and control in a networked society.
- 22) Prensky, M. (2001). Digital Natives, Digital Immigrants Part 1. *On the Horizon*, 9(5), 1-6. doi:10.1108/10748120110424816
- 23) Shadbolt, N., & Berners-Lee, T. (2008). Web science emerges. *Scientific American*, 299(4), 76-81.
- 24) Shadbolt, N., Hall, W., & Berners-Lee, T. (2006). The Semantic Web Revisited. *Intelligent Systems, IEEE*, 21(3), 96-101. doi:10.1109/MIS.2006.62
- 25) Shuen, A. (2008). *Web 2.0: A Strategy Guide* (1st ed.). O'Reilly Media.
- 26) Yeung, C.-M. A., Noll, M. G., Meinel, C., Gibbins, N., & Shadbolt, N. (2011). Measuring Expertise in Online Communities. *Intelligent Systems, IEEE*, 26(1), 26-32. doi:10.1109/MIS.2011.18
- 27) K. J. A Zeebaree SRM Zeebaree, "Designing an Ontology of E-learning system for Duhok Polytechnic University Using Protege OWL Tool," *J Adv Res Dyn*

Control Syst...source Shukur, "E-business requirements for flexibility and...source in 2010 IEEE/ACM Int'l Conference on Green Computing and Communications & Int'l Conference on Cyber, Physical and Social Computing, 2010, pp. 533–538.

28) F. Almeida, "Concept and dimensions of web 4.0," Int. J. Comput. Technol., vol. 16, no. 7, 2017.

29) S. Aghaei, M. A. Nematbakhsh, and H. K. Farsani,

"Evolution of the world wide web: From WEB 1.0 TO WEB 4.0," Int. J. Web Semantic Technol., vol. 3, no. 1, pp. 1–10, 2012.

30) L. M. Haji, S....source And Their Reflections To Education: A Comparative Study," Educ. Instr. Stud. World, vol. 8, no. 1, pp. 17–27, 2018.

31) "Web 1.0," The Business of Social....source 2020, pp. 205–210. doi: 10.1109/ICOASE51841.2020.9436570.

32) S....source Communication System (I3CS'15), Shillong, India, 2015, pp. 337–341.

33) K. Jacksi, N. Dimililer, and S. Zeebaree, "State of the art exploration systems for linked data: a review," Int J Adv Comput Sci Appl IJACSA, vol. 7, no. 11, pp. 155–164, 2016.

34) N. D. Karwan Jacksi, Subhi R. M. Zeebaree, AN IMPROVED APPROACH FOR INFORMATION RETRIEVAL WITH...source Linked Data: A...source pp. 1–6. doi:...source web 4.0," Int....source hrn...source "What comes after Web 3.0? Web 4.0 and the Future," in Proceedings of the International Conference and Communication System (I3CS'15), Shillong, India, 2015, pp. 337–341.

35) C. A. Khanzode and R. Sarode, "Evolution of the world wide web: from web 1.0 to 6.0," Int. J. Digit. Libr. Serv., vol. 6, no. 2, pp. 1–11, 2016.