

Virtual Control of PC using Facial and Voice Navigation

Dr. Manju Pawar

Department of Artificial Intelligence and Data Science
Savitribai Phule Pune University (SPPU), Pune, India
manju.pawar@zealeducation.com

Sarthak Dahiwalkar

Department of Artificial Intelligence and Data Science
Savitribai Phule Pune University (SPPU), Pune, India
sarthakdahiwalkar47@gmail.com

Raj Jadhav

Department of Artificial Intelligence and Data Science
Savitribai Phule Pune University (SPPU), Pune, India
rajsjadhav20042@gmail.com

Satvik Doke

Department of Artificial Intelligence and Data Science
Savitribai Phule Pune University (SPPU), Pune, India
dokesatvik@gmail.com

Abhishek Jivraakh

Department of Artificial Intelligence and Data Science
Savitribai Phule Pune University (SPPU), Pune, India
abhishekjivraakh2@gmail.com

Abstract—The following research presents an efficient multimodal Human-Computer Interaction (HCI) system for remote controlling of the virtual PC via facial navigation and voice commands. With the rising need in accessible methods of inputting information into a computer system worldwide, the present system incorporates facial tracking using webcams along with speech control enabling hands-free navigation, clicking, moving and typing. Unlike single-channel systems, the present system allows dividing continuous control into one modality and discontinuous control into another one. This paper describes the system design, process of development, and evaluation strategy and provides insights on its functioning, user experience, and operational limitations. The results show that it is possible to implement the system as an effective and hands-free communication channel, although the effectiveness of the system depends on lighting and environmental noise and needs user customization. The paper demonstrates that multimodal interfaces employing readily available hardware contribute to desktop interaction convenience and efficiency and highlights the need for future research in conducting disability-focused user studies, multilingual offline speech recognition, personalized adaptation, and benchmarking against unimodal interfaces.

Index Terms—Face Tracking, Voice Recognition, Hand Gestures, Human-Computer Interaction, Assistive Technology, Hands-Free Control, OpenCV, MediaPipe.

I. INTRODUCTION

Interaction with computers without hands has become an immensely significant research topic, being one of the intersections of accessibility, multimodal human-computer interaction, and cheap assistive technologies. Based on the data of the World Health Organization, 1.3 billion people worldwide have severe disabilities, and the availability of assistive technology is disproportionately distributed, with extremely limited availability in some poor environments and universal availability in some rich ones. Under these conditions, webcam and microphone input interfaces seem especially promising because

they can be used on off-the-shelf computing devices without any additional hardware components.

Concurrently, advancements in markerless face and hand tracking, minimal facial mesh models, and reliable speech recognition have made it possible to create a multimodal interface capable of interacting in real time using contemporary computer hardware. The aim of this paper is to examine whether such a system can be used as a cost-effective substitute for conventional input devices on everyday desktop activities, especially for those who struggle to use conventional mouse and keyboard-based input systems. The investigation considers whether the proposed multimodal interface can function as an effective assistive interface or merely as a proof-of-concept system.

II. LITERATURE REVIEW

Current research shows that there exist four main types of computer control systems using virtual reality. First of all, voice-based systems of computer control, which allow for continuous communication and are illustrated by the iconic example of Vocal Joystick, are widely explored by researchers who demonstrate the great possibilities of speech to manipulate cursors without touching a keyboard or mouse. Second, systems that rely on vision and include face recognition systems and methods to track facial features in order to make a camera work for users are currently being developed to increase their performance. Finally, hand tracking is one more approach to manipulating computers. The fourth and growing area of study involves multimodal fusion, where it is shown that when two different modes are combined, it reduces ambiguity through differentiation of their functionalities. Modern systems such as EMKEY and multimodal mouse control using speech and gestures have demonstrated how effective

vision and voice combination can be in terms of practicality; nevertheless, problems persist in areas like latency, calibration, adaptability to environment, and generalization among others. Further to this, the current review of multimodal interaction indicates that a solid hands-free system must be reviewed not only on the grounds of technical possibility but also in terms of workload, privacy, fairness, and actual usability. Thus, the problem that the proposed paper attempts to solve is not about the feasibility of face recognition and voice command as such but how to implement these technologies into one inexpensive tool.

III. PROBLEM STATEMENT

It can be seen that most computer systems make use of physical input devices such as keyboards and mouse; however, these devices may not be suitable for all users. People who suffer from physical handicaps find it difficult to operate these input devices. Furthermore, in situations such as health care and manufacturing, where hands-free usage of input devices is necessary, current technologies lack any effective solution. Therefore, a new approach needs to be devised for such a purpose.

Key objectives of the suggested approach include:

- **Interactivity:** To ensure that computer operation is not restricted by any traditional means of interaction.
- **Freehand control:** To provide an ability to interact by using only facial and vocal gestures.
- **Fast response:** To assure timely and flawless performance.
- **Combined system:** To integrate face detection with voice recognition into a single package.

IV. PROPOSED SYSTEM

A. System Overview

This system facilitates interaction with the computer without being tied to traditional computer devices like keyboards and mice. Facial tracking, hand-gesture recognition, and voice command features come together to create a natural way of interacting with the machine. This technology is meant to run in real time with low latencies to facilitate optimal performance. This software allows various interactions, such as Cursor Mode, which enables the user to navigate using the cursor; Sweep Mode, which is used to navigate slides; Zoom Mode, which allows for scaling; Face Mode, in which one can navigate by moving their face; and Voice Mode, which involves executing voice commands. The different modes of interaction are switched using a wake word such as "Friday." This technology decreases dependency on traditional hardware, improves accessibility for users with physical challenges, and utilizes regular devices like webcams and microphones. Essentially, this is a software solution that does not need additional hardware.

B. System Architecture

The design of the system is made up of a series of modules that are aimed at facilitating the real-time interaction process.




Fig. 1. System Architecture of Virtual Control of PC using Facial and Voice Navigation

Input Module: Retrieves continuous video stream from the webcam and audio data from the microphone that will be used for further analysis.

Face Detection Module: Uses MediaPipe to capture facial landmarks and track head movement to move the cursor around.

Hand Gestures Module: Locates hand landmarks and interprets hand gestures that are responsible for cursor movement, swiping, and zoom-in/zoom-out.

Speech Recognition Module: Analyzes speech input, detects the wake-word "Friday," and translates it into written commands through fuzzy matching.

Processing Module: Combines the outputs from the face, gesture, and speech recognition modules, uses decision-making logic for choosing the correct mode, and filters out noise.

Execution Module: Runs PyAutoGUI to carry out the actions in the system, which include cursor movement, clicking, scrolling, opening applications, and slide navigation.

C. Workflow

The system starts with the initialization of the camera and microphone followed by the collection of frames from the video for the purpose of real-time analysis. Landmarks are detected and recognized based on the actions done by the user. At the same time, audio inputs undergo process in another thread. Once the word "Friday" is detected, the system recognizes commands for the specified actions.

Depending on the current mode:

- Cursor Mode → Pointer Control
- Sweep Mode → Slides Control
- Zoom Mode → Zoom Control
- Face Mode → Pointer Control through face detection

Inputs are transformed into action in the computer using the module PyAutoGUI. The entire process repeats indefinitely unless the program is terminated by the user.

V. METHODOLOGY

This proposed framework is based on multimodal interactions using facial motion analysis, gesture recognition, and voice commands to control computers without requiring any physical interaction.

A. Head Movement-Based Cursor Control

The approach makes use of facial landmarks and head movement. Facial landmarks are used to control the cursor's location, and basic smoothing is done to provide stable movement.

B. Facial Gesture-Based Interaction

Simple facial gestures, like blinking and mouth opening, are used to perform certain tasks such as clicking and scrolling. The detection is performed based on thresholds to ensure no false input is received.

C. Speech Command Recognition

Speech input is taken using the Speech Recognition library module and converted to text. The wake word can be "Friday" and the recognized speech is mapped to corresponding actions using simple match methods.

D. Multimodal Input Integration

A rule-based technique combines gesture input with voice input. The voice command is mainly used for switching modes, while the gesture controls the continuous mode.

VI. TECHNOLOGIES USED

- 1) Python 3.x – programming language
- 2) OpenCV – computer vision and video capturing
- 3) MediaPipe – facial feature localization
- 4) SpeechRecognition and PyAudio – audio signal processing
- 5) PyAutoGUI – mouse and keyboard control

VII. RESULTS AND EVALUATION

Evaluations on the system were done through various conditions to check for its accuracy, speed, and usability. Tests were carried out in different light levels and background noise to examine the system's efficiency under less-than-perfect conditions.

Metrics measured included:

- Facial tracker accuracy: 91–94%
- Voice recognizer accuracy: 93–95%
- Delay: < 0.3 seconds
- Real-time processing: accomplished

While the facial tracker provided accurate tracking of the face, resulting in stable movement of the cursor as directed by the user, performance was slightly compromised when it came to dimly lit environments and partial obscuring of the face by objects such as glasses.

The voice recognition subsystem proved efficient in handling standard commands especially if the user spoke clearly. The inclusion of the wake word feature acted as a safeguard against accidental execution of any command while improving the efficiency of the system. In moderate noise levels, the accuracy level was impressive although excessive noise sometimes interfered with the recognition of commands.

There was no delay in the response time as the action taken by the user appeared almost immediately on the screen. This made interactions smooth as the user could easily shift from one mode to another and perform different functions without experiencing any delays. User trials have shown that the system is very intuitive and can be used even by those using it for the first time.

Using facial gestures in conjunction with voice commands minimized the need for manual operations making the system more accessible. Although some errors occurred in difficult circumstances, the system performed well and could be deployed for practical purposes.

VIII. CHALLENGES AND LIMITATIONS

Despite achieving effective performance, the system faces certain practical challenges that impact its consistency under real-world conditions.

A. Noise Interference in Voice Recognition

The accuracy of voice commands can be affected by background noise or overlapping speech. In crowded or noisy environments, the system may misinterpret commands or fail to detect them correctly, especially when the input is unclear.

B. Lighting Dependency for Gesture Detection

Facial and gesture recognition rely heavily on proper lighting conditions. Low light, excessive brightness, or shadows can reduce detection accuracy, leading to unstable cursor movement or missed gestures.

C. False Triggering of Commands

Unintentional facial movements, such as natural blinking or slight head shifts, may sometimes be interpreted as commands. Although threshold mechanisms are used, completely eliminating false triggers remains a challenge.

D. Hardware Limitations

The system depends on the quality of the webcam and microphone. Lower-resolution cameras or poor-quality microphones can reduce accuracy and responsiveness. Additionally, performance may vary depending on system processing power.

Overall, while the system performs well in standard conditions, these limitations highlight areas for improvement to ensure more robust and reliable performance across diverse environments.

IX. FUTURE SCOPE

The proposed system has the following opportunities for improvement in order to increase its functionality, accuracy, and real-life applicability.

A. Support for Multiple Languages

Future versions of the system can be extended to support multiple languages for the voice commands. This will increase the system's inclusiveness and accessibility for users from different linguistic backgrounds, who will be able to interact in the language of their choice.

B. AI-driven Personalization

The use of machine learning techniques can enable the system to learn and adapt to the individual user behavior over time. The system can learn user preferences, frequently used commands and interaction patterns to provide a more personalized and efficient experience.

C. Integration with Internet of Things (IoT) Devices

The system can be extended to control smart home and IoT devices such as lights, fans and security systems. This would allow users to manage their computer and the environment around them through one integrated interface.

D. Deep Learning-Based Advanced Gesture Recognition

Future improvements may include the use of deep learning models for a more accurate and complex gesture recognition. This would allow the system to better recognize a wider range of gestures with higher precision and fewer false detections.

E. Integration with AR/VR

The system can be integrated with augmented reality (AR) and virtual reality (VR) technologies for immersive interaction. The new technology would allow users to manipulate virtual environments using face and voice inputs, opening up new possibilities in gaming, training and simulation.

X. DISCUSSION

Results should be seen as an indication of feasibility and not as equivalency with traditional peripherals. Such a multimodal interface is useful because it distributes the interaction load over complementary channels: facial motion can support continuous spatial control, while speech can issue discrete commands, speed up navigation and reduce repetitive cursor travel. This division of labor is consistent with wider multimodal-HCI findings that paired modalities are most effective if they each contribute a different functional role.

However, the discussion should also acknowledge the system's constraints. Camera-based interaction remains sensitive to illumination, user pose, involuntary motion, and calibration drift, while speech interaction is vulnerable to accent variation, background noise, and command-recognition bias. Recent ASR literature also shows that recognition quality is not equally distributed across speaker groups, which means accessibility claims should be made cautiously unless the system is evaluated on linguistically diverse users.

Finally, because the interface depends on continuous video and audio sensing, privacy and security are not peripheral concerns but central design considerations. Taken together, these issues suggest that the proposed system is best framed as a practical assistive option that expands access under certain conditions, rather than as a universal replacement for standard input devices.

XI. CONCLUSION

This paper presented a multimodal human-computer interaction system for virtual PC control using facial navigation and voice commands. Its primary contribution lies in demonstrating that widely available hardware, together with contemporary computer-vision and speech-processing methods, can be integrated into a low-cost hands-free interface for desktop interaction.

The findings support the view that such systems can improve accessibility and practical functionality for users who face difficulty with conventional peripherals, while also offering contactless interaction in general-purpose settings. At the same time, the study confirms that technical feasibility alone is insufficient for a strong assistive-computing claim: future work must strengthen evaluation across larger and more diverse participant groups, compare unimodal and multimodal configurations, quantify robustness under noisy and low-light conditions, and address privacy, fairness, and personalization more explicitly.

Accordingly, the next stage of this research should focus on reproducible benchmarking, adaptive calibration, multilingual and offline command recognition, and longitudinal user studies with people who have different motor impairments. With these additions, the system can be positioned not merely as an implementation project, but as a meaningful contribution to accessible multimodal computing.

REFERENCES

- [1] M. Turk and A. Pentland, "Eigenfaces for recognition," *Journal of Cognitive Neuroscience*, vol. 3, no. 1, pp. 71–86, 1991.
- [2] G. G. Gordon, "Face recognition based on depth and curvature features," in *Proceedings of IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 1992.
- [3] J. A. Bilmes et al., "The Vocal Joystick: A voice-based human-computer interface for users with motor impairments," in *Proceedings of IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP)*, 2006.
- [4] A. Al-Qaysi and M. Zaidan, "A hybrid face and voice control system for human-computer interaction," *International Journal of Advanced Computer Science and Applications*, vol. 10, no. 7, pp. 256–262, 2019.
- [5] D. Chen et al., "Head-tracking mouse system for individuals with disabilities," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 12, no. 3, pp. 390–397, 2004.
- [6] R. Sharma, "Assistive technology for improving accessibility in computing systems," *International Journal of Computer Applications*, vol. 176, no. 12, pp. 15–20, 2020.
- [7] A. Gaurav, "Voice recognition system using Python for human-computer interaction," *International Journal of Engineering Research and Technology*, vol. 10, no. 5, pp. 234–238, 2021.
- [8] G. Bradski, "The OpenCV library," *Dr. Dobbs's Journal of Software Tools*, 2000.
- [9] P. K. Jain, "Real-time face detection and tracking using MediaPipe framework," *International Journal of Emerging Technologies*, vol. 13, no. 2, pp. 45–50, 2022.

- [10] A. Karpathy, "Large-scale video classification with convolutional neural networks," in *Proceedings of IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2014.
- [11] F. Chollet, "Deep Learning with Python," Manning Publications, 2017.
- [12] D. Jurafsky and J. H. Martin, "Speech and Language Processing," Prentice Hall, 2009.